GASTROPARTS

Universal Catalogue › Electric Components ›

[EN] Fuses

[DE] Sicherungen

[ES] Fusibles

[FR] Fusibles électrique

[IT] Fusibile elettrico

[PL] Bezpieczniki

[RU] Предохранители

gastroparts@gastroparts.com

tel. +48 56 657 00 66

fb.com/gastroparts.global

GASTROPARTS.COM



fuses

31

fine fuses.	864
screw locks.	867
thermal fuses.	867
micro fuses.	867
HV fuses.	868
overload switches.	868
line circuit breakers.	868

fuses

fine fuses

1 2

fig.	Part No.	description
1	401030	ø5x20mm - fast-acting - 250V - 120 pieces 10x 100mA, 160mA, 250mA, 500mA, 630mA, 800mA, 1A, 1.6A, 2A, 2.5A, 4A, 6.3A each
1	401032	ø5x20mm - medium lag - 250V - 120 pieces 10x 100mA, 160mA, 250mA, 500mA, 630mA, 800mA, 1A, 1.6A, 2.5A, 4A, 6.3A, 10A each
1	401034	ø5x20mm - slow-acting - 250V - 120 pieces 10x 100mA, 160mA, 250mA, 500mA, 630mA, 800mA, 1A, 1.6A, 2.5A, 4A, 6.3A, 10A each
1	401036	ø5x30mm - fast-acting - 250V - 120 pieces 10x 315mA, 500mA, 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 6.3A, 10A each
1	401037	ø5x30mm - medium lag - 250V - 120 pieces 10x 315mA, 500mA, 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 6.3A, 10A each
1	401038	ø6.3x32mm - fast-acting - 250V - 120 pieces 10x 315mA, 500mA, 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A each
1	401039	ø6.3x32mm - medium lag - 250V - 120 pieces 10x 315mA, 500mA, 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A each
1	401040	ø6.3x32mm - slow-acting - 250V - 120 pieces 10x 315mA, 500mA, 800mA, 1A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 5A, 6.3A each
2	401031	ø5x20mm - fast-acting - 250V - 360 pieces 20x 100mA, 125mA, 160mA, 200mA, 250mA, 315mA, 400mA, 500mA, 630mA, 0.8A, 1.0A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 6.3A each
2	401033	ø5x20mm - medium lag - 250V - 360 pieces 20x 100mA, 125mA, 160mA, 200mA, 250mA, 315mA, 400mA, 500mA, 630mA, 0.8A, 1.0A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 6.3A each
2	401035	ø5x20mm - slow-acting - 250V - 360 pieces 20x 100mA, 125mA, 160mA, 200mA, 250mA, 315mA, 400mA, 500mA, 630mA, 0.8A, 1.0A, 1.25A, 1.6A, 2A, 2.5A, 3.15A, 4A, 6.3A each

technical data:
size ø5x20mm
rated voltage 250V
switch-off behavior fast-acting
quantity 10 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358661	0.1	9	358669	0.63
2	358662	0.125	10	358530	0.8
3	358663	0.16	11	358671	1
4	358664	0.2	12	358531	1.25
5	358665	0.25	13	358673	1.6
6	358666	0.32	14	358532	2
7	358667	0.4	15	358675	2.5
8	358668	0.5	16	358676	3.15
17	358677	4	20	358678	8
18	358074	5	21	358610	10
19	358533	6.3	22	358611	16

technical data:
size ø5x20mm
rated voltage 250V
switch-off behavior medium lag
quantity 10 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358680	0.1	9	358688	0.63	17	358696	4
2	358681	0.13	10	358689	0.8	18	358700	5
3	358682	0.16	11	358690	1	19	358697	6.3
4	358683	0.2	12	358691	1.25	20	358698	8
5	358684	0.25	13	358692	1.6	21	358699	10
6	358685	0.32	14	358693	2	22	358705	16
7	358686	0.4	15	358694	2.5			
8	358687	0.5	16	358695	3.15			



technical data:
size ø5x20mm
size mm
rated voltage 250V
type
switch-off behavior slow-acting
quantity 10 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358590	0.06	9	358703	0.4	17	358604	2.5
2	358591	0.08	10	358597	0.5	18	358605	3.15
3	358592	0.1	11	358598	0.63	19	358606	4
4	358593	0.13	12	358599	0.8	20	358609	5
5	358594	0.16	13	358600	1	21	358607	6.3
6	358595	0.2	14	358601	1.25	22	358704	8
7	358596	0.25	15	358602	1.6	23	358608	10
8	358702	0.32	16	358603	2	24	358706	16

technical data:
size ø5x30mm
rated voltage 500V
switch-off behavior fast-acting
quantity 10 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358795	0.1	8	358711	0.5	15	358717	2.5
2	358796	0.13	9	358801	0.63	16	358718	3.15
3	358797	0.16	10	358712	0.8	17	358719	4
4	358798	0.2	11	358713	1	18	358723	5
5	358799	0.25	12	358714	1.25	19	358720	6.3
6	358710	0.32	13	358715	1.6	20	358721	8
7	358800	0.4	14	358716	2	21	358722	10

Pełną ofertę części zamiennych znajdziesz na gastroparts.com

technical data:
size ø5x30mm
rated voltage 500V
switch-off behavior medium lag
quantity 10 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358802	0.1	8	358726	0.5	15	358732	2.5
2	358803	0.13	9	358808	0.63	16	358733	3.15
3	358804	0.16	10	358727	0.8	17	358734	4
4	358805	0.2	11	358728	1	18	358724	5
5	358806	0.25	12	358729	1.25	19	358735	6.3
6	358725	0.32	13	358730	1.6	20	358809	8
7	358807	0.4	14	358731	2	21	358736	10

technical data:
size ø6.3x32mm
switch-off behavior fast-acting
rated voltage 250V
quantity 1 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358154	10	3	358157	15
2	358156	12	4	358155	20

technical data:
size ø6.3x32mm
rated voltage 250V
switch-off behavior medium lag
quantity 10 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358818	0.1	12	358764	1.25
2	358819	0.13	13	358765	1.6
3	358820	0.16	14	358766	2
4	358821	0.2	15	358767	2.5
5	358822	0.25	16	358768	3.15
6	358760	0.315	17	358769	4
7	358823	0.4	18	358770	5
8	358761	0.5	19	358771	6.3
9	358824	0.63	20	358825	8
10	358762	0.8	21	358772	10
11	358763	1	22	358773	16

technical data:
size ø6.3x32mm
switch-off behavior slow-acting
rated voltage 250V
quantity 10 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358826	0.1	9	358640	0.63	17	358789	4
2	358827	0.13	10	358782	0.8	18	358790	5
3	358828	0.16	11	358783	1	19	358791	6.3
4	358829	0.2	12	358784	1.25	20	358794	8
5	358830	0.25	13	358785	1.6	21	358792	10
6	358780	0.32	14	358786	2	22	358793	16
7	358831	0.4	15	358787	2.5	23	358639	20
8	358781	0.5	16	358788	3.15			

technical data:
size ø6.3x32mm
rated voltage 500V
switch-off behavior fast-acting
quantity 10 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358810	0.1	9	358816	0.63	17	358749	4
2	358811	0.13	10	358742	0.8	18	358750	5
3	358812	0.16	11	358743	1	19	358751	6.3
4	358813	0.2	12	358744	1.25	20	358817	8
5	358814	0.25	13	358745	1.6	21	358752	10
6	358740	0.32	14	358746	2	22	358753	16
7	358815	0.4	15	358747	2.5			
8	358741	0.5	16	358748	3.15			

technical data:
size ø10x38mm
rated voltage 400V
type aM
switch-off behavior slow-acting
quantity 1 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358041	20	2	358042	25	3	358030	32

technical data:
size ø10x38mm
switch-off behavior slow-acting
rated voltage 500V
type aM
quantity 1 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358033	1	4	358036	6	7	358039	12
2	358034	2	5	358037	8	8	358040	16
3	358035	4	6	358038	10			

technical data:
size ø10x38mm
rated voltage 500V
switch-off behavior fast-acting
quantity 1 pcs

pos.	Part No.	curr. (A)	type	pos.	Part No.	curr. (A)	type
1	358020	1	Gg	6	358031	10	Gg
2	358021	2	gI	7	358025	12	Gg
3	358022	4	Gg	8	358027	16	Gg
4	358023	6	Gg	9	358028	20	Gg
5	358024	8	gI	10	358032	25	Gg

technical data:
size ø10.4x38mm
switch-off behavior fast-acting
rated voltage 250V
type BLN
quantity 1 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358153	15	3	358151	25
2	358150	20	4	358152	30

Pełną ofertę części zamiennych znajdziesz na gastroparts.com

technical data:
size ø10.4x35(38)mm
rated voltage 600V
type ATMR/KTK-R
switch-off behavior fast-acting
quantity 1 pcs

pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)	pos.	Part No.	curr. (A)
1	358836	12	2	358837	20	3	358838	25

various

1

2

technical data:
quantity 1 pcs

fig.	Part No.	curr. (A)	fig.	Part No.	curr. (A)
1	358004	20	2	358397	25

fine fuse holders

1

2

3

fig.	Part No.	suitable fuse	ø (mm)	curr. (A)	rated (V)	connection
1	550558	ø5x20mm	12.5	10	250	F4.8
1	358029	ø5x20mm	14.5	10	500	F6.3
1	358113	ø5x20mm	15	10	250	F2.8
1	358396	ø5x20mm	15	16	250	F4.8
1	358384	ø5x20mm	15.2	10	250	solder connection
1	551283	ø6.3x32mm	12.5	20	300	F4.8
1	358125	ø6.3x32mm	15	10	250	F4.8
1	358387	ø6.3x32mm	15.2	10	250	solder connection
1	358852	ø6.3x32mm	16	16	250	F4.8/F6.3
2	358383	ø5x20mm	13.1	10	250	solder connection
2	358835	ø6.3x32mm	14.5	30	600	F6.3
2	358388	ø6.3x32mm	15.2	15	250	F4.8
3	358535	ø5x20mm	25.2	30	600	F6.3

1

fig.	Part No.	suitable fuse	curr. (A)	rated (V)	connection
1	358382	ø5x30mm	10	250	screw connection

1

2

3

4

fig.	Part No.	suitable fuse	curr. (A)	rated (V)
1	358832	ø5x20mm	6.3	250
2	550468	ø5x20mm	6.3	600
3	551234	ø5x20mm	6.3	600
4	550105	ø5x20mm	10	250

5

6

7

8

fig.	Part No.	suitable fuse	curr. (A)	rated (V)
4	550406	ø5x30mm	10	250
4	550439	ø6.3x32mm	10	250
5	550104	ø5x30mm	10	600
5	550348	ø6.3x32mm	6.3	600
5	550669	ø5x25mm	10	600
6	358026	ø6.3x32mm	10	800
7	550983	ø10x38mm	30	600
8	550536	ø10x38mm	30	600

9

10

fig.	Part No.	suitable fuse	curr. (A)	rated (V)
9	358075	ø10x38mm	32	690
10	358096	ø10x38mm	32	690

1

2

3

4

fig.	Part No.	suitable fuse	ø (mm)	curr. (A)	rated (V)	connection
1	551282	ø5x20mm	12.5	30	32	8x5
2	358016	ø5x20mm	14	4	250	F6.3
3	358101	ø5x20mm	14	4	250	F6.3
4	504479	ø5x30mm	-	25	300	F6.3

5

6

7

8

fig.	Part No.	suitable fuse	ø (mm)	curr. (A)	rated (V)	connection
5	551268	ø5x30mm	-	30	600	F6.3x0.8
6	358834	ø6.3x32mm	15	0.8	5K	F6.3
7	504475	ø6.3x32mm	-	16	300	F6.3
8	551212	ø6.3x32mm	-	20	240	-

Pełną ofertę części zamiennych znajdziesz na gastroparts.com

screw locks

D-system (DIAZED)

1 2 3

fig.	Part No.	size	curr. (A)	rated (V)	thread	ø (mm)	Qty (pcs)	L (mm)
1	358085	DI	6	500	E16	13	10	50
1	358086	DI	10	500	E16	13	10	50
1	358087	DI	16	500	E16	13	10	50
1	358088	DI	20	500	E16	13	10	50
1	358089	DI	25	500	E16	13	10	50
2	358080	DII	6	500	E27	22	5	50
2	358081	DII	10	500	E27	22	5	50
2	358082	DII	16	500	E27	22	5	50
2	358083	DII	20	500	E27	22	5	50
2	358084	DII	25	500	E27	22	5	50
3	358090	DIII	35	500	E33	27	5	50
3	358091	DIII	50	500	E33	27	5	50
3	358092	DIII	63	500	E33	27	5	50

D0-system (NEOZED)

1 2

fig.	Part No.	size	curr. (A)	rated (V)	thread	ø (mm)	Qty (pcs)	L (mm)
1	358070	D01	2	250/400	E14	11	10	36
1	358071	D01	4	250/400	E14	11	10	36
1	358072	D01	6	250/400	E14	11	10	36
1	358073	D01	10	250/400	E14	11	10	36
1	358077	D01	13	250/400	E14	11	1	36
1	358043	D01	16	250/400	E14	11	10	36
2	358048	D02	20	250/400	E18	15	10	36
2	358044	D02	25	250/400	E18	15	10	36
2	358078	D02	32	250/400	E18	15	1	36
2	358045	D02	35	250/400	E18	15	10	36
2	358079	D02	40	250/400	E18	15	1	36
2	358046	D02	50	250/400	E18	15	10	36
2	358047	D02	63	250/400	E18	15	10	36

gauge pieces (NEOZED)

pos.	Part No.	size	suitable for
1	358052	D01	2A
2	358053	D01	4A
3	358054	D01	6A
4	358055	D01	10A
5	358056	D02	2A
6	358069	D02	4A
7	358076	D02	6A
8	358063	D02	10A
9	358064	D02	16A
10	358065	D02	20A
11	358066	D02	25A
12	358067	D02	35A
13	358068	D02	50A

fuse holders

1 2 3 4

fig.	Part No.	description	suitable fuse	curr. (A)	rated (V)
1	358093	fuse holder	D01	16	400
1	358094	fuse holder	D02	63	400
2	358057	fuse holder	D01	16	400
2	358058	fuse holder	D02	63	400
3	358062	fuse holder	D01	63	400
3	358060	fuse holder	D02	63	400
4	358059	fuse holder	D01	16	400
4	358061	fuse holder	D02		400

thermal fuses

1

fig.	Part No.	SOT (°C)	nominal (A)	fig.	Part No.	SOT (°C)	nominal (A)
1	358294	84	10	1	358139	142	15
1	358301	98	10	1	358300	152	10
1	358295	104	10	1	358302	167	10
1	358296	109	10	1	358303	184	10
1	358095	110	10	1	358304	192	10
1	358297	117	10	1	358305	216	10
1	358298	128	10	1	358306	228	10
1	358299	141	10	1	358307	240	10

1

fig.	Part No.	SOT (°C)	type	fig.	Part No.	SOT (°C)	type
1	358165	104	G5AP1100	1	358164	128	G5AP1102
1	358166	104	G5AP1101				

micro fuses

1 2

fig.	Part No.	rated (mA)	rated (V)	fig.	Part No.	rated (mA)	rated (V)
1	358050	50	250	2	358051	100	250

Pełną ofertę części zamiennych znajdziesz na gastroparts.com

HV fuses

1

2

3

fig.	Part No.	curr. (A)	switch-off behavior	rated (V)	Qty (pcs)
1	358169	0.8	slow-acting	5000	1
1	358171	0.9	slow-acting	5000	1
2	358170	1	slow-acting	5000	1
3	358172	1	slow-acting	5000	1

overload switches

1

2

3

4

fig.	Part No.	drop-away current (A)
1	358519	0.05
1	358127	0.8
1	358522	1.5
1	358515	2.5
1	358013	3

fig.	Part No.	drop-away current (A)
1	358014	5
2	358524	0.05
3	358523	0.6
4	358514	0.8
4	358516	2

5

6

7

8

fig.	Part No.	drop-away current (A)
5	358513	1
5	358520	2.5
6	358137	4

fig.	Part No.	drop-away current (A)
7	358179	4
8	358100	15

line circuit breakers

ABL SURSUM

1

fig.	Part No.	number of poles	TrTy	curr. (A)	rated (V)
1	358103	1-pole	B	10	240/415
1	358104	1-pole	B	16	240/415
1	358105	1-pole	B	20	240/415
1	358106	1-pole	B	25	240/415
1	358107	1-pole	B	32	240/415
1	358108	1-pole	B	40	240/415
1	380616	1-pole	C	10	240/415
1	345259	1-pole	C	20	240/415
1	358120	1-pole	C	20	240/415
1	358121	1-pole	C	25	240/415
1	358210	1-pole	K	4	240/415
1	358212	1-pole	K	6	240/415
1	358214	1-pole	K	10	240/415

2

3

4

fig.	Part No.	number of poles	TrTy	curr. (A)	rated (V)
1	358216	1-pole	K	16	240/415
1	358217	1-pole	K	20	240/415
1	358218	1-pole	K	25	240/415
1	358219	1-pole	K	32	240/415
1	358220	1-pole	K	40	240/415
2	345530	1-pole+N	K	16	240
2	345531	1-pole+N	K	16	240
2	345532	1-pole+N	K	25	240
2	345533	1-pole+N	K	32	240
2	345534	1-pole+N	K	40	240
3	358230	3-pole	K	16	400
3	358231	3-pole	K	20	400
3	358232	3-pole	K	25	400
3	358233	3-pole	K	32	400
3	358234	3-pole	K	40	400
4	345540	3-pole+N	K	16	400
4	345541	3-pole+N	K	20	400
4	345542	3-pole+N	K	25	400
4	345543	3-pole+N	K	32	400
4	345544	3-pole+N	K	40	400

miscellaneous

1

2

3

4

fig.	Part No.	number of poles	TrTy	curr. (A)	rated (V)
1	381233	1-pole	D	6	230/400
2	358114	3-pole	C	6	400
3	358146	3-pole	C	16	400
4	358145	3-pole	C	32	400

5

6

fig.	Part No.	number of poles	TrTy	curr. (A)	rated (V)
5	358126	3-pole	C	80	400
6	381232	3-pole	D	6	400

Pełną ofertę części zamiennych znajdziesz na gastroparts.com

GASTROPARTS.COM



© 2020 Gastroparts Sp. J. All rights reserved.