GASTROPARTS

# Bartscher

[EN] Equipment

[DE] Geräte

[ES] Aparatos

[FR] Équipement

[IT] Attrezzature

[PL] Urządzenia

[RU] Оборудование

gastroparts@gastroparts.com

+48 56 657 00 66

fb.com/gastroparts.global

# induction

## induction coils

1

| | | | |
|---|---|---|---|
| **Part No.** | 404000 | **Ref. No.** | 01058352 |
| **description** | induction coils 3500W 230V 50Hz L 220mm W 217mm H 12mm suitable for BARTSCHER for induction device | | |

# heating elements

## heating elements for ovens

1

| | | | |
|---|---|---|---|
| **Part No.** | 418478 | **Ref. No.** | 065211001<br>065211007 |
| **description** | heating element 1000W 230V heating circuits 1 L 420mm W 200mm connection male faston 6.3mm connection distance 194mm connection length 15mm tube ø 6.3mm dry heating element oven/ bain marie H 47mm | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 418961 | **Ref. No.** | 023319 |
| **description** | heating element 1200/2850W 230V heating circuits 2 L 400mm W 467mm L1 40mm L2 360mm W1 70mm W2 78mm flange length 127mm flange width 22mm hole distance 114mm bridge length 35mm hole ø 6mm tube ø 6.3mm connection male faston 6.3mm vertical connection length 17mm windings 4 | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 420276 | **Ref. No.** | 0RES009 |
| **description** | heating element 1500W 230V heating circuits 1 L 313mm W 300mm L1 48mm L2 305mm W1 135mm W2 30mm flange length 70mm flange width 22mm hole distance 56mm hole ø 5mm tube ø 6.5mm connection male faston 6.3mm windings 2 oven heating element | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 416785 | **Ref. No.** | 016727 |
| **description** | heating element 1800W 230/400V heating circuits 3 L 515mm W 452mm L1 57mm L2 458mm W1 162mm W2 128mm flange length 160mm flange width 22mm hole distance 144mm hole ø M5mm tube ø 8.5mm rectangular flange dry heating element oven cable length 570mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 418546 | **Ref. No.** | 021061 |
| **description** | heating element 1800W 230V heating circuits 1 L 405mm W 324mm L1 30mm L2 375mm W2 30mm flange length 72mm flange width 22mm hole distance 57mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm connection length 55mm mounting pos. lower rectangular flange dry heating element oven | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 420040 | **Ref. No.** | A0YXD4A40 |
| **description** | heating element 2000W 230V heating circuits 1 L 330mm W 315mm L1 55mm L2 275mm W1 142mm W2 31mm flange length 70mm flange width 22mm hole distance 56mm hole ø 6mm tube ø 6.6mm connection male faston 6.3mm | | |
| **For models:** | A120788 | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 416855 | **Ref. No.** | 030008373 |
| **description** | heating element 2300W 230V heating circuits 1 L 345mm W 213mm L1 33mm L2 42mm W1 70mm W2 68mm flange length 130mm flange width 16mm hole distance 104mm hole ø 3mm tube ø 6.3mm connection male faston 6.3mm connection length 48mm rectangular flange dry heating element L3 270mm | | |



| | | | |
|---|---|---|---|
| **Part No.** | 420275 | **Ref. No.** | 0RES039 |
| **description** | heating element 2400W 230V heating circuits 2 L 335mm W 350mm L1 30mm L2 305mm W1 145mm W2 60mm flange length 100mm flange width 22mm hole distance 86mm hole ø 5mm tube ø 6.5mm connection male faston 6.3mm oven heating element | | |



| | | | |
|---|---|---|---|
| **Part No.** | 416786 | **Ref. No.** | 010848 |
| **description** | heating element 2750W 230/400V heating circuits 3 L 515mm W 580mm L1 55mm L2 460mm W1 130mm W2 225mm flange length 160mm flange width 22mm hole distance 139mm hole ø 4mm tube ø 8.5mm connection cable rectangular flange dry heating element oven cable length 590mm | | |



| | | | |
|---|---|---|---|
| **Part No.** | 418545 | **Ref. No.** | 021060 |
| **description** | heating element 3100W 230V heating circuits 2 L 415mm W 258mm L1 38mm L2 377mm W1 89mm W2 80mm flange length 128mm flange width 22mm hole distance 114mm bridge length 300mm hole ø 4.5mm tube ø 6.5mm connection male faston 6.3mm connection length 65mm mounting pos. upper rectangular flange dry heating element oven | | |

| | | | |
|---|---|---|---|
| **Part No.** | 418479 | **Ref. No.** | 06530624 |
| **description** | heating element 950W 230V heating circuits 1 L 405mm W 96mm L1 75mm L2 330mm W1 15mm W2 66mm flange length 110mm flange width 22mm hole distance 95mm connection male faston 6.3mm connection length 18mm tube ø 6.3mm rectangular flange hole ø 5mm dry heating element heated cabinet | | |

## heating elements for bain maries

| | | | |
|---|---|---|---|
| **Part No.** | 418478 | **Ref. No.** | 065211001<br>065211007 |
| **description** | heating element 1000W 230V heating circuits 1 L 420mm W 200mm connection male faston 6.3mm connection distance 194mm connection length 15mm tube ø 6.3mm dry heating element oven/ bain marie H 47mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 417748 | **Ref. No.** | 00SL0006 |
| **description** | heating element 1200W 230V heating circuits 1 L 365mm W 190mm connection cable 500mm tube ø 6.3mm | | |



| | | | |
|---|---|---|---|
| **Part No.** | 420542 | **Ref. No.** | 0KG1652 |
| **description** | heating element 1200W 230V heating circuits 1 L 370mm W 185mm connection M4 connection distance 180mm tube ø 6.5mm mounting pos. lower bain marie | | |

| | | | |
|---|---|---|---|
| **Part No.** | 417707 | **Ref. No.** | 02002301 |
| **description** | heating element 1300W 230V heating circuits 1 L 405mm W 150mm tube ø 6.8mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 416067 | **Ref. No.** | 06001024 |
| **description** | heating element 1380W 230V heating circuits 1 L 346mm W 190mm connection M5 tube ø 8.5mm 2 hole fixing thread 1/4" immersion heater W1 70mm W2 105mm H 27mm mounting distance 67mm | | |
| **spare parts for** | 416067 | | |
| | Part No. 510417 | Ref. No. — | |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| **accessories for** | 416067 | | |
| | Part No. 361182 | Ref. No. — | |
| | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs | | |
| | Part No. 520228 | Ref. No. — | |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |
| | Part No. 550262 | Ref. No. — | |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |

Table continues overleaf



Find the complete and up-to-date range of products on https://gastroparts.com

| | | | | |
|---|---|---|---|---|
| **accessories for** | 416067 | | | |
| | Part No. | 560112 | Ref. No. | — |
| | plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5 | | | |
| | Part No. | 560132 | Ref. No. | — |
| | hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 416796 | **Ref. No.** | 018160 |
| **description** | heating element 1500W 240V heating circuits 1 L 325mm W 180mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing thread 1/4" dry heating element bain marie L1 155mm L2 170mm H 34mm mounting distance 174mm | | |
| **accessories for** | 416796 | | |
| | Part No. 361182 | Ref. No. | — |
| | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs | | |
| | Part No. 510417 | Ref. No. | — |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| | Part No. 520228 | Ref. No. | — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |
| | Part No. 550262 | Ref. No. | — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |

## heating elements for crepes makers

1

| | | | |
|---|---|---|---|
| **Part No.** | 419011 | **Ref. No.** | 010444611 |
| **description** | heating element 3000W 230V L 307mm W 272mm H 50mm connection distance 260mm dry heating element heating circuits 1 for crepes maker | | |
| **For models:** | 104447 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 419203 | **Ref. No.** | 0301040775 |
| **description** | heating element kit 3000W 230V H 50mm tube ø 8.5mm connection screw connection distance 30mm dry heating element heating circuits 1 ø 325mm for crepes maker | | |

## heating elements for chip scuttles

1

| | | | |
|---|---|---|---|
| **Part No.** | 416067 | **Ref. No.** | 06001024 |
| **description** | heating element 1380W 230V heating circuits 1 L 346mm W 190mm connection M5 tube ø 8.5mm 2 hole fixing thread 1/4" immersion heater W1 70mm W2 105mm H 27mm mounting distance 67mm | | |
| **spare parts for** | 416067 | | |
| | Part No. 510417 | Ref. No. | — |
| | flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | |
| **accessories for** | 416067 | | |
| | Part No. 361182 | Ref. No. | — |
| | nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs | | |
| | Part No. 520228 | Ref. No. | — |
| | tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | |
| | Part No. 550262 | Ref. No. | — |
| | flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | |
| | Part No. 560112 | Ref. No. | — |
| | plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5 | | |
| | Part No. 560132 | Ref. No. | — |
| | hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |

## heating elements for fryers

### center connection

1

| | | | |
|---|---|---|---|
| **Part No.** | 415297 | **Ref. No.** | 0211441 |
| **description** | heating element 6800W 230/400V heating circuits 3 L 299mm W 107mm H 35mm flange length 19.5mm flange length 1 9.5mm flange length 2 9.8mm flange ø1 62mm flange ø2 57mm thermostat sleeves ø 8.5mm sensor screw connection 2x M10x1 thermostat sleeve upper/ lower L1 16mm L2 283mm W1 30mm W2 77mm thread M54x1.5 tube ø 8.5mm cable length 450mm rotation flange immersion heater | | |
| **accessories for** | 415297 | | |
| | Part No. 510243 | Ref. No. | — |
| | O-ring Viton thickness 3.53mm ID ø 55.56mm Qty 1 pcs | | |
| | Part No. 510245 | Ref. No. | — |
| | O-ring Viton thickness 3.53mm ID ø 50.8mm Qty 1 pcs | | |
| | Part No. 550447 | Ref. No. | — |
| | ring nut thread M54x1.5 | | |

## 2 hole fixing

1

| | | | |
|---|---|---|---|
| **Part No.** | 418488 | **Ref. No.** | 06537366 |
| **description** | heating element 2800W 230V heating circuits 1 L 343mm W 180mm H 152mm 2 hole fixing connection male faston 6.3mm W1 66mm W2 44mm thread M12x1 tube ø 8.5mm windings 4 fryer | | |
| **accessories for** | 418488 | | |

| | | | |
|---|---|---|---|
| Part No. | 520229 | Ref. No. | — |

nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 521110 | Ref. No. | — |

flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 521131 | Ref. No. | — |

nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 528110 | Ref. No. | — |

O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs




1

| | | | |
|---|---|---|---|
| **Part No.** | 416800 | **Ref. No.** | 08208200 |
| **description** | heating element 2300W 230V heating circuits 1 L 340mm W 42mm H 210mm L1 24mm L2 316mm H1 46mm H2 130mm H3 34mm mounting distance 32mm thread M14x1.5 tube ø 8.5mm connection length 20mm connection M5 2 hole fixing fryer | | |
| **spare parts for** | 416800 | | |

| | | | |
|---|---|---|---|
| Part No. | 521101 | Ref. No. | — |

nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs

| | | | |
|---|---|---|---|
| **accessories for** | 416800 | | |

| | | | |
|---|---|---|---|
| Part No. | 560112 | Ref. No. | — |

plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5

| | | | |
|---|---|---|---|
| Part No. | 560132 | Ref. No. | — |

hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs

1

| | | | |
|---|---|---|---|
| **Part No.** | 420145 | **Ref. No.** | 016240419<br>A039885 |
| **description** | heating element 2500W 230V heating circuits 1 L 267mm W 127mm H 187mm 2 hole fixing connection M4 immersion heater L1 32mm L2 235mm W1 38mm W2 50mm tube ø 8mm thread M12x1.25 mounting distance 42mm connection length 15mm windings 3 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 420018 | **Ref. No.** | 016210818<br>A040579 |
| **description** | heating element 3250W 230V heating circuits 1 L 265mm W 185mm H 200mm 2 hole fixing connection M4 immersion heater L1 25mm L2 240mm W1 71mm W2 42mm tube ø 8.1mm thread M12x1 mounting distance 34mm windings 4 | | |
| **For models:** | A150107, A150207 | | |
| **spare parts for** | 420018 | | |

| | | | |
|---|---|---|---|
| Part No. | 521131 | Ref. No. | — |

nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs

1

| | | | |
|---|---|---|---|
| **Part No.** | 420066 | **Ref. No.** | A039886 |
| **description** | heating element 3250W 230V heating circuits 1 L 280mm W 180mm H 210mm 2 hole fixing connection M4 immersion heater L1 35mm L2 245mm W1 61mm W2 58mm tube ø 8.1mm thread M12x1.25 mounting distance 50mm windings 4 | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## 6 hole fixing




1

| | | | |
|---|---|---|---|
| **Part No.** | 416811 | **Ref. No.** | 01037317200 |
| **description** | heating element 9000W 230V heating circuits 3 L 320mm W 175mm H 205mm W1 5mm H1 165mm H2 40mm thread M12x1 tube ø 8.5mm connection male faston 6.3mm immersion heater 6 hole fixing | | |
| **spare parts for** | 416811 | | |
| | Part No. 521110 | Ref. No. | — |
| | flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs | | |
| **accessories for** | 416811 | | |
| | Part No. 520229 | Ref. No. | — |
| | nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs | | |
| | Part No. 521131 | Ref. No. | — |
| | nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs | | |
| | Part No. 528110 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs | | |

## heating elements for griddles



1

| | | | |
|---|---|---|---|
| **Part No.** | 418934 | **Ref. No.** | 021786 |
| **description** | heating element 1100W 230V heating circuits 1 L 327mm W 96.5mm H 52mm tube ø 6.3mm connection male faston 6.3mm griddle connection distance 76mm dry heating element | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 418489 | **Ref. No.** | 065211011 |
| **description** | heating element 1100W 230V heating circuits 1 L 467mm W 95mm H 52mm tube ø 6.3mm connection M4 griddle dry heating element | | |

## heating elements for chicken rotisseries

1

| | | | |
|---|---|---|---|
| **Part No.** | 418869 | **Ref. No.** | 007032324 |
| **description** | heating element 1900W 230V thread M14x1.5 L 690mm W 40mm dry heating element tube ø 8.5mm mounting distance 61mm chicken rotisserie | | |

## heating elements for hot counters



1

| | | | |
|---|---|---|---|
| **Part No.** | 420065 | **Ref. No.** | 03060533 |
| **description** | heating element 1840W 230V heating circuits 1 L 550mm W 180mm W2 38mm tube ø 8mm connection M4 for hot counter L1 65mm L2 410mm hole distance 187mm flange length 200mm flange width 50mm hole ø 5mm | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 420039 | **Ref. No.** | A02030937 |
| **description** | heating element 260W 230V heating circuits 1 L 221mm W 363mm tube ø 8mm connection male faston 6.3mm screw lug length 40mm lug width 15mm | | |
| **For models:** | A203093, A203094 | | |

## heating elements for hot dog machines

1

| | | | |
|---|---|---|---|
| **Part No.** | 418661 | **Ref. No.** | A0401022500 |
| **description** | heating element 1000W 230V L 180mm W 187mm H 18mm tube ø 6.2mm L1 30mm L2 150mm connection 6.3 connection distance 181mm heating circuits 1 hot dog machine | | |

## heating elements for coffee machine

1

| | | | |
|---|---|---|---|
| **Part No.** | 420147 | **Ref. No.** | A0ND010 |
| **description** | heating element 1200W 230V heating circuits 1 D1 ø 65mm H 42mm D2 ø 54mm windings 3 connection male faston 6.3mm immersion heater tube ø 6.5mm for coffee machine | | |
| **For models:** | A190141, A190161 | | |
| **accessories for** | 420147 | | |
| | Part No. 511646 | Ref. No. | A0ND011 |
| | gasket silicone ED ø 63mm ID ø 55mm thickness 2.3mm Qty 1 pcs for heating element | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 420146 | **Ref. No.** | A0ND012 |
| **description** | heating element 130W 230V ø 130mm L 130mm H 54mm connection male faston 6.3mm W 130mm heating circuits 1 | | |
| **For models:** | A190141, A190161 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 417218 | **Ref. No.** | A040640 |
| **description** | heating element D1 ø 65mm H 42mm tube ø 6.5mm coffee machine | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 420143 | **Ref. No.** | A0ND037 |
| **description** | heating element heating circuits 1 D1 ø 65mm H 42mm D2 ø 54mm windings 4 connection male faston 6.3mm immersion heater tube ø 6.5mm for coffee machine | | |
| **accessories for** | 420143 | | |

| | | | |
|---|---|---|---|
| Part No. | 511646 | Ref. No. | A0ND011 |
| gasket silicone ED ø 63mm ID ø 55mm thickness 2.3mm Qty 1 pcs for heating element | | | |

## heating elements for tilting bratt pan

1

| | | | |
|---|---|---|---|
| **Part No.** | 416693 | **Ref. No.** | 040400084 |
| **description** | heating element 1650W 230V L 490mm W 45mm H 45mm 2 hole fixing connection M4 thread 1/4" tube ø 8.5mm mounting distance 32mm dry heating element | | |
| **accessories for** | 416693 | | |

| | | | |
|---|---|---|---|
| Part No. | 361182 | Ref. No. | — |
| nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| Part No. | 510417 | Ref. No. | — |
| flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| Part No. | 520228 | Ref. No. | — |
| tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14 | | | |

| | | | |
|---|---|---|---|
| Part No. | 550262 | Ref. No. | — |
| flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm | | | |

## heating elements for contact grills



1

| | | | |
|---|---|---|---|
| **Part No.** | 419013 | **Ref. No.** | A039855 |
| **description** | heating element 1000W 230V L 178mm W 180mm H 40mm tube ø 6.25mm connection M4 connection length 22mm dry heating element windings 3 for contact grill | | |
| **For models:** | A150671 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 416845 | **Ref. No.** | A017607 |
| **description** | heating element 1100W 230V L 208mm W 220mm H 25mm tube ø 6.5mm connection distance 65mm cable length 500mm dry heating element heating circuits 1 | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 416853 | **Ref. No.** | A010416 |
| **description** | heating element 1100W 230V L 210mm W 250mm W1 70mm W2 110mm tube ø 6.3mm cable length 200mm dry heating element windings 3 H 6.3mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 419002 | **Ref. No.** | A041537 |
| **description** | heating element 1400W 230V heating circuits 1 L 175mm W 305mm H 20mm W1 40mm W2 325mm tube ø 6.3mm windings 5 | | |
| **For models:** | A150674 | | |



| | | | |
|---|---|---|---|
| **Part No.** | 419003 | **Ref. No.** | A041538 |
| **description** | heating element 1550W 240V L 175mm W 305mm H 40mm tube ø 6.3mm connection M4 windings 5 | | |
| **For models:** | A150674 | | |

| | | | |
|---|---|---|---|
| **Part No.** | 416843 | **Ref. No.** | A010414 |
| **description** | heating element 650W 230V L 172mm W 162mm W1 70mm W2 40mm tube ø 6.5mm connection cable cable length 550mm dry heating element windings 3 | | |

| | | | |
|---|---|---|---|
| **Part No.** | 419012 | **Ref. No.** | A039854 |
| **description** | heating element 800W 230V heating circuits 1 L 175mm W 183mm H 15mm W1 40mm W2 102mm tube ø 6.6mm windings 3 connection M4 mounting pos. upper dry heating element for contact grill | | |
| **For models:** | A150671 | | |



| | | | |
|---|---|---|---|
| **Part No.** | 416849 | **Ref. No.** | 030008013 |
| **description** | heating element 800W 230V L 170mm W 167mm H 33mm W1 26mm W2 115mm connection length 30mm tube ø 6.3mm windings 3 cable length 260mm dry heating element | | |

| | | | |
|---|---|---|---|
| **Part No.** | 416844 | **Ref. No.** | A010415 |
| **description** | heating element 900W 230V L 185mm W 247mm W1 80mm W2 100mm tube ø 6.3mm connection cable connection length 18mm cable length 600mm windings 3 H 6.3mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 416854 | **Ref. No.** | 030008014 |
| **description** | heating element 900W 230V L 210mm W 170mm H 20mm W1 55mm W2 60mm tube ø 6.3mm windings 3 cable length 250mm dry heating element | | |



| | | | |
|---|---|---|---|
| **Part No.** | 416859 | **Ref. No.** | A010418 |
| **description** | heating element 900W 230V L 210mm W 180mm W1 33mm W2 100mm tube ø 6.3mm connection cable connection length 20mm cable length 240mm windings 3 H 6.3mm | | |

## heating elements for pizza ovens

| | | | |
|---|---|---|---|
| **Part No.** | 418672 | **Ref. No.** | 0401031000 |
| **description** | heating element 1000W 230V heating circuits 1 L 330mm W 300mm L1 30mm L2 60mm L3 240mm W1 35mm W2 230mm lug length 27mm lug width 22mm connection length 55mm connection male faston 6.3mm tube ø 6.3mm 2 hole fixing hole ø 3mm dry heating element pizza oven | | |

| | | | |
|---|---|---|---|
| **Part No.** | 416847 | **Ref. No.** | 030008049 |
| **description** | heating element 1000W 230V dry heating element 2 hole fixing pizza oven | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 416848 | **Ref. No.** | 030008062 |
| **description** | heating element 800W 230V L 445mm W 195mm thread 1/4“ mounting distance 186mm connection length 15mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing | | |
| **For models:** | ROMA/II | | |
| **accessories for** | 416848 | | |

| | | | |
|---|---|---|---|
| Part No. | 361182 | Ref. No. | — |

nut thread 1/4“ H 5mm nickel-plated brass WS 17 Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 510417 | Ref. No. | — |

flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 520228 | Ref. No. | — |

tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14

| | | | |
|---|---|---|---|
| Part No. | 550262 | Ref. No. | — |

flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm



1

| | | | |
|---|---|---|---|
| **Part No.** | 418781 | **Ref. No.** | A02011008 |
| **description** | heating element 900W 230V L 350mm W 300mm connection distance 220mm L1 40mm L2 90mm L3 220mm W1 40mm W2 220mm tube ø 6.3mm heating circuits 1 pizza oven | | |

## heating elements for chargrills

1

| | | | |
|---|---|---|---|
| **Part No.** | 415965 | **Ref. No.** | 01037311315 |
| **description** | heating element 1800W 230V L 486mm W 83mm H 30mm 2 hole fixing mounting distance 72mm connection M4 L1 38mm L2 448mm heating circuits 1 tube ø 6.3mm dry heating element thread M12x1 for sausage warmer | | |
| **accessories for** | 415965 | | |

| | | | |
|---|---|---|---|
| Part No. | 520229 | Ref. No. | — |

nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 521110 | Ref. No. | — |

flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 521131 | Ref. No. | — |

nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 528110 | Ref. No. | — |

O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs

## heating elements for salamanders/toast-



1

| | | | |
|---|---|---|---|
| **Part No.** | 415659 | **Ref. No.** | 011029 |
| **description** | heating element 2000W 230V heating circuits 1 L 230mm W 303mm L1 35mm L2 195mm W1 135mm W2 33mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm dry heating element connection M5 rectangular flange hole ø 5mm H 8.5mm | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 418740 | **Ref. No.** | 0AT93607<br>A0AT93607 |
| **description** | heating element 2000W 230V heating circuits 1 L 400mm W 200mm L1 27mm L2 373mm W1 85mm W2 30mm flange length 70mm flange width 22mm hole distance 56mm tube ø 6.5mm rectangular flange hole ø 5mm H 6.5mm | | |
| **For models:** | A1515001 | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 415660 | **Ref. No.** | 011003 |
| **description** | heating element 2800W 230V heating circuits 1 L 230mm W 298mm L1 20mm L2 210mm W1 133mm W2 32mm flange length 70mm flange width 22mm hole distance 56mm tube ø 8.5mm dry heating element connection M5 rectangular flange hole ø 5mm H 8.5mm | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 418790 | **Ref. No.** | 011008 |
| **description** | heating element 2800W 400V heating circuits 1 L 305mm W 300mm L1 18mm L2 287mm W1 130mm W2 25mm flange length 70mm flange width 22mm hole distance 65mm tube ø 8.5mm connection M5 rectangular flange hole ø 5mm salamander grill H 8.5mm | | |



Find the complete and up-to-date range of products on https://gastroparts.com



1

| | | | |
|---|---|---|---|
| **Part No.** | 418862 | **Ref. No.** | 0V036700<br>A039857<br>EB-600-15 |
| **description** | heating element 2000W 230V heating circuits 1 L 235mm W 215mm H 35mm thread M12x1 mounting distance 209mm connection length 48mm tube ø 6.3mm salamander grill | | |
| **For models:** | EB600 | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 418653 | **Ref. No.** | 0401024000 |
| **description** | heating element 2200W 230V L 350mm W 260mm thread M12 mounting distance 245mm connection 6.3 air tube ø 8.5mm heating circuits 1 H 8.5mm | | |
| **spare parts for** | 418653 | | |

| | | | |
|---|---|---|---|
| Part No. | 521110 | Ref. No. | — |
| flat gasket fibre ED ø 20mm ID ø 13mm thickness 2mm Qty 1 pcs | | | |
| **accessories for** | 418653 | | |

| | | | |
|---|---|---|---|
| Part No. | 520229 | Ref. No. | — |
| nut thread M12x1 H 4mm WS 16 zinc-coated steel Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| Part No. | 521131 | Ref. No. | — |
| nut thread M12x1 H 3.5mm WS 17 SS Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| Part No. | 528110 | Ref. No. | — |
| O-ring EPDM thickness 2.62mm ID ø 12.37mm Qty 1 pcs | | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 420046 | **Ref. No.** | A039856 |
| **description** | heating element 2800W 230V heating circuits 1 L 240mm W 350mm H 25mm thread M12x1 mounting distance 342mm tube ø 8.5mm connection M4 | | |
| **For models:** | 151510 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 416820 | **Ref. No.** | 6001071 |
| **description** | heating element 930W 230V L 260mm W 55mm thread M15x1 mounting distance 45mm connection length 26mm connection M4 tube ø 10mm heating circuits 1 dry heating element 2 hole fixing H 10mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 416001 | **Ref. No.** | 027676 |
| **description** | radiation heater rectangular 1500W 230/240V L 265mm W 165mm H 32mm heating circuits 1 connections 2 connection type cable cable length 700mm EGO salamander grill | | |
| **accessories for** | 416001 | | |

| | | | |
|---|---|---|---|
| Part No. | 390880 | Ref. No. | 027677 |
| safety rod thermostat switch-off temp. 780°C temperature range°C 2-pole 1NC/1NOA probe ø 4mm probe L 170mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm | | | |

| | | | |
|---|---|---|---|
| Part No. | 403523 | Ref. No. | — |
| solid state relay ANLY 1 phase 40A 24-280V 4-32VDC L 47.5mm W 43mm screw type ASR-40DA | | | |

## heating elements for heating bridges

1

| | | | |
|---|---|---|---|
| **Part No.** | 420019 | **Ref. No.** | A01140015 |
| **description** | heating element 900W 230V heating circuits 1 L 335mm W 110mm connection M4 tube ø 9.7mm connection distance 100mm | | |
| **For models:** | A114001 | | |

## heating elements for heated cabinets



1

| | | | |
|---|---|---|---|
| **Part No.** | 418743 | **Ref. No.** | 040576 |
| **description** | heating element 1200W 230V L 220mm W 680mm H 700mm heated cabinet | | |
| **For models:** | 103.122 | | |



| | | | |
|---|---|---|---|
| **Part No.** | 418741 | **Ref. No.** | 040827 |
| **description** | heating element 400W 230V L 220mm W 350mm H 440mm heated cabinet | | |

| | | | |
|---|---|---|---|
| **Part No.** | 418742 | **Ref. No.** | 040577 |
| **description** | heating element 750W 230V L 220mm W 360mm H 690mm heated cabinet | | |
| **For models:** | 103063 | | |

## heating plates

| | | | |
|---|---|---|---|
| **Part No.** | 419094 | **Ref. No.** | A01204068 |
| **description** | hot plate 1000W 230V ø 150mm with mounting thread for hot dog machine connection male faston 6.3mm | | |



| | | | |
|---|---|---|---|
| **Part No.** | 419093 | **Ref. No.** | 020051028<br>020051028+0LY20051028+A01204066<br>A012040618 |
| **description** | hot plate 800W 230V ø 125mm with thermostat t.max. 95°C for hot dog machine connection male faston 6.3mm | | |

## quartz heating elements

| | | | |
|---|---|---|---|
| **Part No.** | 420048 | **Ref. No.** | A015160016 |
| **description** | quartz heating element 340W 76V L 385mm ø 11mm connection eye for model A151.600 | | |
| **For models:** | A151600 | | |



| | | | |
|---|---|---|---|
| **Part No.** | 416858 | **Ref. No.** | A030008462 |
| **description** | quartz heating element 420W 115V L 380mm ø 10mm connection male faston 6.3mm | | |



| | | | |
|---|---|---|---|
| **Part No.** | 420047 | **Ref. No.** | A041032 |
| **description** | quartz heating element 425W 120V L 385mm ø 11mm connection eye for model A151.300 | | |
| **For models:** | A151300 | | |

## immersion heating elements

### 2 hole flange 74mm

| | | | |
|---|---|---|---|
| **Part No.** | 415190 | **Ref. No.** | 0481925928596 |
| **description** | heating element 6000W 230V mounting ø 42mm heating circuits 3 L 340mm W 34mm H 30mm hole distance 75mm hole ø 9mm connection M4 immersion heater 2 hole flange flange length 93mm flange width 57mm | | |
| **accessories for** | 415190 | | |

| | | | |
|---|---|---|---|
| Part No. | 521103 | Ref. No. | — |
| nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | | |

| | | | |
|---|---|---|---|
| Part No. | 521104 | Ref. No. | — |
| washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | | |

| | | | |
|---|---|---|---|
| Part No. | 521124 | Ref. No. | 0481946669609 |
| flat gasket rubber ED ø 52mm ID ø 42mm thickness 6mm Qty 1 pcs | | | |

| | | | |
|---|---|---|---|
| Part No. | 550444 | Ref. No. | — |
| protection cap ø 47mm H 40mm | | | |

| | | | |
|---|---|---|---|
| Part No. | 560111 | Ref. No. | — |
| plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | | |

| | | | |
|---|---|---|---|
| Part No. | 560131 | Ref. No. | — |
| hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## 3 hole flange ø47.5mm




1

| | | | | |
|---|---|---|---|---|
| **Part No.** | 415001 | **Ref. No.** | | 0230081 |
| **description** | heating element 4500W 230V mounting ø 47.5mm heating circuits 3 L 316mm W 35mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater | | | |
| **spare parts for** | 415001 | | | |
| | Part No. | 510408 | Ref. No. | 011510<br>011620 |
| | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs | | | |
| **accessories for** | 415001 | | | |
| | Part No. | 510562 | Ref. No. | — |
| | O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs | | | |
| | Part No. | 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | | |
| | Part No. | 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | | |
| | Part No. | 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | | |
| | Part No. | 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | | |




1

| | | | | |
|---|---|---|---|---|
| **Part No.** | 415668 | **Ref. No.** | | 0230090 |
| **description** | heating element 2625W 230V mounting ø 47.5mm heating circuits 1 L 190mm W 41mm H 54mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 170mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 62mm hole ø 8mm connection M4 3 hole flange immersion heater | | | |
| **spare parts for** | 415668 | | | |
| | Part No. | 510408 | Ref. No. | 011510<br>011620 |
| | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs | | | |
| **accessories for** | 415668 | | | |
| | Part No. | 510562 | Ref. No. | — |
| | O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs | | | |

## with compression flange 50 x 26mm




1

| | | | | |
|---|---|---|---|---|
| **Part No.** | 416234 | **Ref. No.** | | 0230098 |
| **description** | heating element 600W 230V heating circuits 1 flange 50x26mm L 160mm W 45mm H 27mm tube ø 8.8mm connection male faston 6.3mm connection length 40mm immersion heater compression flange | | | |
| **accessories for** | 416234 | | | |
| | Part No. | 510387 | Ref. No. | — |
| | gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm | | | |
| | Part No. | 510388 | Ref. No. | — |
| | counterflange ømm hole distancemm perforation ømm L 43mm W 21mm SS for heating element for flange 50x26mm | | | |

## 1¼"

1

| | | | | |
|---|---|---|---|---|
| **Part No.** | 415005 | **Ref. No.** | | 012290 |
| **description** | heating element 2000W 230V heating circuits 1 thread 1¼" L 170mm W 32mm H 22mm tube ø 6.2mm connection M4 | | | |
| **accessories for** | 415005 | | | |
| | Part No. | 510405 | Ref. No. | 012291 |
| | flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs | | | |
| | Part No. | 520232 | Ref. No. | — |
| | nut thread 1¼" H 5mm nickel-plated brass WS 47 Qty 1 pcs | | | |
| | Part No. | 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | | |
| | Part No. | 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | | |
| | Part No. | 528021 | Ref. No. | — |
| | flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega | | | |
| | Part No. | 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | | |
| | Part No. | 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 415664 | **Ref. No.** | 011598 |
| **description** | heating element 2250W 230V heating circuits 1 L 300mm W 90mm H 25mm thread 1/8" mounting distance 64mm tube ø 6.3mm connection M4 immersion heater 2 hole fixing | | |
| **accessories for** | 415664 | | |
| | Part No. 510893 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs | | |
| | Part No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | Part No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | Part No. 521129 | Ref. No. | — |
| | nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439 | | |
| | Part No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| | Part No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 415665 | **Ref. No.** | 017677<br>0230060 |
| **description** | heating element 2750/3250W 220/240V heating circuits 1 L 380mm W 110mm H 30mm thread M10x1 mounting distance 75mm tube ø 6.5mm connection M4 immersion heater 2 hole fixing | | |
| **spare parts for** | 415665 | | |
| | Part No. 510893 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs | | |
| **accessories for** | 415665 | | |
| | Part No. 510416 | Ref. No. | — |
| | flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs | | |
| | Part No. 520231 | Ref. No. | — |
| | nut thread M10x1 H 6mm WS 14 zinc-coated steel Qty 1 pcs | | |
| | Part No. 521103 | Ref. No. | — |
| | nut thread M4 H 3mm WS 7 brass Qty 20 pcs | | |
| | Part No. 521104 | Ref. No. | — |
| | washer ID ø 4.3mm ED ø 8mm thickness 0.5mm brass Qty 20 pcs for thread M4 | | |
| | Part No. 521129 | Ref. No. | — |
| | nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439 | | |
| | Part No. 560111 | Ref. No. | — |
| | plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 20 pcs DIN 125A for thread M4 | | |
| **accessories for** | 415665 | | |
| | Part No. 560131 | Ref. No. | — |
| | hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 416235 | **Ref. No.** | 080360 |
| **description** | heating element 3000W 230V heating circuits 1 L 320mm W 50mm H 40mm thread M10x1 mounting distance 44mm tube ø 6.3mm connection male faston 6.3mm 2 hole fixing L1 32mm L2 288mm | | |
| **spare parts for** | 416235 | | |
| | Part No. 510893 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs | | |
| **accessories for** | 416235 | | |
| | Part No. 510416 | Ref. No. | — |
| | flat gasket fibre ED ø 19mm ID ø 10.5mm thickness 1.5mm for thread M10 Qty 1 pcs | | |
| | Part No. 510893 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs | | |
| | Part No. 521129 | Ref. No. | — |
| | nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439 | | |
| | Part No. 560192 | Ref. No. | — |
| | tooth lock washer ID ø 10.4mm ED ø 18mm SS DIN/ISO DIN 6798A Qty 1 pcs for thread M10 | | |

## heating elements for convection

1

| | | | |
|---|---|---|---|
| **Part No.** | 420038 | **Ref. No.** | A0YXD1A4A16 |
| **description** | heating element 1260W 230V heating circuits 1 ID ø 181mm ED ø 193mm L 240mm H 29mm L1 39mm W1 30mm H1 12mm H2 17mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.6mm hole ø 6mm | | |
| **For models:** | A120788 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 416850 | **Ref. No.** | 030008381 |
| **description** | heating element 1260W 230V heating circuits 1 ID ø 182mm ED ø 194mm L 252mm H 30mm L1 48mm W1 30mm H1 10mm H2 20mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange | | |
| **accessories for** | 416850 | | |
| | Part No. 510368 | Ref. No. | 02005174 |
| | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 416851 | **Ref. No.** | A030008458 |
| **description** | heating element 1600W 230V heating circuits 1 ID ø 183mm ED ø 195mm L 250mm H 51mm L1 47mm W1 32mm H1 15mm H2 36mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange | | |
| **accessories for** | 416851 | | |
| | Part No. 510368 | Ref. No. | 02005174 |
| | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 418936 | **Ref. No.** | 06539168 |
| **description** | heating element 1700W 240V heating circuits 1 ID ø 176mm ED ø 190mm L 248mm H 34mm L1 58mm W1 31mm H1 12mm H2 22mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 55mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 420534 | **Ref. No.** | 0RES015 |
| **description** | heating element 2000W 240V heating circuits 2 ID ø 220mm ED ø 233mm L 270mm H 44mm L1 16mm W1 58mm H1 14mm H2 30mm flange length 100mm flange width 22mm connection F6.3 tube ø 6.5mm threaded | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 416852 | **Ref. No.** | 030008461 |
| **description** | heating element 2500W 220V heating circuits 1 ID ø 183mm ED ø 195mm L 240mm H 26mm L1 45mm W1 31mm H1 6mm H2 20mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.5mm convection heating element hole ø 5mm rectangular flange | | |
| **spare parts for** | 416852 | | |
| | Part No. 510368 | Ref. No. | 02005174 |
| | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 415966 | **Ref. No.** | 0RES006 |
| **description** | heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange | | |
| **spare parts for** | 415966 | | |
| | Part No. 510368 | Ref. No. | 02005174 |
| | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element | | |
| **accessories for** | 415966 | | |
| | Part No. 510368 | Ref. No. | 02005174 |
| | gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 418935 | **Ref. No.** | 06527752 |
| **description** | heating element 2650W 240V heating circuits 1 ID ø 201mm ED ø 218mm L 252mm H 36mm L1 28mm W1 31mm H1 9mm H2 27mm flange length 70mm flange width 23mm hole distance 56mm connection male faston 6.3mm connection length 38mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange | | |

1

| Part No. | 417607 | Ref. No. | 0RES000 |
|---|---|---|---|
| description | heating element 2x2000W 230V heating circuits 2 ID ø 185mm ED ø 200mm L 240mm H 50mm L1 40mm W1 63mm H1 15mm H2 35mm flange length 100mm flange width 22mm hole distance 85mm connection male faston 6.3mm tube ø 6.4mm hot air hole ø 4.9mm | | |
| accessories for | 417607 | | |

| Part No. | 550986 | Ref. No. | — |
|---|---|---|---|

gasket L 100mm W 22mm 7 holes graphite thickness 1mm for heating element

1

| Part No. | 419004 | Ref. No. | 010578052 |
|---|---|---|---|
| description | heating element 3100W 230V heating circuits 1 ID ø 223mm ED ø 239mm L 260mm H 60mm L1 20mm W1 23mm H1 20mm H2 40mm flange length 100mm flange width 22mm hole distance 86mm connection M4 tube ø 6.3mm hole ø 5.2mm | | |
| For models: | 105780 | | |

1

| Part No. | 417606 | Ref. No. | 0RES026 |
|---|---|---|---|
| description | heating element 4500W 230V heating circuits 3 ID ø 220mm ED ø 240mm L 280mm H 50mm L1mm W1 96mm H1 15mm H2 35mm flange length 140mm flange width 25mm hole distance 63mm connection male faston 6.3mm connection length 41.5mm tube ø 8.4mm hot air hole ø 7mm | | |

## radiation heaters

1

| Part No. | 416001 | Ref. No. | 027676 |
|---|---|---|---|
| description | radiation heater rectangular 1500W 230/240V L 265mm W 165mm H 32mm heating circuits 1 connections 2 connection type cable cable length 700mm EGO salamander grill | | |
| accessories for | 416001 | | |

| Part No. | 390880 | Ref. No. | 027677 |
|---|---|---|---|

safety rod thermostat switch-off temp. 780°C temperature range°C 2-pole 1NC/1NOA probe ø 4mm probe L 170mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm

| Part No. | 403523 | Ref. No. | — |
|---|---|---|---|

solid state relay ANLY 1 phase 40A 24-280V 4-32VDC L 47.5mm W 43mm screw type ASR-40DA

# hot plates

## square & rectangular

### with radiused edge

1

| Part No. | 490068[1] | Ref. No. | 01122454238 |
|---|---|---|---|
| description | hot plate dimensions 220x220mm 2600W 400V with spill ring connection 4 screw clamps protector yes square | | |

[1]incl. protector

1

| Part No. | 490057[1] | Ref. No. | 016726 |
|---|---|---|---|
| description | hot plate dimensions 300x300mm 3000W 400V with spill ring connection 4 screw clamps protector yes square | | |

[1]incl. protector

## round

### with radiused edge

#### for domestic and commercial kitchens

1

| | | | |
|---|---|---|---|
| **Part No.** | 490014 | **Ref. No.** | 017797 |
| **description** | hot plate ø 180mm 1500W 230V connection 4 screw clamps with 8mm spill ring | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 490020 | **Ref. No.** | 028010 |
| **description** | hot plate ø 220mm 2600W 230V connection 4 screw clamps with 8mm spill ring | | |
| **accessories for** | 490020 | | |
| | Part No. 550796 | Ref. No. — | |
| | fixing plate for hot plate ø220mm | | |

## energy regulators

## EGO

### 1-circuit

1

| | | | |
|---|---|---|---|
| **Part No.** | 380009 | **Ref. No.** | A0106041 |
| **description** | energy regulator 230V 13A single-circuit turn direction left shaft ø 6x4.6mm mounting thread M4 no. 50.57020.010 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 380015 | **Ref. No.** | 05057021010 |
| **description** | energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010 | | |
| **For models:** | 151510 | | |

## DIAMOND

1

| | | | |
|---|---|---|---|
| **Part No.** | 380032 | **Ref. No.** | EB-600-08 |
| **description** | energy regulator 230V 13.5A turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 equiv. no. 45ER104C1 | | |

## thermostats

## bi-metal thermostats

### safety bi-metal thermostats

1

| | | | |
|---|---|---|---|
| **Part No.** | 390100 | **Ref. No.** | A017405 |
| **description** | bi-metal safety thermostat hole distance 23.5mm switch-off temp. 110°C 1NC 1-pole 16A connection F6.3 mounting ø 16mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 390708 | **Ref. No.** | A039889 |
| **description** | bi-metal safety thermostat hole distance 23.5mm switch-off temp. 180°C 1NC 1-pole 16A connection M3 mounting ø 15mm | | |
| **For models:** | A150671, A150674 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 390379 | **Ref. No.** | A040625 |
| **description** | bi-metal safety thermostat hole distancemm switch-off temp. 150°C 1NC 1-pole 16A connection F6.3 | | |
| **For models:** | A190141, A190161, REGINA90 A190192 | | |
| **accessories for** | 390379 | | |
| | Part No. 550389 | Ref. No. — | |
| | bracket for contact thermostat | | |

## bi-metal thermostats

1

| | | | |
|---|---|---|---|
| **Part No.** | 390319 | **Ref. No.** | 236048 |
| **description** | bi-metal thermostat hole distance 23.8mm switch-off temp. 80°C 1NC 1-pole 16A connection F6.3 2 hole fixing | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 390753 | **Ref. No.** | A0ND013 |
| **description** | bi-metal thermostat hole distance 24mm switch-off temp. 83°C 1NC 1-pole 16A 250V connection F6.3 2 hole fixing for coffee machine | | |
| **For models:** | A190141, A190161 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 390955 | **Ref. No.** | A037165 |
| **description** | thermostat hole distance 23.5mm switch-off temp. 73°C 1NC 1-pole 10A connection F6.3 | | |
| **For models:** | REGINA90 A190192 | | |

## control and safety thermostats

### EGO

#### control thermostats

##### 51._ series



1

| | | | |
|---|---|---|---|
| **Part No.** | 375261 | **Ref. No.** | 0104231 |
| **description** | thermostat t.max. 190°C temperature range 94-190°C 1-pole 1NO 15A probe ø 6mm probe L 133mm capillary pipe 890mm capillary pipe isolated 700mm gland nut M10x1 shaft L 23mm shaft position upper rotation 318° | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 390306 | **Ref. No.** | 0236027 |
| **description** | thermostat t.max. 85°C temperature range fixed 85°C 1-pole gland nut | | |

##### 55.10/19_ series

1

| | | | |
|---|---|---|---|
| **Part No.** | 375002 | **Ref. No.** | A010401 |
| **description** | thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270° | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 390416 | **Ref. No.** | 0481927128594 |
| **description** | thermostat t.max. 85°C temperature range fixed 85°C 1-pole 1CO 16A probe ø 6mm probe L 129mm capillary pipe 1470mm capillary pipe isolated 1430mm gland nut shaft Lmm shaft position | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## 55.13_ series

| | | | |
|---|---|---|---|
| **Part No.** | 390719 | **Ref. No.** | A02030935 |
| **description** | thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NC 16A probe ø 6mm probe L 115mm capillary pipe 830mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position left rotation 270° | | |
| **For models:** | A203093 | | |

| | | | |
|---|---|---|---|
| **Part No.** | 375705 | **Ref. No.** | 06528193 |
| **description** | thermostat t.max. 110°C temperature range 30-110°C 1-pole 1NO 16A probe ø 6mm probe L 115mm capillary pipe 1430mm capillary pipe isolatedmm gland nut M9x1 shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |



| | | | |
|---|---|---|---|
| **Part No.** | 375788 | **Ref. No.** | 021899 |
| **description** | thermostat t.max. 175°C temperature range 101-175°C 1-pole 1NO 16A probe ø 6mm probe L 98mm capillary pipe 870mm capillary pipe isolated 800mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |

| | | | |
|---|---|---|---|
| **Part No.** | 375517 | **Ref. No.** | A039882 |
| **description** | thermostat t.max. 190°C temperature range 60-190°C 1-pole 1NO 16A probe ø 6mm probe L 77mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6/4.6mm shaft L 23mm shaft position left ° rotation 270° | | |
| **For models:** | A150107, A150207 | | |
| **accessories for** | 375517 | | |
| | Part No. 512205 | Ref. No. 016240433 | |
| | gasket for temperature probe ED ø 15mm plastic Qty 1 pcs | | |

| | | | |
|---|---|---|---|
| **Part No.** | 375492 | **Ref. No.** | 014231 |
| **description** | thermostat t.max. 190°C temperature range 94-190°C 1-pole 1NO 16A probe ø 6mm probe L 94mm capillary pipe 1090mm capillary pipe isolated 960mm gland nut M10x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 310° probe material SS | | |

| | | | |
|---|---|---|---|
| **Part No.** | 375615 | **Ref. No.** | 0KG20509 |
| **description** | thermostat t.max. 200°C temperature range 68-200°C 1-pole 1NO 16A probe ø 6mm probe L 78mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position left° rotation 270° probe material SS | | |
| **For models:** | A203094 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 375087 | **Ref. No.** | 06553670 |
| **description** | thermostat t.max. 300°C temperature range 50-300°C 1-pole 1CO 16A probe ø 3.03mm probe L 160mm capillary pipe 1130mm capillary pipe isolated 1103mm gland nut shaft L 23mm shaft position upper rotation 270° | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 375505 | **Ref. No.** | 01044465<br>030008099<br>A039884 |
| **description** | thermostat t.max. 320°C temperature range 50-320°C 1-pole 1NO 16A probe ø 3mm probe L 160mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |
| **For models:** | 104447, A150671, A150674 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 375530 | **Ref. No.** | 029154 |
| **description** | thermostat t.max. 400°C temperature range 100-400°C 1-pole 1NO 16A probe ø 3.9mm probe L 163mm capillary pipe 830mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 375006 | **Ref. No.** | 040575 |
| **description** | thermostat t.max. 85°C temperature range 30-85°C 1-pole 1CO 16A probe ø 6mm probe L 92mm capillary pipe 3150mm capillary pipe isolated 300mm gland nut shaft L 23mm shaft position upper rotation 270° probe material SS | | |
| **For models:** | 103.122, 103063 | | |

## 55.14_ series




1

| | | | |
|---|---|---|---|
| **Part No.** | 390001 | **Ref. No.** | 022823<br>0236023 |
| **description** | thermostat t.max. 58°C temperature range fixed 58°C 1-pole 1NC 16A probe ø 11mm probe L 35mm capillary pipe 580mm capillary pipe isolated 580mm gland nut shaft Lmm shaft position° shaft position screw-in probe probe thread M14x1 | | |
| **accessories for** | 390001 | | |

| | | | |
|---|---|---|---|
| Part No. | 510417 | Ref. No. | — |

flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 550261 | Ref. No. | — |

nut thread M14x1 H 4mm WS 19 SS Qty 1 pcs

## 55.18_ series

1

| | | | |
|---|---|---|---|
| **Part No.** | 375110 | **Ref. No.** | A010502 |
| **description** | thermostat t.max. 190°C temperature range 121-190°C 1-pole 1NC 16A probe ø 6mm probe L 117mm capillary pipe 390mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 15mm shaft position left rotation 270° probe material SS | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## 55.34_ series

| | | | |
|---|---|---|---|
| **Part No.** | 375385 | **Ref. No.** | 023964 |
| **description** | thermostat t.max. 180°C temperature range 100-180°C 3-pole 3NO 16A probe ø 6mm probe L 131mm capillary pipe 2000mm capillary pipe isolated 1800mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 270° | | |

| | | | |
|---|---|---|---|
| **Part No.** | 375412 | **Ref. No.** | 016728 |
| **description** | thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolated 1400mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper rotation 318° | | |

## safety thermostats

### 55.11_ series

| | | | |
|---|---|---|---|
| **Part No.** | 375109 | **Ref. No.** | A010501 |
| **description** | safety thermostat switch-off temp. 240°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 530mm capillary pipe isolated 350mm gland nut probe SS | | |

## 55.13_ series

| | | | |
|---|---|---|---|
| **Part No.** | 375830 | **Ref. No.** | 020411 |
| **description** | safety thermostat switch-off temp. 365°C 1-pole 1NC 16A probe ø 3mm probe L 160mm capillary pipe 1730mm capillary pipe isolated 1710mm gland nut probe | | |

## 55.32_ series

| | | | |
|---|---|---|---|
| **Part No.** | 390813 | **Ref. No.** | 049050 |
| **description** | safety thermostat switch-off temp. 245°C 3-pole 20A probe ø 6mm probe L 78mm capillary pipe 1500mm capillary pipe isolated 1050mm gland nut M9x1 probe | | |

| | | | |
|---|---|---|---|
| **Part No.** | 375312 | **Ref. No.** | 023965 |
| **description** | safety thermostat switch-off temp. 245°C 3-pole 3NC 20A probe ø 4mm probe L 120mm capillary pipe 1800mm capillary pipe isolated 1800mm gland nut probe SS | | |
| **accessories for** | 375312 | | |
| | Part No. 550981 | Ref. No. — | |
| | probe clip for pipe ø 8.5mm for probe ø 6mm for heating elements spacing 0.4mm Qty 1 pcs | | |

## 55.33_ series

1

| | | | |
|---|---|---|---|
| **Part No.** | 375796 | **Ref. No.** | 06537879 |
| **description** | safety thermostat switch-off temp. 220°C 3-pole 3NC 20A probe ø 6mm probe L 107mm capillary pipe 870mm capillary pipe isolated 800mm gland nut probe | | |

## control thermostats with operation switch

### 55.10/19_ series

1

| | | | |
|---|---|---|---|
| **Part No.** | 390052 | **Ref. No.** | 049672 |
| **description** | thermostat t.max. 185°C temperature range 90-185°C 1-pole 1NO 15A probe ø 4mm probe L 229mm capillary pipe 2500mm capillary pipe isolated 1200/200mm gland nut shaft ø ø6x4.6mm shaft L 23mm shaft position upper° rotation 270° outer switch 2NO | | |

## IMIT / TEMPOMATIC / ARTHERMO

### control thermostats

1

| | | | |
|---|---|---|---|
| **Part No.** | 390421 | **Ref. No.** | 0236043 |
| **description** | thermostat t.max. 85°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1450mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 390006 | **Ref. No.** | 0929044 |
| **description** | thermostat t.max. 86°C temperature range 0-86°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolatedmm gland nut shaft ø ø6x4.6mm shaft L 19mm rotation 270° | | |
| **accessories for** | 390006 | | |

| | | | |
|---|---|---|---|
| Part No. | 110100 | Ref. No. | — |
| knob thermostat t.max. 90°C 0-90°C ø 42mm shaft ø 6x4.6mm shaft flat -135° black | | | |

| | | | |
|---|---|---|---|
| Part No. | 110105 | Ref. No. | — |
| rosette knob ø 42mm ø 56mm zero mark | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 390718 | **Ref. No.** | A0YXD1A4A11 |
| **description** | thermostat temperature range 50-300°C 1-pole 1NO 20A probe ø 3mm probe L 190mm capillary pipe 900mm shaft ø 6x4.6mm shaft L 12.5mm shaft position upper rotation 270° 250V | | |
| **For models:** | 105780, A120788 | | |

## CAEM

### control thermostats

1

| | | | |
|---|---|---|---|
| **Part No.** | 390602 | **Ref. No.** | A0402503000 |
| **description** | thermostat t.max. 300°C temperature range 50-300°C 1-pole 1NO 16A probe ø 5mm probe L 70mm capillary pipe 900mm capillary pipe isolated 700mm gland nut shaft L 18mm rotation 270° | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 375419 | **Ref. No.** | A030008288 |
| **description** | thermostat t.max. 300°C temperature range 50-300°C 1-pole 1NO 16A probe ø 5mm probe L 90mm capillary pipe 890mm rotation 270° | | |

## safety thermostats

1

| | | | |
|---|---|---|---|
| **Part No.** | 376029 | **Ref. No.** | TER008 |
| **description** | safety thermostat switch-off temp. 320°C temperature range°C 1-pole 1NC 20A probe ø 3mm probe L 165mm capillary pipe 1280mm capillary pipe isolated 1080mm gland nut shaft ømm probe SS 250V | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 375990 | **Ref. No.** | 0TER035<br>0TER325<br>TER002<br>TER008 old |
| **description** | safety thermostat switch-off temp. 335°C 1-pole 16A probe ø 3mm probe L 180mm capillary pipe 1400mm capillary pipe isolatedmm gland nut M10x1 probe SS | | |

## PRODIGY / FIRT

### safety thermostats

1

| | | | |
|---|---|---|---|
| **Part No.** | 375478 | **Ref. No.** | 0927106 |
| **description** | safety thermostat switch-off temp. 200°C temperature range°C 1-pole 1CO 20A probe ø 3.3mm probe L 190mm capillary pipe 2150mm capillary pipe isolatedmm gland nut probe SS | | |

## various

### control thermostats



1

| | | | |
|---|---|---|---|
| **Part No.** | 390623 | **Ref. No.** | A02011002 |
| **description** | thermostat for pizza oven | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 376082 | **Ref. No.** | 020006332 |
| **description** | thermostat t.max. 100°C 16A probe ø 6mm probe L 88mm capillary pipe 510mm capillary pipe isolated 160mm shaft ø 6x4.6mm shaft L 20mm rotation 270° | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 390622 | **Ref. No.** | 01143566 |
| **description** | thermostat t.max.°C temperature range°C 1-pole 1NC 10A probe ømm probe Lmm capillary pipemm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 30mm shaft position upper rotation 315° for heated cabinet | | |

### safety thermostats

1

| | | | |
|---|---|---|---|
| **Part No.** | 375523 | **Ref. No.** | 016240438<br>A039891 |
| **description** | safety thermostat switch-off temp. 230°C 1-pole 1NC 16A probe ø 4mm probe L 100mm capillary pipe 900mm capillary pipe isolated 410mm gland nut probe | | |
| **For models:** | A150107, A150207 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 390720 | **Ref. No.** | A0YXD4A26 |
| **description** | thermostat switch-off temp. 320°C 1-pole 1NC 16A probe ø 5mm probe L 57mm capillary pipe 870mm capillary pipe isolated 45mm screw connection M10x1 | | |
| **For models:** | 105780, A120788 | | |

## rod thermostats

### safety rod thermostats



1

| | | | |
|---|---|---|---|
| **Part No.** | 390880 | **Ref. No.** | 027677 |
| **description** | safety rod thermostat switch-off temp. 780°C temperature range°C 2-pole 1NC/1NOA probe ø 4mm probe L 170mm capillary pipemm capillary pipe isolatedmm gland nut shaft ømm | | |

## refrigeration thermostats

### miscellaneous producers

1

| | | | |
|---|---|---|---|
| **Part No.** | 390481 | **Ref. No.** | 030008404 |
| **description** | thermostat | | |

## accessories

### probe clips

#### clamps

##### for thermostat

1

| | | | |
|---|---|---|---|
| **Part No.** | 692185 | **Ref. No.** | 016210821 |
| **description** | probe clip for probe ø 6mm SS Qty 1 pcs L 40mm W 14mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 692184 | **Ref. No.** | 016240410 |
| **description** | probe clip for probe ø 6mm SS Qty 1 pcs L 57mm W 20mm | | |

## switches and momentary switches

### rocker/momentary rocker switches

#### 30x11mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 301010 | **Ref. No.** | A0ND021 |
| **description** | rocker switch mounting measurements 30x11mm red 1NO/indicator light 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40 | | |
| **For models:** | A190141, A190161 | | |
| **accessories for** | 301010 | | |

| | | | |
|---|---|---|---|
| Part No. | 301035 | Ref. No. | — |
| protective cover mounting measurements 30x11mm | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 301038 | **Ref. No.** | 01143568 |
| **description** | rocker switch mounting measurements 30x11mm green 1NO/indicator light 250V 16A connection male faston 6.3mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 346890 | **Ref. No.** | SL0758 |
| **description** | rocker switch mounting measurements 30x11mm black 1CO 250V 16A I-II connection male faston 6.3mm ambient temperature max. 85°C/145°C protection IP65 with cover cap | | |
| **accessories for** | 346890 | | |

| | | | |
|---|---|---|---|
| Part No. | 301035 | Ref. No. | — |
| protective cover mounting measurements 30x11mm | | | |

#### 30x22mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 347791 | **Ref. No.** | A040573 |
| **description** | rocker switch mounting measurements 30x22mm green 2NO 230V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar | | |

| | | | |
|---|---|---|---|
| **Part No.** | 347531 | **Ref. No.** | 016210836 |
| **description** | rocker switch mounting measurements 30x22mm green 2NO 250V 20A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with rubber collar | | |

| | | | |
|---|---|---|---|
| **Part No.** | 301062 | **Ref. No.** | 06540129 |
| **description** | rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40 | | |
| **accessories for** | 301062 | | |
| | Part No. 301036 | Ref. No. | — |
| | protective cover internal size 30x22mm for rocker switch mounting measurementsmm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 301101 | **Ref. No.** | 030008385 |
| **description** | rocker switch mounting measurements 30x22mm white 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 100/55°C protection IP40 | | |

## blank

| | | | |
|---|---|---|---|
| **Part No.** | 301005 | **Ref. No.** | A017615 |
| **description** | rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with protecting cover | | |
| **accessories for** | 301005 | | |
| | Part No. 301036 | Ref. No. | — |
| | protective cover internal size 30x22mm for rocker switch mounting measurementsmm | | |

# push/momentary push switches

## ø16mm

| | | | |
|---|---|---|---|
| **Part No.** | 347363 | **Ref. No.** | A038978 |
| **description** | momentary push switch mounting ø 16mm black 1NO 250V 3A connection male faston 4.8mm ambient temperature max. 85°C protection IP40 | | |
| **For models:** | 105780, A120788 | | |

## ø25mm

| | | | |
|---|---|---|---|
| **Part No.** | 348211 | **Ref. No.** | 016148 |
| **description** | push switch mounting ø 25mm red 1NO/indicator light 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover | | |

## overload switches

| | | | |
|---|---|---|---|
| **Part No.** | 348137 | **Ref. No.** | 017319526 |
| **description** | push switch KLD-28A mounting measurements 45x22mm green/ red 2NO/A1 250V 16A I O connection male faston 2.8mm/6.3mm ambient temperature max. 85°C protection IP55 with cover cap | | |

# toggle switches

## M12x1

| | | | |
|---|---|---|---|
| **Part No.** | 347340 | **Ref. No.** | A01140013 |
| **description** | toggle switch thread M12x1 1NO 250V 15A ON-OFF screw | | |
| **For models:** | A114001 | | |

# microswitches

## lever actuated

| | | | |
|---|---|---|---|
| **Part No.** | 345049 | **Ref. No.** | 011505<br>011644<br>012273 |
| **description** | microswitch with lever CO connection male faston | | |

## pin-plunger actuated

| | | | |
|---|---|---|---|
| **Part No.** | 345060 | **Ref. No.** | A0800045 |
| **description** | microswitch with plunger 250V 16A 1NO connection male faston 6.3mm ambient temperature max. 85°C mounting distance 22mm type BS1010 actuating force: 350g red stroke 9mm | | |

## M10

1

| | | | |
|---|---|---|---|
| **Part No.** | 347341 | **Ref. No.** | 016240435<br>A040031 |
| **description** | microswitch with plunger thread M10x1 thread L 16mm 250V 10A 1NO connection male faston 6.3mm stroke 5mm mounting distancemm L 41mm ambient temperature max. 85°C type X3L502K6DD actuating force: 130g | | |
| **For models:** | A150107, A150207 | | |

## M12

1

| | | | |
|---|---|---|---|
| **Part No.** | 345138 | **Ref. No.** | 010578032 |
| **description** | microswitch with plunger mounting distance 25mm thread M12x1 thread L 12mm 250V 20A 1CO connection screw stroke 7mm L1 13mm ambient temperature max. 85°C type Z15G1307 actuating force: 250g | | |
| **For models:** | 105780 | | |

## system switches (ROLD)

1

| | | | |
|---|---|---|---|
| **Part No.** | 345606 | **Ref. No.** | 0226071 |
| **description** | momentary switch unit 2CO 250V 16A connection male faston 6.3mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 345538 | **Ref. No.** | 0227050 |
| **description** | push button ø 11.9mm black | | |

## cam switches

### 4-position

1

| | | | |
|---|---|---|---|
| **Part No.** | 300094 | **Ref. No.** | A010708 |
| **description** | cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 15mm connection screw 4-position ceramic | | |

### 7-position

1

| | | | |
|---|---|---|---|
| **Part No.** | 300031 | **Ref. No.** | 06553435<br>A030008088 |
| **description** | cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 7-position plastic | | |

### 4 operating positions

1

| | | | |
|---|---|---|---|
| **Part No.** | 347366 | **Ref. No.** | A040081 |
| **description** | rotary switch 4 operating positions 2NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 250V A040081 sets of contacts 2 plastic for oven | | |
| **For models:** | A151600 | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## operation switches



1

| | | | |
|---|---|---|---|
| **Part No.** | 300209 | **Ref. No.** | 06552194 |
| **description** | cam switch 5 operating positions operation switch 16A sequence 0-1-2-3-4 shaft ø 6x4.6mm shaft L 23mm connection male faston ceramic 3-pole ambient temperature max. 330°C | | |

## rotary switches

### miscellaneous

1

| | | | |
|---|---|---|---|
| **Part No.** | 347367 | **Ref. No.** | A040080 |
| **description** | rotary switch sets of contacts 2 4 0-1-2-3 type A040080 250V 16A shaft ø 6x4.6mm shaft L 22.5mm with knob connection male faston 6.3mm for oven | | |
| **For models:** | A151300 | | |
| **accessories for** | 347367 | | |

| | | | |
|---|---|---|---|
| Part No. | 112626 | Ref. No. | A040082 |

knob oven t.max.°C°C ø 41mm shaft ø 6x4.6mm shaft flat lower black

## magnetic switches

### accessories

#### magnets




1

| | | | |
|---|---|---|---|
| **Part No.** | 345336 | **Ref. No.** | 0926014 |
| **description** | magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4 | | |




1

| | | | |
|---|---|---|---|
| **Part No.** | 345398 | **Ref. No.** | 0217003 |
| **description** | magnet ømm L 36mm H 8mm W 13mm hole distance 20mm M3 hole ø 3mm | | |

# lamps

## indicator lights

### indicator lamps for socket type SRZ / SDK / SDY / SFK

1

| | | | |
|---|---|---|---|
| **Part No.** | 359130 | **Ref. No.** | 010426<br>0216006 |
| **description** | indicator lamp 230V clear connection male faston 6.3mm ø 8mm | | |

### indicator lights (complete)

#### ø 6mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 359031 | **Ref. No.** | 0216022 |
| **description** | indicator light ø 6mm 230V green | | |

#### ø 9mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 359137 | **Ref. No.** | 021784 |
| **description** | indicator light ø 9mm 230V yellow connection male faston 6.3mm temp.-resist. 120°C with lens | | |

#### ø10mm

##### with screw socket

1

| | | | |
|---|---|---|---|
| **Part No.** | 359870 | **Ref. No.** | A0ND022 |
| **description** | indicator light ø 10mm 230V green connection male faston 4.8mm socket screw base | | |
| **For models:** | A190141, A190161 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 359872 | **Ref. No.** | 01143569 |
| **description** | indicator light ø 10mm 230V red connection male faston 4.8mm socket screw base | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 359871 | **Ref. No.** | A040380 |
| **description** | indicator light ø 10mm 230V yellow connection male faston 4.8mm socket screw base | | |

## with plug-in socket

1

| | | | |
|---|---|---|---|
| **Part No.** | 359139 | **Ref. No.** | 0216019 |
| **description** | indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 359140 | **Ref. No.** | 0216018 |
| **description** | indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 359315 | **Ref. No.** | A010403 |
| **description** | indicator light ø 10mm 230V green cable length 250mm | | |

## ø12mm

### with plug-in socket

1

| | | | |
|---|---|---|---|
| **Part No.** | 359846 | **Ref. No.** | 01044466<br>A039883<br>EB-600-09 |
| **description** | indicator light ø 12mm green 230V connection male faston 6.3mm Sinus | | |
| **For models:** | 104447, 151510, A120788, A150107, A150207, A150671, A150674, A203094, EB600 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 360509 | **Ref. No.** | 016240441<br>A039887<br>EB-600-06 |
| **description** | indicator light ø 12mm yellow 230V connection male faston 6.3mm thermometer | | |
| **For models:** | 151510, A150107, A150207, A150671, A150674, EB600 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 359571 | **Ref. No.** | 010578014 |
| **description** | indicator light ø 13mm green 230V connection male faston 6.3mm steaming | | |
| **For models:** | 105780 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 359570 | **Ref. No.** | 010578012 |
| **description** | indicator light ø 13mm green 230V connection male faston 6.3mm temperature | | |
| **For models:** | 105780 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 359572 | **Ref. No.** | 010578015 |
| **description** | indicator light ø 13mm green 230V connection male faston 6.3mm timer | | |
| **For models:** | 105780 | | |

## ø13mm

### with screw socket

1

| | | | |
|---|---|---|---|
| **Part No.** | 359146 | **Ref. No.** | 06540106 |
| **description** | indicator light ø 13mm 230V yellow | | |
| **accessories for** | 359146 | | |

| | | | |
|---|---|---|---|
| Part No. | 510302 | Ref. No. | — |

O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 511505 | Ref. No. | — |

O-ring EPDM thickness 1.78mm ID ø 12.42mm Qty 10 pcs

### with plug-in socket

1

| | | | |
|---|---|---|---|
| **Part No.** | 357010 | **Ref. No.** | 0AT93615<br>A0AT93615 |
| **description** | indicator light ø 13mm green clock | | |
| **For models:** | A1515001 | | |

## screw-on/push-on fit

### light bulbs

#### for ovens

1

| | | | |
|---|---|---|---|
| **Part No.** | 359610 | **Ref. No.** | 014034<br>A0YXD1A4A10 |
| **description** | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips | | |
| **For models:** | 105780, A120788 | | |

### halogen lamp

#### for socket G4 / G6.35 / G9

1

| | | | |
|---|---|---|---|
| **Part No.** | 359946 | **Ref. No.** | A01140014 |
| **description** | halogen lamp socket G9 230V 40W temp.-resist. 300°C | | |
| **For models:** | A114001 | | |

## fluorescent lamps

### accessories

#### sockets

1

| | | | |
|---|---|---|---|
| **Part No.** | 359662 | **Ref. No.** | 030008413 |
| **description** | lamp socket for fluorescent lamps | | |

## oven lamps

### universal oven lamps

#### mounting diameter 35.5mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 359718 | **Ref. No.** | 030003005+030008380<br>A0YXD1A4A12 |
| **description** | oven lamp mounting ø 35.5mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas | | |
| **For models:** | 105780, A120788 | | |
| **spare parts for** | 359718 | | |

| | | | |
|---|---|---|---|
| Part No. | 359701 | Ref. No. | — |

lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W

| | | | |
|---|---|---|---|
| **spare parts for** | 359718 | | |

| | | | |
|---|---|---|---|
| Part No. | 359740 | Ref. No. | — |

light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 48mm lens L 20mm for oven lamp IMPORT

## lamps

### light bulbs

1

| | | | |
|---|---|---|---|
| **Part No.** | 359610 | **Ref. No.** | 014034<br>A0YXD1A4A10 |
| **description** | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips | | |
| **For models:** | 105780, A120788 | | |

### halogen lamps

#### for socket G4 / G6.35 / G9

1

| | | | |
|---|---|---|---|
| **Part No.** | 359946 | **Ref. No.** | A01140014 |
| **description** | halogen lamp socket G9 230V 40W temp.-resist. 300°C | | |
| **For models:** | A114001 | | |

## sockets

### G9

1

| | | | |
|---|---|---|---|
| **Part No.** | 359742 | **Ref. No.** | 0200201013 |
| **description** | lamp socket L 36mm mounting distance 28mm | | |
| **For models:** | A114001 | | |

# timers

## programme timers



1

| Part No. | 360726 | Ref. No. | 0INV013<br>0INVER230 |
|---|---|---|---|
| description | programme timer Guaitani R3/3 engines 1 chambers 3 operation time 6min 220/240V 50/60Hz shaft ø 6x6mm shaft L 44mm manuf. no. R3/3 motor type UDS40NE1RNZ165 | | |
| spare parts for | 360726 | | |
| | Part No. 360673 | Ref. No. — | |
| | motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder | | |

1

| Part No. | 400740 | Ref. No. | A017610 |
|---|---|---|---|
| description | timer | | |

1

| Part No. | 360005 | Ref. No. | 012268<br>0238052 |
|---|---|---|---|
| description | timer BIGATTI D94 engines 1 chambers 1 operation time 20min 230V shaft ømm shaft Lmm manuf. no. WE006 motor type 82354021L | | |

1

| Part No. | 360349 | Ref. No. | 018202<br>0238053 |
|---|---|---|---|
| description | timer CDC 11803 engines 1 chambers 3 operation time 150s 230V shaft ømm shaft Lmm manuf. no. 11803F1BEE000.0010 motor type M48R ATS type 11803F1 / 238046 | | |
| spare parts for | 360349 | | |
| | Part No. 360673 | Ref. No. — | |
| | motor kit pinion ø 6.8mm teeth 15 230V voltage AC 50/60Hz turn direction clockwise motor ø 48mm H 18.5mm motor type UDS-40NE1RNZ165 cable length 150mm with holder | | |

1

| Part No. | 360413 | Ref. No. | 010578024 |
|---|---|---|---|
| description | timer FIBER P19 engines 1 chambers 2 operation time 4min 230V 50Hz shaft ømm shaft Lmm | | |
| For models: | 105780 | | |

1

| Part No. | 360152 | Ref. No. | A010701 |
|---|---|---|---|
| description | timer with permanent position 2-pole NO for B1 operation time 120min | | |

## electric timers

1

| Part No. | 350194 | Ref. No. | 0TIM000<br>0TIM060 |
|---|---|---|---|
| description | timer MS65 with bell operation time 60min time spreadmin 2NO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 23mm mounting distance 29mm mounting thread M4 connection male faston 6.3mm Invensys 230V voltage AC 2-pole | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## mechanical timers

1

| | | | |
|---|---|---|---|
| **Part No.** | 360470 | **Ref. No.** | 010578022 |
| **description** | timer C53 2-pole operation time 120min impulse mechanical 1NO/1NC at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 23mm mounting distance 28mm | | |
| **For models:** | 105780 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 360475 | **Ref. No.** | A0YXD1A4A06 |
| **description** | timer M11 with bell 1-pole operation time 120min impulse mechanical 1NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 21mm mounting distance 28mm | | |
| **For models:** | A120788 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 360545[1] | **Ref. No.** | A040900 |
| **description** | timer M11 with bell 1-pole operation time 15min 1NO at 250V 16A permanent position no shaft ø 6mm shaft 6mm shaft L 15mm mounting distance 28mm connection male faston 6.3mm with knob | | |
| **accessories for** | 360545 | | |
| | Part No. 112624 | Ref. No. | A040898 |
| | knob time 15min t.max.°C°C ø 41mm shaft ø 6mm shaft flat black rosette ø 58mm | | |

[1]incl. knob

1

| | | | |
|---|---|---|---|
| **Part No.** | 360544 | **Ref. No.** | A040897 |
| **description** | timer M11 with bell 1-pole operation time 15min impulse mechanical 1NO at 250V 16A permanent position no shaft ø 6mm shaft 6x4.6mm shaft L 15mm mounting distance 24mm mounting thread M3 connection male faston 6.3mm | | |
| **For models:** | A151300, A151600 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 350182 | **Ref. No.** | 0AT93623 A0AT93623 |
| **description** | timer M11 with bell 1-pole operation time 15min impulse mechanical 1NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 15mm mounting distance 28mm | | |
| **For models:** | A151300, A1515001, A151600 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 360476 | **Ref. No.** | 01207908 A040897 (old version) |
| **description** | timer M11 with bell 2-pole operation time 15min 2NO at 250V 16A shaft ø 6mm shaft L 15mm connection male faston 6.3mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 360510[1] | **Ref. No.** | A040895 |
| **description** | timer M11 with bell 2-pole operation time 15min 2NO at 250V 16A shaft ø 6mm shaft L 15mm connection male faston 6.3mm with knob | | |
| **spare parts for** | 360510 | | |
| | Part No. 112624 | Ref. No. | A040898 |
| | knob time 15min t.max.°C°C ø 41mm shaft ø 6mm shaft flat black rosette ø 58mm | | |
| | Part No. 360476 | Ref. No. | 01207908 A040897 (old version) |
| | timer M11 with bell 2-pole operation time 15min 2NO at 250V 16A shaft ø 6mm shaft L 15mm connection male faston 6.3mm | | |

[1]incl. knob

# contactors

## GENERAL ELECTRIC (AEG)

### power contactors

1

| Part No. | 380244 | Ref. No. | 040100023 |
|---|---|---|---|
| description | power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310 | | |

1

| Part No. | 380264 | Ref. No. | 017594 |
|---|---|---|---|
| description | power contactor resistive load 45A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS11K 00A type GE CL25A 300 | | |

## SIEMENS

### power contactors

1

| Part No. | 380389 | Ref. No. | 0229037 |
|---|---|---|---|
| description | power contactor resistive load 22A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-16-1AP01 | | |

1

| Part No. | 380957 | Ref. No. | 0927051 |
|---|---|---|---|
| description | power contactor resistive load 22A 24VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type 3RT10-17-1AB01 50/60Hz | | |

## miscellaneous

### power contactors

1

| Part No. | 380915 | Ref. No. | 010578021 |
|---|---|---|---|
| description | power contactor 230V resistive load 32A main contacts 3NO auxiliary contacts 1NO connection screw type CJX2-1810 SHAPU | | |
| For models: | 105780 | | |

# relays

## power relays

### with bracket mounting

1

| Part No. | 380312 | Ref. No. | 0229023<br>0229024 |
|---|---|---|---|
| description | power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000 | | |



Find the complete and up-to-date range of products on https://gastroparts.com

1

| Part No. | 380139 | Ref. No. | 0926021 |
|---|---|---|---|
| description | power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000 | | |

1

| Part No. | 380403 | Ref. No. | 0229036 |
|---|---|---|---|
| description | power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500 | | |

1

| Part No. | 380185 | Ref. No. | 020473 |
|---|---|---|---|
| description | power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A1O-230AC-FA | | |

## magnetrons

1

| Part No. | 403173 | Ref. No. | 0610181C08 |
|---|---|---|---|
| description | Magnetron type 2M248J(JT) | | |

# probes

## producer-specific probes

### probes

1

| Part No. | 379887 | Ref. No. | 0SON006 |
|---|---|---|---|
| description | temperature probe Pt100 cable high temperatur film probe -50 up to +200°C cable -50 up to +200°C connection 2-wire thread M10x1.5 probe ø5x42mm cable length 1.9m | | |

### core probes

1

| Part No. | 379886 | Ref. No. | 0SON000 |
|---|---|---|---|
| description | core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M10x1.5 cable length 3m handle ø 15mm handle length 90mm | | |

# electronics

## PCBs

1

| Part No. | 402961 | Ref. No. | 01059331M |
|---|---|---|---|
| description | control PCB for induction device GIC2030 L 242mm W 69mm with digital display buttons 6 | | |

1

| Part No. | | Ref. No. | 01059353M |
|---|---|---|---|
| description | control PCB for induction device GIC2035 L 257mm W 75mm edition until 06/2010 buttons 6 | | |



1

| Part No. | 402962 | Ref. No. | 01059353M2 |
|---|---|---|---|
| description | control PCB induction device GIC2035 L 257mm W 75mm edition since 06/2010 buttons 6 | | |



1

| Part No. | 400736 | Ref. No. | 06010083 |
|---|---|---|---|
| description | control PCB salamander grill SH50SR | | |



1

| Part No. | 402960 | Ref. No. | 01059332M |
|---|---|---|---|
| description | main PCB for induction device GIC2030 L 237mm W 231mm | | |

1

| Part No. | | Ref. No. | 010583510M |
|---|---|---|---|
| description | main PCB for induction device GIC2035 L 236mm W 230mm until 06/2010 | | |



1

| Part No. | 402959 | Ref. No. | 010583510M2 |
|---|---|---|---|
| description | main PCB induction device GIC2035 L 236mm W 230mm since 06/2010 | | |

1

| Part No. | 402045 | Ref. No. | SA3600 |
|---|---|---|---|
| description | PCB hand blenders FM3 with potentiometer 230V | | |

1

| Part No. | 400899 | Ref. No. | 0215018 |
|---|---|---|---|
| description | power PCB dishwasher LP10/20/30 without EPROM | | |
| accessories for | 400899 | | |

| Part No. | 400761 | Ref. No. | — |
|---|---|---|---|
| plug connector 5-pole | | | |

| Part No. | 400900 | Ref. No. | — |
|---|---|---|---|
| EPROM CODE 225029-3 | | | |

| Part No. | 401558 | Ref. No. | — |
|---|---|---|---|
| EPROM CODE 81000-1 | | | |

| Part No. | 403241 | Ref. No. | — |
|---|---|---|---|
| EPROM type U61E for dishwasher CODE 81001-3 | | | |



| Part No. | 550048 | Ref. No. | — |
|---|---|---|---|
| female bullet | | | |

## keypads

### front foils

1

| Part No. | 400689 | Ref. No. | A016769 |
|---|---|---|---|
| description | keypad foil | | |

1

| Part No. | 403791 | Ref. No. | 02012427<br>02016790 |
|---|---|---|---|
| description | keypad foil for salamander grill model suitable for BARTSCHER ømm for mounting pos. suitable for for model L 547mm W 67mm | | |

# solenoid valves

## solenoid valves (water)

### TP

1

| | | | |
|---|---|---|---|
| **Part No.** | 370111 | **Ref. No.** | 0927001 |
| **description** | solenoid valve double straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP | | |
| **spare parts for** | 370111 | | |
| | Part No. 371035 | Ref. No. — | |
| | solenoid coil 24VAC | | |
| **accessories for** | 370111 | | |
| | Part No. 371220 | Ref. No. — | |
| | reducer TP flow rate 3l/min red tolerance ±15% | | |
| | Part No. 371221 | Ref. No. — | |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | |
| | Part No. 371222 | Ref. No. — | |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | |
| | Part No. 371223 | Ref. No. — | |
| | reducer TP flow rate 10l/min white tolerance ±15% | | |
| | Part No. 371224 | Ref. No. — | |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | |
| | Part No. 371225 | Ref. No. — | |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | |
| | Part No. 371226 | Ref. No. — | |
| | reducer TP flow rate 20l/min red tolerance ±15% | | |
| | Part No. 371230 | Ref. No. — | |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | |
| | Part No. 371231 | Ref. No. — | |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | |
| | Part No. 371232 | Ref. No. — | |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | |
| | Part No. 371233 | Ref. No. — | |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | |
| | Part No. 371234 | Ref. No. — | |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | |
| | Part No. 371235 | Ref. No. — | |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | |

| | | | |
|---|---|---|---|
| **accessories for** | 370111 | | |
| | Part No. 371236 | Ref. No. — | |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | |
| | Part No. 371237 | Ref. No. — | |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | |
| | Part No. 371238 | Ref. No. — | |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | |
| | Part No. 371239 | Ref. No. — | |
| | reducer TP flow rate 5l/min black tolerance ±25% | | |
| | Part No. 371240 | Ref. No. — | |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 370017 | **Ref. No.** | 0240011 |
| **description** | solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar | | |
| **spare parts for** | 370017 | | |
| | Part No. 371013 | Ref. No. — | |
| | solenoid coil TP 230VAC 50/60Hz | | |
| **accessories for** | 370017 | | |
| | Part No. 371220 | Ref. No. — | |
| | reducer TP flow rate 3l/min red tolerance ±15% | | |
| | Part No. 371221 | Ref. No. — | |
| | reducer TP flow rate 5.5l/min yellow tolerance ±15% | | |
| | Part No. 371222 | Ref. No. — | |
| | reducer TP flow rate 6l/min grey tolerance ±15% | | |
| | Part No. 371223 | Ref. No. — | |
| | reducer TP flow rate 10l/min white tolerance ±15% | | |
| | Part No. 371224 | Ref. No. — | |
| | reducer TP flow rate 12l/min bronze tolerance ±15% | | |
| | Part No. 371225 | Ref. No. — | |
| | reducer TP flow rate 16l/min light brown tolerance ±15% | | |
| | Part No. 371226 | Ref. No. — | |
| | reducer TP flow rate 20l/min red tolerance ±15% | | |
| | Part No. 371230 | Ref. No. — | |
| | reducer TP flow rate 0.25l/min red tolerance ±25% | | |
| | Part No. 371231 | Ref. No. — | |
| | reducer TP flow rate 0.35l/min violet tolerance ±25% | | |

Table continues overleaf

| accessories for | 370017 | | |
|---|---|---|---|
| | Part No. | 371232 | Ref. No. — |
| | reducer TP flow rate 0.5l/min orange tolerance ±25% | | |
| | Part No. | 371233 | Ref. No. — |
| | reducer TP flow rate 0.8l/min white tolerance ±25% | | |
| | Part No. | 371234 | Ref. No. — |
| | reducer TP flow rate 1l/min light blue tolerance ±25% | | |
| | Part No. | 371235 | Ref. No. — |
| | reducer TP flow rate 1.2l/min brown tolerance ±25% | | |
| | Part No. | 371236 | Ref. No. — |
| | reducer TP flow rate 1.5l/min light brown tolerance ±25% | | |
| | Part No. | 371237 | Ref. No. — |
| | reducer TP flow rate 2.5l/min yellow tolerance ±25% | | |
| | Part No. | 371238 | Ref. No. — |
| | reducer TP flow rate 3.4l/min dark green tolerance ±25% | | |
| | Part No. | 371239 | Ref. No. — |
| | reducer TP flow rate 5l/min black tolerance ±25% | | |
| | Part No. | 371240 | Ref. No. — |
| | reducer TP flow rate 8l/min blue tolerance ±20% | | |

## solenoid valves with reducers

1

| Part No. | 370628 | Ref. No. | 017696 |
|---|---|---|---|
| description | solenoid valve double straight 230VAC inlet 3/4“ input 16l/min DN10 TP plastic outlet 11.5mm | | |

## various

1

| Part No. | 370589 | Ref. No. | A0YXD4A39 |
|---|---|---|---|
| description | solenoid valve single straight inlet 3/4“ ET outlet 11.5mm male faston 6.3mm | | |
| For models: | 105780, A120788 | | |

# pressure switches

## for warewashing

### ø 58mm with male faston 6.3mm

#### with connection horizontal

1

| Part No. | 541002 | Ref. No. | 0224002 |
|---|---|---|---|
| description | pressure control pressure range 110/60mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm | | |

1

| Part No. | 541105 | Ref. No. | 0926049 |
|---|---|---|---|
| description | pressure control pressure range 180/70mbar connection 6mm ø 58mm pressure connection horizontal warewashing | | |

1

| Part No. | 541013 | Ref. No. | 0929039 |
|---|---|---|---|
| description | pressure control pressure range 55/25mbar connection 6mm ø 58mm pressure connection horizontal warewashing | | |

1

| Part No. | 541003 | Ref. No. | 011515<br>011595<br>0224003 |
|---|---|---|---|
| description | pressure control pressure range 55/35mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm | | |



Find the complete and up-to-date range of products on https://gastroparts.com

# compressors

## ACC/ZEL

### R600A

#### LBP monophase

*Lower evaporation temperature below -20°C*

1

| Part No. | 605150 | Ref. No. | 038281 |
|---|---|---|---|
| description | compressor coolant R600a type HVM10AA 220-240V 50Hz LBP 8.7kg 1/6HP cylinder capacity 10cm³ RSIR H 180mmWWWWWWWW | | |

# fans

## axial fans

### import

1

| Part No. | 601743 | Ref. No. | 01058355 |
|---|---|---|---|
| description | axial fan L 80mm W 80mm H 25mm 18VDC 1.8W connection coded plug cable length 300mm | | |

## refrigeration fans

### cooling motors (complete)

1

| Part No. | | Ref. No. | 030609 |
|---|---|---|---|
| description | fan 230V 10W | | |

### cold air circulating fans (other)

1

| Part No. | 602132 | Ref. No. | 038169 |
|---|---|---|---|
| description | fan motor 220-240V 50Hz IN 22W / OUT 5W shaft ø 4mm shaft L 20/48mm L 65mm W 66mm H 73mm fan wheel ø 150mm Qty 1 pcs | | |
| For models: | 700158G-McDonalds | | |

## cross flow fans

### COPREL

#### with standard coil

1

| Part No. | 601453 | Ref. No. | 030008386 |
|---|---|---|---|
| description | cross flow fan TFR 180 roller ø 60mm roller length 180mm laminated core thickness 16mm motor position right 230V/50-60Hz 17W universal bearing silicone connection male faston 6.3mm airflow 100m³/h -30 up to +100°C 230V 50Hz | | |
| accessories for | 601453 | | |
| | Part No. 415114 | Ref. No. — | |
| | heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction 105°C heating circuits 2 connection cable cable length 150mm L 192mm for cross flow fan | | |

## hot air motors

1

| | | | |
|---|---|---|---|
| **Part No.** | 601993 | **Ref. No.** | 0MOT001 |
| **description** | fan motor 230V 1 phase 50Hz 0.18/0.12kW 2800rpm speeds 1 L1 85mm L2 65mm L3 23mm D1 ø 8mm D2 ø 6mm M5x0.8 0.8A suitable capacitor 5µF/450V | | |
| **accessories for** | 601993 | | |
| | Part No. 365017 | Ref. No. — | |
| | operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 601690 | **Ref. No.** | 010578043 |
| **description** | fan motor 230V 50Hz 0.09kW 2450rpm L1 80mm L2 20mm L3 35mm L4 20mm D1 ø 12mm D2 ø 8x6mm M5 | | |
| **For models:** | 105780 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 601688 | **Ref. No.** | 010578050 |
| **description** | fan wheel D1 ø 200mm H1 43mm blades 39 D2 ø 8x6mm D3 ø 8mm H2 29mm | | |
| **For models:** | 105780 | | |

## hot air fans

### miscellaneous




1

| | | | |
|---|---|---|---|
| **Part No.** | 601124 | **Ref. No.** | 009G623 |
| **description** | hot air fan 220-240V 30W L1 60mm L2 12mm L3 25mm L4 84mm fan wheel ø 150mm IMS type VRB150H2028 | | |

1




| | | | |
|---|---|---|---|
| **Part No.** | 601054 | **Ref. No.** | 023117700 |
| **description** | hot air fan 220-240V 32W 50/60Hz L1 60mm L2 10mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C20X0E01/46 | | |
| **spare parts for** | 601054 | | |
| | Part No. 601441 | Ref. No. — | |
| | fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7 | | |
| **accessories for** | 601054 | | |
| | Part No. 550879 | Ref. No. — | |
| | insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan | | |



Find the complete and up-to-date range of products on https://gastroparts.com




1

| | | | |
|---|---|---|---|
| **Part No.** | 601548 | **Ref. No.** | A0000103006 |
| **description** | hot air fan 220-240V 40W 50/60Hz L1 65mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C25R8023CLH | | |
| **accessories for** | 601548 | | |
| | Part No. 601441 | Ref. No. — | |
| | fan wheel ø 150mm W 25mm shaft intake ø 6x5mm stainless steel blades 7 | | |

1




| | | | |
|---|---|---|---|
| **Part No.** | 601125 | **Ref. No.** | 0A036410 |
| **description** | hot air fan 220-240V 45W 50/60Hz L1 70mm L2 11mm L3 25mm L4 87mm fan wheel ø 150mm FIME type C30R0479CLF | | |
| **For models:** | A120788 | | |
| **accessories for** | 601125 | | |
| | Part No. 550879 | Ref. No. — | |
| | insulation ø 130mm thickness 3mm hole ø 20mm for hot air fan | | |

# motors

## gear motors

### for conveyor toaster



1

| | | | |
|---|---|---|---|
| **Part No.** | 602131 | **Ref. No.** | A01002057<br>QXYH6030M23G |
| **description** | gear motor W 230V voltage AC 50Hz 1 phaserpm shaft ø 7mm L 92mm W 60mm H 96mm | | |

### for ice-cube maker

#### for paddles

1

| | | | |
|---|---|---|---|
| **Part No.** | 501535 | **Ref. No.** | 010402530 |
| **description** | gear motor type 50KTYZ 6W 220-240V 50/60Hz 33/40rpm shaft ø 7mm | | |

# pumps

## wash and rinse pumps

### LGB

1

| Part No. | 500156 | Ref. No. | 0130109 |
|---|---|---|---|
| description | pump inlet ø 50mm outlet ø 50mm type ZF400SX 230V 50Hz 1 phase 0.6kW 0.8HP L 210mm rotation direction right capacitor 16µF LGB | | |
| spare parts for | 500156 | | |
| | Part No. 509020 | Ref. No. — | impellor ø 104mm H 25mm M8L |
| | Part No. 510703 | Ref. No. — | mechanical shaft seal for shaft ø 13mm slide ring H 13mm height counter ring 5.5mm ED ø 26mm |
| | Part No. 521548 | Ref. No. — | pump cover LGB inlet ø 50mm outlet ø 50mm |
| | Part No. 521734 | Ref. No. — | pump cover bottom part |
| | Part No. 523509 | Ref. No. — | deep-groove ball bearing type 6201-2RS shaft ø 12mm ED ø 32mm W 10mm with sealing discs deep-groove ball bearing DIN 625-1 |
| | Part No. 532623 | Ref. No. — | O-ring EPDM thickness 2.62mm ID ø 120.32mm Qty 1 pcs |
| accessories for | 500156 | | |
| | Part No. 365021 | Ref. No. 0206004 | operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection |

### OLYMPIA

#### pumps

1

| Part No. | 500003 | Ref. No. | 020727 |
|---|---|---|---|
| description | pump inlet ø 45mm outlet ø 32mm type T30 230V 50Hz 1 phase 0.29kW 0.39HP L 190mm rotation direction right capacitor 8µF OLYMPIA | | |
| spare parts for | 500003 | | |
| | Part No. 365013 | Ref. No. — | operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection |
| | Part No. 510512 | Ref. No. 023317 | pump cover OLYMPIA inlet ø 45mm outlet ø 31mm outlet 2 ø 24 turn direction right ø 130mm ID ø 124mm inner hight 20mm |
| | Part No. 510554 | Ref. No. — | O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs |
| | Part No. 510615 | Ref. No. 012263 | impellor ø 90mm H 22mm rotation direction right thread M10L blades 4 |
| | Part No. 510693 | Ref. No. 0141002 021188 | mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm |



Find the complete and up-to-date range of products on https://gastroparts.com

1

| | | | |
|---|---|---|---|
| **Part No.** | 500525 | **Ref. No.** | 0150914 |
| **description** | pump inlet ø 50mm outlet ø 30mm type T7 230V 50Hz 1 phase 0.52kW 0.71HP L 230mm rotation direction right capacitor 12.5µF OLYMPIA | | |
| **spare parts for** | 500525 | | |

| | | | |
|---|---|---|---|
| Part No. | 365014 | Ref. No. | — |

operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection

| | | | |
|---|---|---|---|
| Part No. | 510554 | Ref. No. | — |

O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 510693 | Ref. No. | 0141002<br>021188 |

mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm

| | | | |
|---|---|---|---|
| Part No. | 517368 | Ref. No. | — |

impellor ø 102mm H 21mm rotation direction right thread M10L suitable for Dihr blades 8

| | | | |
|---|---|---|---|
| Part No. | 521556 | Ref. No. | — |

pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner hight 20mm

## drain pumps

### ASKOLL

1

| | | | |
|---|---|---|---|
| **Part No.** | 500214 | **Ref. No.** | 0130105<br>0130146 |
| **description** | drain pump inlet ø 30mm outlet ø 22mm 230/240V 30W 50Hz ASKOLL type R113 | | |

# condensators & interference suppression filters

## operating capacitors

### plastic

1

| | | | |
|---|---|---|---|
| **Part No.** | 365021 | **Ref. No.** | 0206004 |
| **description** | operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 365019 | **Ref. No.** | 0206005 |
| **description** | operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 365028 | **Ref. No.** | 010578025 |
| **description** | operating capacitor capacity 3µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35.5mm L 75mm M8 plastic connection male faston 6.3mm protection | | |
| **For models:** | 105780 | | |

## filters

### interference suppression filters

1

| | | | |
|---|---|---|---|
| **Part No.** | 365044 | **Ref. No.** | 0926144 |
| **description** | interference suppression filter type FC701Y2F 250V 50-60Hz conductor 2 with E connection cable 200mm L 42mm ø 23mm Hmm Wmm plastic Qty 1 pcs | | |

# fuses

## fine fuses

1

| | | | |
|---|---|---|---|
| **Part No.** | 358533 | **Ref. No.** | 01143561 |
| **description** | fine fuse size ø5x20mm 6.3A fast-acting rated 250V Qty 10 pcs | | |

# electric accessories

## terminals

### terminal blocks

1

| | | | |
|---|---|---|---|
| **Part No.** | 693220 | **Ref. No.** | 030008125 |
| **description** | lustre terminal 12-pole cross section 4mm² max. 32A max 750V temp.-resist. 150°C | | |

### connection terminals with screw/faston connections

1

| | | | |
|---|---|---|---|
| **Part No.** | 550411 | **Ref. No.** | 0220011 |
| **description** | power terminal block 6-pole max. 40A max 450V connection ø6mm² / F6.3 temp.-resist. 150°C cross section 6mm² | | |

### connection terminals with screw connection

1

| | | | |
|---|---|---|---|
| **Part No.** | 551109 | **Ref. No.** | A01506752 |
| **description** | connecting cable 4-pole max. 15A max 500V connection screw temp.-resist. 150°C | | |
| **For models:** | A150671, A150674 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 551021 | **Ref. No.** | 0AT93621<br>A0AT93621 |
| **description** | porcelain terminal block 3-pole max. 15A max 500V connection screw temp.-resist. 150°C with fastening angle t.max. 150°C Qty 1 pcs | | |
| **For models:** | 151510, A151300, A1515001, A151600 | | |

# gas taps

## PEL

### 22S/O series

1

| | | | |
|---|---|---|---|
| **Part No.** | 101086 | **Ref. No.** | 010909 |
| **description** | gas tap PEL type 22S/O gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 10x8mm shaft L 25/17mm shaft flat lower | | |
| **spare parts for** | 101086 | | |
| | Part No. 100259 | Ref. No. — | bypass nozzle type PEL22 bore ø 0.35mm thread M6x0.5 |
| | Part No. 101058 | Ref. No. — | magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard |
| | Part No. 101201 | Ref. No. — | gas tap front part shaft ø 10x8mm shaft L 25/17mm shaft flat upper/ lower suitable for PEL22 |
| | Part No. 101231 | Ref. No. — | thermocouple nut T1: M9x1 T2: M18x1 |
| | Part No. 101240 | Ref. No. — | gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps with gasket and screws horizontal |
| | Part No. 101460 | Ref. No. — | O-ring ø 12.37mm D1 ø 2.62mm suitable for PEL22 |
| | Part No. 101461 | Ref. No. — | screw kit suitable for PEL22 Qty 4 pcs |
| **accessories for** | 101086 | | |
| | Part No. 100908 | Ref. No. — | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs |
| | Part No. 100909 | Ref. No. — | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs |
| | Part No. 101241 | Ref. No. — | gas connection thread M20x1.5 tube ø 12/10mm for PEL gas taps vertical |

Table continues overleaf



Find the complete and up-to-date range of products on https://gastroparts.com

| | | | | |
|---|---|---|---|---|
| **accessories for** | 101086 | | | |
| | Part No. | 101246 | Ref. No. | — |
| | olive for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 101248 | Ref. No. | — |
| | olive for pipe ø 12mm Qty 1 pcs suitable for PEL | | | |
| | Part No. | 101249 | Ref. No. | — |
| | olive for pipe ø 10mm Qty 1 pcs | | | |
| | Part No. | 101250 | Ref. No. | — |
| | union nut thread M20x1.5 for pipe ø 10mm | | | |
| | Part No. | 101251 | Ref. No. | — |
| | union nut thread M20x1.5 for pipe ø 12mm | | | |
| | Part No. | 101286 | Ref. No. | — |
| | olive ID ø 6mm Qty 1 pcs | | | |
| | Part No. | 110080 | Ref. No. | — |
| | knob ø 70mm shaft ø 10x8mm shaft flat universal | | | |
| | Part No. | 112206 | Ref. No. | — |
| | knob dial plate silver gas tap PEL21/22/23 t.max.°C ED ø 63mm ID ø 45.5mm | | | |

## COPRECI

### CAL-5200

1

| | | | |
|---|---|---|---|
| **Part No.** | 106036 | **Ref. No.** | 010038 |
| **description** | gas tap COPRECI type CAL-5200 gas inlet pipe flange ø21mm bypass nozzle ø 0.35mm gas outlet M14x1.5 (tube ø 6mm) thermocouple connection M8x1 pilot connection shaft ø 6x4.6mm shaft L 25/16mm shaft flat lower with pipe outlet | | |
| **spare parts for** | 106036 | | |
| | Part No. | 101060 | Ref. No. — |
| | magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA | | |

## SABAF

1

| | | | |
|---|---|---|---|
| **Part No.** | 106062 | **Ref. No.** | 001G463 |
| **description** | gas tap SABAF type 10 gas inlet pipe flange ø16mm bypass nozzle ø 0.25mm gas outlet M13x1 IT (tube ø 8mm) front fixing thermocouple connection plug-in connection shaft ø 8x6.5mm shaft L 45/12mm shaft flat lower | | |
| **spare parts for** | 106062 | | |
| | Part No. | 106723 | Ref. No. — |
| | magnet unit L 29mm D1 ø 12.5mm D2 ø 8.5mm suitable for SABAF | | |
| **accessories for** | 106062 | | |
| | Part No. | 101277 | Ref. No. — |
| | olive ID ø 8mm Qty 1 pcs | | |
| | Part No. | 101376 | Ref. No. — |
| | gasket ID ø 8mm ED ø 12mm H 3/5mm | | |
| | Part No. | 101477 | Ref. No. — |
| | union screw thread M13x1 tube ø 8mm Qty 1 pcs | | |
| | Part No. | 101751 | Ref. No. — |
| | bracket | | |
| | Part No. | 560082 | Ref. No. — |
| | hexagonal screw thread M4 thread L 16mm SS WS 7 Qty 20 pcs DIN 933 / ISO 4017 | | |

# gas thermostats

## SIT

### 630 Eurosit series

1

| | | | |
|---|---|---|---|
| **Part No.** | 101992 | **Ref. No.** | 035271800 |
| **description** | gas thermostat type 630 Eurosit series t.max. 190°C 110-190°C gas inlet 3/8“ gas outlet 3/8“ thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 202mm capillary pipe 1050mm SIT | | |
| **accessories for** | 101992 | | |
| | Part No. | 100904 | Ref. No. — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | |
| | Part No. | 100905 | Ref. No. — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | |

Table continues overleaf

| | | | | |
|---|---|---|---|---|
| **accessories for** | 101992 | | | |
| | Part No. | 101273 | Ref. No. | — |
| | olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal | | | |
| | Part No. | 101276 | Ref. No. | — |
| | union screw thread 3/8“ tube ø 12mm Qty 1 pcs | | | |
| | Part No. | 101333 | Ref. No. | — |
| | plug thread 3/8“ with O-ring | | | |
| | Part No. | 510655 | Ref. No. | — |
| | gasket silicone ø 7.8mm L 5mm blue Shore 55° Qty 10 pcs | | | |

| | | | |
|---|---|---|---|
| **Part No.** | 101125 | **Ref. No.** | 023035 |
| **description** | gas thermostat type 630 Eurosit series t.max. 340°C 100-340°C gas inlet 3/8“ gas outlet 3/8“ thermocouple connection M9x1 pilot connection M10x1 probe ø 4mm probe L 72mm capillary pipe 1050mm SIT | | |

| | | | | |
|---|---|---|---|---|
| **accessories for** | 101125 | | | |
|  | Part No. | 100825 | Ref. No. | — |
| | gas tap spindle shaft ø 8x6.5mm shaft L 22/14mm suitable for EUROSIT | | | |
| | Part No. | 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | Part No. | 100949 | Ref. No. | — |
| | gasket suitable for 630 Eurosit series | | | |
| | Part No. | 101273 | Ref. No. | — |
| | olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal | | | |
| | Part No. | 101276 | Ref. No. | — |
| | union screw thread 3/8“ tube ø 12mm Qty 1 pcs | | | |
| | Part No. | 101333 | Ref. No. | — |
| | plug thread 3/8“ with O-ring | | | |
| | Part No. | 101390 | Ref. No. | — |
| | gas tap spindle shaft ø 6x4.6mm shaft L 32/15mm gas tap with ignition flame suitable for ZANUSSI, MARENO for gas thermostat EUROSIT | | | |
| | Part No. | 101392 | Ref. No. | — |
| | adapter suitable for 630 Eurosit series | | | |
| | Part No. | 110357 | Ref. No. | — |
| | gas tap spindle shaft ø 8x6.5mm shaft L 36/12mm suitable for 630 Eurosit series | | | |
| | Part No. | 110358 | Ref. No. | — |
| | adapter shaft ø 10x8mm shaft L 29/18mm suitable for 630 Eurosit series | | | |

## 710 Minisit series

| | | | |
|---|---|---|---|
| **Part No.** | 101437 | **Ref. No.** | 010425 |
| **description** | gas thermostat SIT type MINISIT 710 t.max. 190°C 110-190°C gas inlet 1/2“ gas outlet 3/8“ thermocouple connection M9x1 pilot connection M10x1 probe ø 6mm probe L 102mm capillary pipe 1050mm probe type type A3 pressure controller yes pressure regulator 3-18mbar gland nut | | |

| | | | | |
|---|---|---|---|---|
| **spare parts for** | 101437 | | | |
| | Part No. | 101053 | Ref. No. | — |
| | magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | | |
|  | Part No. | 102118 | Ref. No. | — |
| | probe 110-190°C probe ø 6mm probe L 102mm capillary pipe 1050mm t.max. 190°C fryer probe type type A3 suitable for MINISIT 710 | | | |
| **accessories for** | 101437 | | | |
| | Part No. | 100809 | Ref. No. | — |
| | O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs | | | |
| | Part No. | 100820 | Ref. No. | — |
| | gland duct ET M14x1.5 IT M10x0.75 probe ø max. 6.5mm WS 22 | | | |
| | Part No. | 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | Part No. | 101054 | Ref. No. | — |
| | magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | | |
| | Part No. | 101136 | Ref. No. | — |
| | piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8 | | | |
| | Part No. | 101137 | Ref. No. | — |
| | cover cap without piezoelectric igniter | | | |
| | Part No. | 101267 | Ref. No. | — |
| | reducer IT 3/8“ ET 1/2“ L 21mm | | | |
| | Part No. | 101268 | Ref. No. | — |
| | gas connection thread 3/8“ angled with O-ring MINISIT 710 | | | |
| | Part No. | 101269 | Ref. No. | — |
| | gas connection thread 1/2“ angled with O-ring MINISIT 710 | | | |
| | Part No. | 101270 | Ref. No. | — |
| | screw connection IT 3/8“ ET 3/8“ L 28mm | | | |

Table continues overleaf



Find the complete and up-to-date range of products on https://gastroparts.com

| accessories for | 101437 | | | |
|---|---|---|---|---|
| | Part No. | 101272 | Ref. No. | — |
| | screw connection IT 1/2“ ET 3/8“ L 57mm | | | |
| | Part No. | 101273 | Ref. No. | — |
| | olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal | | | |
| | Part No. | 101274 | Ref. No. | — |
| | olive for pipe ø 16mm Qty 1 pcs | | | |
| | Part No. | 101275 | Ref. No. | — |
| | union screw thread 1/2“ for pipe ø 16mm Qty 1 pcs | | | |
| | Part No. | 101276 | Ref. No. | — |
| | union screw thread 3/8“ tube ø 12mm Qty 1 pcs | | | |
| | Part No. | 110068 | Ref. No. | — |
| | knob suitable for Minisit ø 37mm | | | |




| Part No. | 101438 | Ref. No. | 010829 |
|---|---|---|---|
| description | gas thermostat SIT type MINISIT 710 t.max. 340°C 100-340°C gas inlet 1/2“ gas outlet 3/8“ thermocouple connection M9x1 pilot connection M10x1 probe ø 5mm probe L 68mm capillary pipe 1050mm probe type type B1 pressure controller yes pressure regulator 3-18mbar gland nut | | |
| spare parts for | 101438 | | |
| | Part No. | 101053 | Ref. No. | — |
| | magnet unit T1: M9x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | | |
| | Part No. | 102102 | Ref. No. | — |
| | probe 100-340°C probe ø 5mm probe L 68mm capillary pipe 1750mm t.max. 340°C oven/grill probe type type B1 suitable for MINISIT 710 | | | |
| accessories for | 101438 | | | |
| | Part No. | 100809 | Ref. No. | — |
| | O-ring EPDM thickness 2mm ID ø 21mm Qty 1 pcs | | | |
| | Part No. | 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | Part No. | 101054 | Ref. No. | — |
| | magnet unit T1: M10x1 T2: M24x1 L 45mm ø 17mm suitable for Minisit | | | |
| | Part No. | 101136 | Ref. No. | — |
| | piezoelectric igniter suitable for Minisit with cover cap ømm connection F6.3x0.8 | | | |
| | Part No. | 101137 | Ref. No. | — |
| | cover cap without piezoelectric igniter | | | |

| accessories for | 101438 | | | |
|---|---|---|---|---|
| | Part No. | 101267 | Ref. No. | — |
| | reducer IT 3/8“ ET 1/2“ L 21mm | | | |
| | Part No. | 101268 | Ref. No. | — |
| | gas connection thread 3/8“ angled with O-ring MINISIT 710 | | | |
| | Part No. | 101269 | Ref. No. | — |
| | gas connection thread 1/2“ angled with O-ring MINISIT 710 | | | |
| | Part No. | 101270 | Ref. No. | — |
| | screw connection IT 3/8“ ET 3/8“ L 28mm | | | |
| | Part No. | 101272 | Ref. No. | — |
| | screw connection IT 1/2“ ET 3/8“ L 57mm | | | |
| | Part No. | 101273 | Ref. No. | — |
| | olive for pipe ø 12mm L 9.5mm brass Qty 1 pcs suitable for universal | | | |
| | Part No. | 101274 | Ref. No. | — |
| | olive for pipe ø 16mm Qty 1 pcs | | | |
| | Part No. | 101275 | Ref. No. | — |
| | union screw thread 1/2“ for pipe ø 16mm Qty 1 pcs | | | |
| | Part No. | 101276 | Ref. No. | — |
| | union screw thread 3/8“ tube ø 12mm Qty 1 pcs | | | |
| | Part No. | 110068 | Ref. No. | — |
| | knob suitable for Minisit ø 37mm | | | |

## PEL

### 24ST series

| Part No. | 101076 | Ref. No. | 016880 |
|---|---|---|---|
| description | gas thermostat PEL type 24ST 120-320°C gas inlet M20x1.5 (tube ø 12mm) bypass nozzle ø 0.35mm gas outlet M20x1.5 (tube ø 12/10mm) thermocouple connection M9x1 pilot connection M10x1 capillary pipe 1200mm probe ø 6mm probe L 100mm shaft ø 10x8mm shaft L 27/17mm shaft flat upper | | |
| spare parts for | 101076 | | |
| | Part No. | 100455 | Ref. No. | — |
| | bypass nozzle type PEL23/24 bore ø 0.35mm thread M8x0.5 | | | |
| | Part No. | 101058 | Ref. No. | — |
| | magnet unit L 39mm D1 ø 15.4mm D2 ø 13.5mm suitable for PEL22/ EGA24197 standard | | | |
| | Part No. | 106200 | Ref. No. | — |
| | nut thread M9x1 suitable for PEL 24/25S | | | |

Table continues overleaf

| | | | | |
|---|---|---|---|---|
| **accessories for** | 101076 | | | |
| | Part No. | 100908 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 100909 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | Part No. | 101246 | Ref. No. | — |
| | olive for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 101248 | Ref. No. | — |
| | olive for pipe ø 12mm Qty 1 pcs suitable for PEL | | | |
| | Part No. | 101249 | Ref. No. | — |
| | olive for pipe ø 10mm Qty 1 pcs | | | |
| | Part No. | 101250 | Ref. No. | — |
| | union nut thread M20x1.5 for pipe ø 10mm | | | |
| | Part No. | 101251 | Ref. No. | — |
| | union nut thread M20x1.5 for pipe ø 12mm | | | |
| | Part No. | 101286 | Ref. No. | — |
| | olive ID ø 6mm Qty 1 pcs | | | |
| | Part No. | 110079 | Ref. No. | — |
| | knob dial plate gas thermostat 1-8 silver | | | |
| | Part No. | 110080 | Ref. No. | — |
| | knob ø 70mm shaft ø 10x8mm shaft flat universal | | | |

# gas valves and ignition boxes

## gas control valves

### SIT

### NOVASIT

1

| | | | |
|---|---|---|---|
| **Part No.** | 101187 | **Ref. No.** | 030100014 |
| **description** | gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2“ gas outlet 1/2“ thermocouple connection M9x1 pilot connection M10x1 ignition pressurembar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt | | |
| **spare parts for** | 101187 | | |
| | Part No. | 101065 | Ref. No. | — |
| | magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT | | | |
| **accessories for** | 101187 | | | |
| | Part No. | 100110 | Ref. No. | 030100000 |
| | pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm | | | |

| | | | | |
|---|---|---|---|---|
| **accessories for** | 101187 | | | |
| | Part No. | 101305 | Ref. No. | — |
| | gas connection straight 1/2“ flange 45x45mm ELETTROSIT/ V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm | | | |
| | Part No. | 101306 | Ref. No. | — |
| | gas connection angled flange 45x45mm hole distance 36x36mm 1/2“ ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL | | | |
| | Part No. | 101307 | Ref. No. | — |
| | gas connection straight flange 45x45mm hole distance 36x36mm 3/4“ ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL | | | |
| | Part No. | 101308 | Ref. No. | — |
| | gas connection angled flange 45x45mm hole distance 36x36mm 3/4“ ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/ HONEYWELL | | | |
| | Part No. | 102116 | Ref. No. | 040400130 |
| | thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16“ | | | |

## ignition boxes

### HONEYWELL

1

| | | | |
|---|---|---|---|
| **Part No.** | 102367 | **Ref. No.** | 0CEN000 |
| **description** | ignition box HONEYWELL type S4565A 2092 1 electrodes 3 waiting times safety time 10s 220-240V 4VA 50/60Hz | | |

# ignition parts

## pilot burners

### SIT

#### 100 series

#### accessories

#### pilot burner bottom parts

1

| | | | |
|---|---|---|---|
| **Part No.** | 107701 | **Ref. No.** | 020484 |
| **description** | pilot burner bottom part SIT 100 series nozzle ø 0.2mm | | |
| **spare parts for** | 107701 | | |
| | Part No. | 100245 | Ref. No. | 016106 |
| | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | | |

Table continues overleaf

| | | | | |
|---|---|---|---|---|
| **spare parts for** | 107701 | | | |
| | Part No. | 100916 | Ref. No. | — |
| | compression spring for pilot burner Qty 1 pcs | | | |
| | Part No. | 100917 | Ref. No. | — |
| | gasket for pilot burner Qty 1 pcs aluminium | | | |
| | Part No. | 100918 | Ref. No. | — |
| | screw for pilot burner | | | |
| **accessories for** | 107701 | | | |
| | Part No. | 100246 | Ref. No. | — |
| | pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75 | | | |
| | Part No. | 100904 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 100905 | Ref. No. | — |
| | locking screw M10x1 for pipe ø 6mm Qty 1 pcs | | | |
|  | Part No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
|  | Part No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |
| | Part No. | 102742 | Ref. No. | — |
| | pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs | | | |

## pilot burner nozzles

1

| | | | |
|---|---|---|---|
| **Part No.** | 100245 | **Ref. No.** | 016106 |
| **description** | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | |
| **For models:** | 105014 | | |

## 190 series

1

| | | | |
|---|---|---|---|
| **Part No.** | 100110 | **Ref. No.** | 030100000 |
| **description** | pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm | | |
| **accessories for** | 100110 | | |
| | Part No. | 100202 | Ref. No. — |
| | pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm | | |
| | Part No. | 100203 | Ref. No. — |
| | pilot burner nozzle LPG code 25 Qty 1 pcs nozzle ø 0.25mm | | |
| | Part No. | 100701 | Ref. No. — |
| | ignition electrode connection M4 Qty 1 pcs | | |
| | Part No. | 100906 | Ref. No. — |
| | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |

| | | | | |
|---|---|---|---|---|
| **accessories for** | 100110 | | | |
| | Part No. | 100907 | Ref. No. | — |
| | screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple | | | |
| | Part No. | 100908 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 100909 | Ref. No. | — |
| | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | | |
| | Part No. | 101282 | Ref. No. | — |
| | olive for pipe ø 4mm L 7.4mm Qty 1 pcs | | | |
| | Part No. | 101287 | Ref. No. | — |
| | olive for pipe ø 6mm Qty 1 pcs | | | |
|  | Part No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
|  | Part No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |
| | Part No. | 107650 | Ref. No. | — |
| | pilot burner nozzle SIT LPG code 30 Qty 1 pcs | | | |

## POLIDORO

## pilot burners

1

| | | | |
|---|---|---|---|
| **Part No.** | 102295 | **Ref. No.** | 016081 |
| **description** | pilot burner POLIDORO 3 flames code gas connection 4mm | | |
| **spare parts for** | 102295 | | |
| | Part No. | 100907 | Ref. No. — |
| | screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple | | |
| **accessories for** | 102295 | | |
| | Part No. | 100208 | Ref. No. — |
| | pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs | | |
| | Part No. | 100209 | Ref. No. — |
| | pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs | | |
| | Part No. | 100701 | Ref. No. — |
| | ignition electrode connection M4 Qty 1 pcs | | |
| | Part No. | 100906 | Ref. No. — |
| | screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10 | | |
| | Part No. | 100908 | Ref. No. — |
| | union screw thread M10x1 for pipe ø 4mm Qty 1 pcs | | |
| | Part No. | 100909 | Ref. No. — |
| | union screw thread M10x1 for pipe ø 6mm Qty 1 pcs | | |

Table continues overleaf

| | | | | |
|---|---|---|---|---|
| accessories for | 102295 | | | |
| | Part No. | 101280 | Ref. No. | — |
| | olive for pipe ø 4mm Qty 1 pcs | | | |
| | Part No. | 101287 | Ref. No. | — |
| | olive for pipe ø 6mm Qty 1 pcs | | | |
|  | Part No. | 102110 | Ref. No. | — |
| | pilot tube copper pipe ø 4mm thickness 1mm L 3000mm | | | |
|  | Part No. | 102111 | Ref. No. | — |
| | pilot tube copper pipe ø 6mm thickness 1mm L 3000mm | | | |

## electrodes

| | | | |
|---|---|---|---|
| **Part No.** | 100724 | **Ref. No.** | 010288 |
| **description** | ignition electrode D1 ø 8mm BL1 13mm BL2 28mm BL3 8mm connection F 2.8x0.8mm M10x0.75 | | |
| **accessories for** | 100724 | | |
| | Part No. 519546 | Ref. No. | — |
| | nut thread M10x0.75 H 3.45mm WS 14 brass Qty 1 pcs | | |

## thermocouples

### threaded thermocouples

#### threaded thermocouples standard

#### with socket with thread M8x1

#### type Junkers with aluminised tip




| | | | |
|---|---|---|---|
| **Part No.** | 102233 | **Ref. No.** | 016991<br>019991 |
| **description** | thermocouple M8x1 L 750mm M8x1 | | |
| **accessories for** | 102233 | | |
| | Part No. 102067 | Ref. No. | — |
| | nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1 | | |

#### threaded thermocouples with cable link




| | | | |
|---|---|---|---|
| **Part No.** | 102274 | **Ref. No.** | 001Q855 |
| **description** | thermocouple with 1 conductor L 450mm connection F 7.7mm M6x0.75 | | |
| **accessories for** | 102274 | | |
| | Part No. 102680 | Ref. No. | — |
| | nut thread M6x0.75 H 2.6mm WS 8 brass Qty 1 pcs type SEF 2 | | |




| | | | |
|---|---|---|---|
| **Part No.** | 102275 | **Ref. No.** | 001Q876 |
| **description** | thermocouple with 1 conductor L 450mm connection F 7.7mm M6x0.75 | | |
| **accessories for** | 102275 | | |
| | Part No. 102680 | Ref. No. | — |
| | nut thread M6x0.75 H 2.6mm WS 8 brass Qty 1 pcs type SEF 2 | | |

### thermopiles




| | | | |
|---|---|---|---|
| **Part No.** | 102116 | **Ref. No.** | 040400130 |
| **description** | thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16“ | | |

## gas burners

### hob burners

#### universal hob burners

#### GEV

| | | | |
|---|---|---|---|
| **Part No.** | 106379 | **Ref. No.** | N/A |
| **description** | air mixing tube for burner cap ø 80mm L 23mm D1 ø 20mm D2 ø 15.6mm D3 ø 14mm | | |



Find the complete and up-to-date range of products on https://gastroparts.com

1

| | | | |
|---|---|---|---|
| **Part No.** | 103068 | **Ref. No.** | A042200 |
| **description** | burner cap ø 100mm | | |
| **accessories for** | 103068 | | |

| | | | |
|---|---|---|---|
| Part No. | 103067 | Ref. No. | A042000 |

burner ring for burner cap ø 100mm

| | | | |
|---|---|---|---|
| Part No. | 104102 | Ref. No. | A041800 |

burner head for burner cap ø 100mm ext. ø 130

| | | | |
|---|---|---|---|
| Part No. | 104103 | Ref. No. | A041600 |

burner holder suitable for burner ø100mm with nozzle holder

1

| | | | |
|---|---|---|---|
| **Part No.** | 103066 | **Ref. No.** | A042100 |
| **description** | burner cap ø 80mm | | |
| **accessories for** | 103066 | | |

| | | | |
|---|---|---|---|
| Part No. | 103065 | Ref. No. | A041900 |

burner ring for burner cap ø 80mm

| | | | |
|---|---|---|---|
| Part No. | 104100 | Ref. No. | A041700 |

burner head for burner cap ø 80mm

| | | | |
|---|---|---|---|
| Part No. | 104101 | Ref. No. | A041500 |

burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve

1

| | | | |
|---|---|---|---|
| **Part No.** | 104102 | **Ref. No.** | A041800 |
| **description** | burner head for burner cap ø 100mm ext. ø 130 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 104100 | **Ref. No.** | A041700 |
| **description** | burner head for burner cap ø 80mm | | |
| **accessories for** | 104100 | | |

| | | | |
|---|---|---|---|
| Part No. | 103065 | Ref. No. | A041900 |

burner ring for burner cap ø 80mm

| | | | |
|---|---|---|---|
| Part No. | 103066 | Ref. No. | A042100 |

burner cap ø 80mm

| | | | |
|---|---|---|---|
| Part No. | 104103 | Ref. No. | A041600 |

burner holder suitable for burner ø100mm with nozzle holder

1

| | | | |
|---|---|---|---|
| **Part No.** | 104101 | **Ref. No.** | A041500 |
| **description** | burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve | | |
| **accessories for** | 104101 | | |

| | | | |
|---|---|---|---|
| Part No. | 103065 | Ref. No. | A041900 |

burner ring for burner cap ø 80mm

| | | | |
|---|---|---|---|
| Part No. | 103066 | Ref. No. | A042100 |

burner cap ø 80mm

| | | | |
|---|---|---|---|
| Part No. | 104100 | Ref. No. | A041700 |

burner head for burner cap ø 80mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 104103 | **Ref. No.** | A041600 |
| **description** | burner holder suitable for burner ø100mm with nozzle holder | | |
| **accessories for** | 104103 | | |

| | | | |
|---|---|---|---|
| Part No. | 103067 | Ref. No. | A042000 |

burner ring for burner cap ø 100mm

| | | | |
|---|---|---|---|
| Part No. | 103068 | Ref. No. | A042200 |

burner cap ø 100mm

| | | | |
|---|---|---|---|
| Part No. | 104102 | Ref. No. | A041800 |

burner head for burner cap ø 100mm ext. ø 130

1

| | | | |
|---|---|---|---|
| **Part No.** | 103067 | **Ref. No.** | A042000 |
| **description** | burner ring for burner cap ø 100mm | | |
| **accessories for** | 103067 | | |

| | | | |
|---|---|---|---|
| Part No. | 103068 | Ref. No. | A042200 |

burner cap ø 100mm

| | | | |
|---|---|---|---|
| Part No. | 104102 | Ref. No. | A041800 |

burner head for burner cap ø 100mm ext. ø 130

| | | | |
|---|---|---|---|
| Part No. | 104103 | Ref. No. | A041600 |

burner holder suitable for burner ø100mm with nozzle holder

| | | | |
|---|---|---|---|
| **Part No.** | 103065 | **Ref. No.** | A041900 |
| **description** | burner ring for burner cap ø 80mm | | |
| **accessories for** | 103065 | | |

| | | | |
|---|---|---|---|
| Part No. | 103066 | Ref. No. | A042100 |

burner cap ø 80mm

| | | | |
|---|---|---|---|
| Part No. | 104100 | Ref. No. | A041700 |

burner head for burner cap ø 80mm

| | | | |
|---|---|---|---|
| Part No. | 104101 | Ref. No. | A041500 |

burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve

## SABAF

### 2 series - standard

| | | | |
|---|---|---|---|
| **Part No.** | 105993 | **Ref. No.** | 001U588 |
| **description** | burner cap 1.8kW ø 75mm bright finish | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105054 | **Ref. No.** | 001U589 |
| **description** | burner cap 3kW ø 100mm H 3.5mm bright finish | | |
| **accessories for** | 105054 | | |

| | | | |
|---|---|---|---|
| Part No. | 105058 | Ref. No. | — |

burner head 3kW for igniter ø 6mm for burner cap ø 100mm

| | | | |
|---|---|---|---|
| Part No. | 105059 | Ref. No. | — |

burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm

### 2 series - flat skirt version

| | | | |
|---|---|---|---|
| **Part No.** | 105993 | **Ref. No.** | 001U588 |
| **description** | burner cap 1.8kW ø 75mm bright finish | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105994 | **Ref. No.** | 001U587<br>0210003003 |
| **description** | burner cap 1kW ø 55mm bright finish | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105054 | **Ref. No.** | 001U589 |
| **description** | burner cap 3kW ø 100mm H 3.5mm bright finish | | |
| **accessories for** | 105054 | | |

| | | | |
|---|---|---|---|
| Part No. | 105058 | Ref. No. | — |

burner head 3kW for igniter ø 6mm for burner cap ø 100mm

| | | | |
|---|---|---|---|
| Part No. | 105059 | Ref. No. | — |

burner lower part 3kW for igniter ø 6mm for thermocouple ø 6mm without nozzle for burner cap ø 100mm

| | | | |
|---|---|---|---|
| **Part No.** | 105995 | **Ref. No.** | 001Q808 |
| **description** | burner head 1.8kW for burner cap ø 75mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105996 | **Ref. No.** | 001Q805 |
| **description** | burner head 1kW for burner cap ø 55mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105992 | **Ref. No.** | 001Q811 |
| **description** | burner head 3kW for burner cap ø 100mm | | |

### triple ring burner series - standard version

| | | | |
|---|---|---|---|
| **Part No.** | 105063 | **Ref. No.** | 001U591 |
| **description** | burner cap 3.6kW ø 131mm H 4mm mounting pos. outer | | |
| **accessories for** | 105063 | | |

| | | | |
|---|---|---|---|
| Part No. | 105064 | Ref. No. | 001U590 |

burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish

| | | | |
|---|---|---|---|
| Part No. | 105065 | Ref. No. | — |

burner head 3.6kW for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| Part No. | 105717 | Ref. No. | — |

burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| Part No. | 105922 | Ref. No. | — |

burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm



Find the complete and up-to-date range of products on https://gastroparts.com

| | | | |
|---|---|---|---|
| **Part No.** | 105064 | **Ref. No.** | 001U590 |
| **description** | burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish | | |
| **accessories for** | 105064 | | |

| | | | |
|---|---|---|---|
| Part No. | 105063 | Ref. No. | 001U591 |

burner cap 3.6kW ø 131mm H 4mm mounting pos. outer

| | | | |
|---|---|---|---|
| Part No. | 105065 | Ref. No. | — |

burner head 3.6kW for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| Part No. | 105717 | Ref. No. | — |

burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| Part No. | 105922 | Ref. No. | — |

burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm

## triple ring burner series - flat skirt version

| | | | |
|---|---|---|---|
| **Part No.** | 105063 | **Ref. No.** | 001U591 |
| **description** | burner cap 3.6kW ø 131mm H 4mm mounting pos. outer | | |
| **accessories for** | 105063 | | |

| | | | |
|---|---|---|---|
| Part No. | 105064 | Ref. No. | 001U590 |

burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish

| | | | |
|---|---|---|---|
| Part No. | 105065 | Ref. No. | — |

burner head 3.6kW for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| Part No. | 105717 | Ref. No. | — |

burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| Part No. | 105922 | Ref. No. | — |

burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| **Part No.** | 105064 | **Ref. No.** | 001U590 |
| **description** | burner cap 3.6kW ø 61mm H 6.5mm mounting pos. inner bright finish | | |
| **accessories for** | 105064 | | |

| | | | |
|---|---|---|---|
| Part No. | 105063 | Ref. No. | 001U591 |

burner cap 3.6kW ø 131mm H 4mm mounting pos. outer

| | | | |
|---|---|---|---|
| Part No. | 105065 | Ref. No. | — |

burner head 3.6kW for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| Part No. | 105717 | Ref. No. | — |

burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 64mm for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| Part No. | 105922 | Ref. No. | — |

burner lower part 3.6kW for igniter ø 6mm for thermocouple ø 6mm with nozzle ø1.35mm ID ø 75mm for burner cap ø 61/131mm

| | | | |
|---|---|---|---|
| **Part No.** | 105991 | **Ref. No.** | 001Q815<br>E0L01A192G |
| **description** | burner head for burner cap ø 131mm | | |

## producer-specific hob burners

## BARTSCHER

### 70, 85 (old) series

| | | | |
|---|---|---|---|
| **Part No.** | 104056 | **Ref. No.** | 2510140 |
| **description** | air mixing sleeve | | |
| **accessories for** | 104056 | | |

| | | | |
|---|---|---|---|
| Part No. | 105291 | Ref. No. | N/A |

burner head for burner cap ø 70mm 3.5kW

| | | | |
|---|---|---|---|
| Part No. | 105292 | Ref. No. | 2510601 |

burner cap ø 70mm 3.5kW

| | | | |
|---|---|---|---|
| Part No. | 105293 | Ref. No. | 2510602 |

venturi

| | | | |
|---|---|---|---|
| Part No. | 105294 | Ref. No. | 2510603 |

burner holder with nozzle holder

| | | | |
|---|---|---|---|
| Part No. | 105296 | Ref. No. | — |

cover for pilot burner suitable for 700 series Qty 1 pcs

| | | | |
|---|---|---|---|
| **Part No.** | 104053 | **Ref. No.** | 2510134 |
| **description** | burner head for burner cap ø 125mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 104052 | **Ref. No.** | 2510136 |
| **description** | burner head for burner cap ø 80mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105198 | **Ref. No.** | 2530085 |
| **description** | fastening angle | | |

## 70. 90 (TopLine) series

1

| Part No. | 105289 | Ref. No. | 2519002 |
|---|---|---|---|
| description | air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium | | |
| accessories for | 105289 | | |

| Part No. | 105280 | Ref. No. | 2510351 |
|---|---|---|---|

burner head C for burner cap ø 80mm 3.5kW

| Part No. | 105281 | Ref. No. | 2510352 |
|---|---|---|---|

burner cap C ø 80mm 3.5kW with central hole ID ø 32mm

| Part No. | 105282 | Ref. No. | — |
|---|---|---|---|

venturi C for burner cap ø 80mm 3.5kW

| Part No. | 105283 | Ref. No. | 2510354 |
|---|---|---|---|

burner head D for burner cap ø 105mm 5.6kW

| Part No. | 105284 | Ref. No. | 2510355 |
|---|---|---|---|

burner cap ID ø 54mm D ø 105mm 5.6kW with central hole

| Part No. | 105285 | Ref. No. | 2510353 |
|---|---|---|---|

venturi D for burner cap ø 105mm 5.6kW

| Part No. | 105286 | Ref. No. | 2510357 |
|---|---|---|---|

burner head E for burner cap ø 125mm 7kW

| Part No. | 105287 | Ref. No. | 2510341<br>2510358 |
|---|---|---|---|

burner cap E ø 125mm 7kW with central hole

| Part No. | 105288 | Ref. No. | 2510340<br>2510356 |
|---|---|---|---|

venturi E for burner cap ø 125mm 7kW

| Part No. | 105290 | Ref. No. | 021647 |
|---|---|---|---|

nozzle holder nozzle mounting M11x1

1

| Part No. | 105281 | Ref. No. | 2510352 |
|---|---|---|---|
| description | burner cap C ø 80mm 3.5kW with central hole ID ø 32mm | | |
| accessories for | 105281 | | |

| Part No. | 105280 | Ref. No. | 2510351 |
|---|---|---|---|

burner head C for burner cap ø 80mm 3.5kW

| Part No. | 105282 | Ref. No. | — |
|---|---|---|---|

venturi C for burner cap ø 80mm 3.5kW

| Part No. | 105289 | Ref. No. | 2519002 |
|---|---|---|---|

air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium

| Part No. | 105290 | Ref. No. | 021647 |
|---|---|---|---|

nozzle holder nozzle mounting M11x1

1

| Part No. | 105287 | Ref. No. | 2510341<br>2510358 |
|---|---|---|---|
| description | burner cap E ø 125mm 7kW with central hole | | |
| accessories for | 105287 | | |

| Part No. | 105286 | Ref. No. | 2510357 |
|---|---|---|---|

burner head E for burner cap ø 125mm 7kW

| Part No. | 105288 | Ref. No. | 2510340<br>2510356 |
|---|---|---|---|

venturi E for burner cap ø 125mm 7kW

| Part No. | 105289 | Ref. No. | 2519002 |
|---|---|---|---|

air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium

| Part No. | 105290 | Ref. No. | 021647 |
|---|---|---|---|

nozzle holder nozzle mounting M11x1

1

| Part No. | 105284 | Ref. No. | 2510355 |
|---|---|---|---|
| description | burner cap ID ø 54mm D ø 105mm 5.6kW with central hole | | |
| accessories for | 105284 | | |

| Part No. | 105283 | Ref. No. | 2510354 |
|---|---|---|---|

burner head D for burner cap ø 105mm 5.6kW

| Part No. | 105285 | Ref. No. | 2510353 |
|---|---|---|---|

venturi D for burner cap ø 105mm 5.6kW

| Part No. | 105289 | Ref. No. | 2519002 |
|---|---|---|---|

air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium

| Part No. | 105290 | Ref. No. | 021647 |
|---|---|---|---|

nozzle holder nozzle mounting M11x1

1

| Part No. | 105280 | Ref. No. | 2510351 |
|---|---|---|---|
| description | burner head C for burner cap ø 80mm 3.5kW | | |
| accessories for | 105280 | | |

| Part No. | 105281 | Ref. No. | 2510352 |
|---|---|---|---|

burner cap C ø 80mm 3.5kW with central hole ID ø 32mm

| Part No. | 105282 | Ref. No. | — |
|---|---|---|---|

venturi C for burner cap ø 80mm 3.5kW

| Part No. | 105289 | Ref. No. | 2519002 |
|---|---|---|---|

air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium

Table continues overleaf



Find the complete and up-to-date range of products on https://gastroparts.com

| accessories for | 105280 | | | |
|---|---|---|---|---|
| | Part No. | 105290 | Ref. No. | 021647 |
| | nozzle holder nozzle mounting M11x1 | | | |

1

| Part No. | 105283 | Ref. No. | 2510354 |
|---|---|---|---|
| description | burner head D for burner cap ø 105mm 5.6kW | | |
| accessories for | 105283 | | |
| | Part No. 105284 | Ref. No. | 2510355 |
| | burner cap ID ø 54mm D ø 105mm 5.6kW with central hole | | |
| | Part No. 105285 | Ref. No. | 2510353 |
| | venturi D for burner cap ø 105mm 5.6kW | | |
| | Part No. 105289 | Ref. No. | 2519002 |
| | air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium | | |
| | Part No. 105290 | Ref. No. | 021647 |
| | nozzle holder nozzle mounting M11x1 | | |

1

| Part No. | 105286 | Ref. No. | 2510357 |
|---|---|---|---|
| description | burner head E for burner cap ø 125mm 7kW | | |
| accessories for | 105286 | | |
| | Part No. 105287 | Ref. No. | 2510341<br>2510358 |
| | burner cap E ø 125mm 7kW with central hole | | |
| | Part No. 105288 | Ref. No. | 2510340<br>2510356 |
| | venturi E for burner cap ø 125mm 7kW | | |
| | Part No. 105289 | Ref. No. | 2519002 |
| | air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium | | |
| | Part No. 105290 | Ref. No. | 021647 |
| | nozzle holder nozzle mounting M11x1 | | |

1

| Part No. | 105290 | Ref. No. | 021647 |
|---|---|---|---|
| description | nozzle holder nozzle mounting M11x1 | | |
| accessories for | 105290 | | |
| | Part No. 105280 | Ref. No. | 2510351 |
| | burner head C for burner cap ø 80mm 3.5kW | | |
| | Part No. 105281 | Ref. No. | 2510352 |
| | burner cap C ø 80mm 3.5kW with central hole ID ø 32mm | | |
| | Part No. 105282 | Ref. No. | — |
| | venturi C for burner cap ø 80mm 3.5kW | | |

| accessories for | 105290 | | |
|---|---|---|---|
| | Part No. 105283 | Ref. No. | 2510354 |
| | burner head D for burner cap ø 105mm 5.6kW | | |
| | Part No. 105284 | Ref. No. | 2510355 |
| | burner cap ID ø 54mm D ø 105mm 5.6kW with central hole | | |
| | Part No. 105285 | Ref. No. | 2510353 |
| | venturi D for burner cap ø 105mm 5.6kW | | |
| | Part No. 105286 | Ref. No. | 2510357 |
| | burner head E for burner cap ø 125mm 7kW | | |
| | Part No. 105287 | Ref. No. | 2510341<br>2510358 |
| | burner cap E ø 125mm 7kW with central hole | | |
| | Part No. 105288 | Ref. No. | 2510340<br>2510356 |
| | venturi E for burner cap ø 125mm 7kW | | |
| | Part No. 105289 | Ref. No. | 2519002 |
| | air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium | | |

1

| Part No. | 104452 | Ref. No. | 2510350 |
|---|---|---|---|
| description | venturi C for burner cap ø 80mm 3.5kW | | |

1

| Part No. | 105285 | Ref. No. | 2510353 |
|---|---|---|---|
| description | venturi D for burner cap ø 105mm 5.6kW | | |
| accessories for | 105285 | | |
| | Part No. 105283 | Ref. No. | 2510354 |
| | burner head D for burner cap ø 105mm 5.6kW | | |
| | Part No. 105284 | Ref. No. | 2510355 |
| | burner cap ID ø 54mm D ø 105mm 5.6kW with central hole | | |
| | Part No. 105289 | Ref. No. | 2519002 |
| | air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium | | |
| | Part No. 105290 | Ref. No. | 021647 |
| | nozzle holder nozzle mounting M11x1 | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105288 | **Ref. No.** | 2510340<br>2510356 |
| **description** | venturi E for burner cap ø 125mm 7kW | | |
| **accessories for** | 105288 | | |
| | Part No. 105286 | Ref. No. | 2510357 |
| | burner head E for burner cap ø 125mm 7kW | | |
| | Part No. 105287 | Ref. No. | 2510341<br>2510358 |
| | burner cap E ø 125mm 7kW with central hole | | |
| | Part No. 105289 | Ref. No. | 2519002 |
| | air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium | | |
| | Part No. 105290 | Ref. No. | 021647 |
| | nozzle holder nozzle mounting M11x1 | | |

## 70N series

| | | | |
|---|---|---|---|
| **Part No.** | 104056 | **Ref. No.** | 2510140 |
| **description** | air mixing sleeve | | |
| **accessories for** | 104056 | | |
| | Part No. 105291 | Ref. No. | N/A |
| | burner head for burner cap ø 70mm 3.5kW | | |
| | Part No. 105292 | Ref. No. | 2510601 |
| | burner cap ø 70mm 3.5kW | | |
| | Part No. 105293 | Ref. No. | 2510602 |
| | venturi | | |
| | Part No. 105294 | Ref. No. | 2510603 |
| | burner holder with nozzle holder | | |
| | Part No. 105296 | Ref. No. | — |
| | cover for pilot burner suitable for 700 series Qty 1 pcs | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105292 | **Ref. No.** | 2510601 |
| **description** | burner cap ø 70mm 3.5kW | | |
| **accessories for** | 105292 | | |
| | Part No. 104056 | Ref. No. | 2510140 |
| | air mixing sleeve | | |
| | Part No. 105291 | Ref. No. | N/A |
| | burner head for burner cap ø 70mm 3.5kW | | |
| | Part No. 105293 | Ref. No. | 2510602 |
| | venturi | | |
| | Part No. 105294 | Ref. No. | 2510603 |
| | burner holder with nozzle holder | | |
| | Part No. 105296 | Ref. No. | — |
| | cover for pilot burner suitable for 700 series Qty 1 pcs | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105291 | **Ref. No.** | N/A |
| **description** | burner head for burner cap ø 70mm 3.5kW | | |
| **accessories for** | 105291 | | |
| | Part No. 104056 | Ref. No. | 2510140 |
| | air mixing sleeve | | |
| | Part No. 105292 | Ref. No. | 2510601 |
| | burner cap ø 70mm 3.5kW | | |
| | Part No. 105293 | Ref. No. | 2510602 |
| | venturi | | |
| | Part No. 105294 | Ref. No. | 2510603 |
| | burner holder with nozzle holder | | |
| | Part No. 105296 | Ref. No. | — |
| | cover for pilot burner suitable for 700 series Qty 1 pcs | | |

| | | | |
|---|---|---|---|
| **Part No.** | 105294 | **Ref. No.** | 2510603 |
| **description** | burner holder with nozzle holder | | |
| **accessories for** | 105294 | | |
| | Part No. 104056 | Ref. No. | 2510140 |
| | air mixing sleeve | | |
| | Part No. 105291 | Ref. No. | N/A |
| | burner head for burner cap ø 70mm 3.5kW | | |
| | Part No. 105292 | Ref. No. | 2510601 |
| | burner cap ø 70mm 3.5kW | | |
| | Part No. 105293 | Ref. No. | 2510602 |
| | venturi | | |
| | Part No. 105296 | Ref. No. | — |
| | cover for pilot burner suitable for 700 series Qty 1 pcs | | |



Find the complete and up-to-date range of products on https://gastroparts.com

1

| | | | |
|---|---|---|---|
| **Part No.** | 105293 | **Ref. No.** | 2510602 |
| **description** | venturi | | |
| **accessories for** | 105293 | | |

| | | | | |
|---|---|---|---|---|
| | Part No. | 104056 | Ref. No. | 2510140 |
| | air mixing sleeve | | | |
| | Part No. | 105291 | Ref. No. | N/A |
| | burner head for burner cap ø 70mm 3.5kW | | | |
| | Part No. | 105292 | Ref. No. | 2510601 |
| | burner cap ø 70mm 3.5kW | | | |
| | Part No. | 105294 | Ref. No. | 2510603 |
| | burner holder with nozzle holder | | | |
| | Part No. | 105296 | Ref. No. | — |
| | cover for pilot burner suitable for 700 series Qty 1 pcs | | | |

## 90 (old) series

1

| | | | |
|---|---|---|---|
| **Part No.** | 104051 | **Ref. No.** | 2510197 |
| **description** | air mixing sleeve | | |
| **accessories for** | 104051 | | |

| | | | | |
|---|---|---|---|---|
| | Part No. | 103030 | Ref. No. | 2510190 |
| | burner cap C ø 85mm 3.5kW | | | |
| | Part No. | 103031 | Ref. No. | 2510193 |
| | burner cap D ø 115mm 5.5kW | | | |
| | Part No. | 103032 | Ref. No. | — |
| | burner cap E ø 125mm 7kW with central hole | | | |
| | Part No. | 104045 | Ref. No. | 2510189 |
| | burner head C for burner cap ø 85mm 3.5kW | | | |
| | Part No. | 104046 | Ref. No. | 2510192 |
| | burner head D for burner cap ø 115mm 5.5kW | | | |
| | Part No. | 104047 | Ref. No. | 2510194 |
| | burner head E for burner cap ø 125mm 7kW | | | |
| | Part No. | 104048 | Ref. No. | 2510195 |
| | venturi C for burner cap ø 85mm 3.5kW | | | |
| | Part No. | 104049 | Ref. No. | 2510201 |
| | venturi D for burner cap ø 115mm 5.5kW | | | |
| | Part No. | 104050 | Ref. No. | 2510202 |
| | venturi E for burner cap ø 125mm 7kW | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 103030 | **Ref. No.** | 2510190 |
| **description** | burner cap C ø 85mm 3.5kW | | |
| **accessories for** | 103030 | | |

| | | | | |
|---|---|---|---|---|
| | Part No. | 104045 | Ref. No. | 2510189 |
| | burner head C for burner cap ø 85mm 3.5kW | | | |
| | Part No. | 104048 | Ref. No. | 2510195 |
| | venturi C for burner cap ø 85mm 3.5kW | | | |
| | Part No. | 104051 | Ref. No. | 2510197 |
| | air mixing sleeve | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 103031 | **Ref. No.** | 2510193 |
| **description** | burner cap D ø 115mm 5.5kW | | |
| **accessories for** | 103031 | | |

| | | | | |
|---|---|---|---|---|
| | Part No. | 104046 | Ref. No. | 2510192 |
| | burner head D for burner cap ø 115mm 5.5kW | | | |
| | Part No. | 104049 | Ref. No. | 2510201 |
| | venturi D for burner cap ø 115mm 5.5kW | | | |
| | Part No. | 104051 | Ref. No. | 2510197 |
| | air mixing sleeve | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 104045 | **Ref. No.** | 2510189 |
| **description** | burner head C for burner cap ø 85mm 3.5kW | | |
| **accessories for** | 104045 | | |

| | | | | |
|---|---|---|---|---|
| | Part No. | 103030 | Ref. No. | 2510190 |
| | burner cap C ø 85mm 3.5kW | | | |
| | Part No. | 104048 | Ref. No. | 2510195 |
| | venturi C for burner cap ø 85mm 3.5kW | | | |
| | Part No. | 104051 | Ref. No. | 2510197 |
| | air mixing sleeve | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 104046 | **Ref. No.** | 2510192 |
| **description** | burner head D for burner cap ø 115mm 5.5kW | | |
| **accessories for** | 104046 | | |

| | | | |
|---|---|---|---|
| Part No. | 103031 | Ref. No. | 2510193 |

burner cap D ø 115mm 5.5kW

| | | | |
|---|---|---|---|
| Part No. | 104049 | Ref. No. | 2510201 |

venturi D for burner cap ø 115mm 5.5kW

| | | | |
|---|---|---|---|
| Part No. | 104051 | Ref. No. | 2510197 |

air mixing sleeve

1

| | | | |
|---|---|---|---|
| **Part No.** | 104047 | **Ref. No.** | 2510194 |
| **description** | burner head E for burner cap ø 125mm 7kW | | |
| **accessories for** | 104047 | | |

| | | | |
|---|---|---|---|
| Part No. | 103032 | Ref. No. | — |

burner cap E ø 125mm 7kW with central hole

| | | | |
|---|---|---|---|
| Part No. | 104050 | Ref. No. | 2510202 |

venturi E for burner cap ø 125mm 7kW

| | | | |
|---|---|---|---|
| Part No. | 104051 | Ref. No. | 2510197 |

air mixing sleeve

1

| | | | |
|---|---|---|---|
| **Part No.** | 104048 | **Ref. No.** | 2510195 |
| **description** | venturi C for burner cap ø 85mm 3.5kW | | |
| **accessories for** | 104048 | | |

| | | | |
|---|---|---|---|
| Part No. | 103030 | Ref. No. | 2510190 |

burner cap C ø 85mm 3.5kW

| | | | |
|---|---|---|---|
| Part No. | 104045 | Ref. No. | 2510189 |

burner head C for burner cap ø 85mm 3.5kW

| | | | |
|---|---|---|---|
| Part No. | 104051 | Ref. No. | 2510197 |

air mixing sleeve

1

| | | | |
|---|---|---|---|
| **Part No.** | 104049 | **Ref. No.** | 2510201 |
| **description** | venturi D for burner cap ø 115mm 5.5kW | | |
| **accessories for** | 104049 | | |

| | | | |
|---|---|---|---|
| Part No. | 103031 | Ref. No. | 2510193 |

burner cap D ø 115mm 5.5kW

| | | | |
|---|---|---|---|
| Part No. | 104046 | Ref. No. | 2510192 |

burner head D for burner cap ø 115mm 5.5kW

| | | | |
|---|---|---|---|
| Part No. | 104051 | Ref. No. | 2510197 |

air mixing sleeve

1

| | | | |
|---|---|---|---|
| **Part No.** | 104050 | **Ref. No.** | 2510202 |
| **description** | venturi E for burner cap ø 125mm 7kW | | |
| **accessories for** | 104050 | | |

| | | | |
|---|---|---|---|
| Part No. | 103032 | Ref. No. | — |

burner cap E ø 125mm 7kW with central hole

| | | | |
|---|---|---|---|
| Part No. | 104047 | Ref. No. | 2510194 |

burner head E for burner cap ø 125mm 7kW

| | | | |
|---|---|---|---|
| Part No. | 104051 | Ref. No. | 2510197 |

air mixing sleeve

## Snack series

1

| | | | |
|---|---|---|---|
| **Part No.** | 106379 | **Ref. No.** | N/A |
| **description** | air mixing tube for burner cap ø 80mm L 23mm D1 ø 20mm D2 ø 15.6mm D3 ø 14mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 103068 | **Ref. No.** | A042200 |
| **description** | burner cap ø 100mm | | |
| **accessories for** | 103068 | | |

| | | | |
|---|---|---|---|
| Part No. | 103067 | Ref. No. | A042000 |

burner ring for burner cap ø 100mm

| | | | |
|---|---|---|---|
| Part No. | 104102 | Ref. No. | A041800 |

burner head for burner cap ø 100mm ext. ø 130

Table continues overleaf



Find the complete and up-to-date range of products on https://gastroparts.com

| accessories for | 103068 | | |
|---|---|---|---|
| | Part No. | 104103 | Ref. No. A041600 |
| | burner holder suitable for burner ø100mm with nozzle holder | | |

1

| Part No. | 103066 | Ref. No. | A042100 |
|---|---|---|---|
| description | burner cap ø 80mm | | |
| accessories for | 103066 | | |
| | Part No. 103065 | Ref. No. | A041900 |
| | burner ring for burner cap ø 80mm | | |
| | Part No. 104100 | Ref. No. | A041700 |
| | burner head for burner cap ø 80mm | | |
| | Part No. 104101 | Ref. No. | A041500 |
| | burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve | | |

1

| Part No. | 104102 | Ref. No. | A041800 |
|---|---|---|---|
| description | burner head for burner cap ø 100mm ext. ø 130 | | |

1

| Part No. | 104100 | Ref. No. | A041700 |
|---|---|---|---|
| description | burner head for burner cap ø 80mm | | |
| accessories for | 104100 | | |
| | Part No. 103065 | Ref. No. | A041900 |
| | burner ring for burner cap ø 80mm | | |
| | Part No. 103066 | Ref. No. | A042100 |
| | burner cap ø 80mm | | |
| | Part No. 104103 | Ref. No. | A041600 |
| | burner holder suitable for burner ø100mm with nozzle holder | | |

1

| Part No. | 104101 | Ref. No. | A041500 |
|---|---|---|---|
| description | burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve | | |
| accessories for | 104101 | | |
| | Part No. 103065 | Ref. No. | A041900 |
| | burner ring for burner cap ø 80mm | | |
| | Part No. 103066 | Ref. No. | A042100 |
| | burner cap ø 80mm | | |

| accessories for | 104101 | | |
|---|---|---|---|
| | Part No. | 104100 | Ref. No. A041700 |
| | burner head for burner cap ø 80mm | | |

1

| Part No. | 104103 | Ref. No. | A041600 |
|---|---|---|---|
| description | burner holder suitable for burner ø100mm with nozzle holder | | |
| accessories for | 104103 | | |
| | Part No. 103067 | Ref. No. | A042000 |
| | burner ring for burner cap ø 100mm | | |
| | Part No. 103068 | Ref. No. | A042200 |
| | burner cap ø 100mm | | |
| | Part No. 104102 | Ref. No. | A041800 |
| | burner head for burner cap ø 100mm ext. ø 130 | | |

1

| Part No. | 103067 | Ref. No. | A042000 |
|---|---|---|---|
| description | burner ring for burner cap ø 100mm | | |
| accessories for | 103067 | | |
| | Part No. 103068 | Ref. No. | A042200 |
| | burner cap ø 100mm | | |
| | Part No. 104102 | Ref. No. | A041800 |
| | burner head for burner cap ø 100mm ext. ø 130 | | |
| | Part No. 104103 | Ref. No. | A041600 |
| | burner holder suitable for burner ø100mm with nozzle holder | | |

1

| Part No. | 103065 | Ref. No. | A041900 |
|---|---|---|---|
| description | burner ring for burner cap ø 80mm | | |
| accessories for | 103065 | | |
| | Part No. 103066 | Ref. No. | A042100 |
| | burner cap ø 80mm | | |
| | Part No. 104100 | Ref. No. | A041700 |
| | burner head for burner cap ø 80mm | | |
| | Part No. 104101 | Ref. No. | A041500 |
| | burner holder for burner cap ø 80mm with nozzle holder with mixing sleeve | | |

## accessories

### pan supports

1

| Part No. | 210245 | Ref. No. | N/A |
|---|---|---|---|
| description | pan support W 370mm L 580mm | | |

## bar burners

### bar burners

1

| Part No. | 105443 | Ref. No. | 024075 |
|---|---|---|---|
| description | bar burner ø 40mm Wmm Hmm L 490mm flange width 43mm flange length 43mm pasta cooker | | |

## solid top burners

1

| Part No. | 105251 | Ref. No. | 02510069 |
|---|---|---|---|
| description | solid top burner ø 120mm H 102mm L 340mm | | |

## accessories

### nozzle holders

1

| Part No. | 104724 | Ref. No. | 010037 |
|---|---|---|---|
| description | nozzle holder | | |

1

| Part No. | 105290 | Ref. No. | 021647 |
|---|---|---|---|
| description | nozzle holder nozzle mounting M11x1 | | |
| accessories for | 105290 | | |

| | | | | |
|---|---|---|---|---|
| | Part No. | 105280 | Ref. No. | 2510351 |
| | burner head C for burner cap ø 80mm 3.5kW | | | |
| | Part No. | 105281 | Ref. No. | 2510352 |
| | burner cap C ø 80mm 3.5kW with central hole ID ø 32mm | | | |
| | Part No. | 105283 | Ref. No. | 2510354 |
| | burner head D for burner cap ø 105mm 5.6kW | | | |
| | Part No. | 105284 | Ref. No. | 2510355 |
| | burner cap ID ø 54mm D ø 105mm 5.6kW with central hole | | | |
| | Part No. | 105285 | Ref. No. | 2510353 |
| | venturi D for burner cap ø 105mm 5.6kW | | | |
| | Part No. | 105286 | Ref. No. | 2510357 |
| | burner head E for burner cap ø 125mm 7kW | | | |
| | Part No. | 105287 | Ref. No. | 2510341<br>2510358 |
| | burner cap E ø 125mm 7kW with central hole | | | |
| | Part No. | 105288 | Ref. No. | 2510340<br>2510356 |
| | venturi E for burner cap ø 125mm 7kW | | | |
| | Part No. | 105289 | Ref. No. | 2519002 |
| | air mixing sleeve L 50mm ED ø 45mm ID ø 42mm aluminium | | | |

## miscellaneous

1

| Part No. | 105501 | Ref. No. | 136069110 |
|---|---|---|---|
| description | flame spreader | | |



Find the complete and up-to-date range of products on https://gastroparts.com

# gas nozzles

## main nozzles

### gas nozzles M6x0.75

1

| Part No. | 104778 | Ref. No. | 003090429 |
|---|---|---|---|
| description | gas injector thread M6x0.75 WS 7 bore ø 1.45mm | | |

### gas nozzles M9x1

1

| Part No. | 100957 | Ref. No. | 016118 |
|---|---|---|---|
| description | gas injector thread M9x1 WS 10 bore ø 0.8mm | | |
| For models: | 105.014, 105014 | | |

1

| Part No. | 100956 | Ref. No. | 016123 |
|---|---|---|---|
| description | gas injector thread M9x1 WS 10 bore ø 1.3mm | | |
| For models: | 105014 | | |

### gas nozzles (other)

1

| Part No. | 101942 | Ref. No. | 051123010 |
|---|---|---|---|
| description | gas injector thread M6x1 natural gas WS 10 bore ø 1.25mm | | |



1

| Part No. | 100999 | Ref. No. | 051123009 |
|---|---|---|---|
| description | gas injector LPG | | |

## pilot burner nozzles

### pilot burner nozzles SIT

#### 100 series

1

| Part No. | 100245 | Ref. No. | 016106 |
|---|---|---|---|
| description | pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75 | | |
| For models: | 105014 | | |

# auxiliary gas parts

## screw connections

### union screws

1

| Part No. | 102506 | Ref. No. | 021295 |
|---|---|---|---|
| description | screw connection thread M10x1 Qty 5 pcs for igniter | | |

# equipment-specific units

## for meat mincers

### gearboxes

1

| Part No. | 699296 | Ref. No. | 240309-2<br>A062101 |
|---|---|---|---|
| description | gearbox ø 36mm H 60mm model K5 | | |

## for dough mixers

### gearboxes

1

| Part No. | 699296 | Ref. No. | 240309-2<br>A062101 |
|---|---|---|---|
| description | gearbox ø 36mm H 60mm model K5 | | |

## for planetary mixers

### gearboxes

1

| Part No. | 699296 | Ref. No. | 240309-2<br>A062101 |
|---|---|---|---|
| description | gearbox ø 36mm H 60mm model K5 | | |

### beaters

1

| Part No. | 699393 | Ref. No. | A150017 |
|---|---|---|---|
| description | whisk shaft intake ø 12.7mm H 185mm suitable for KitchenAid | | |

## for hand blenders

### couplings

1

| Part No. | 699008 | Ref. No. | SL1496 |
|---|---|---|---|
| description | coupling D1 ø 20mm D2 ø 23mm int. ø 1 8mm int. ø 2 8mm L 33.5mm FM3 | | |
| accessories for | 699008 | | |

| Part No. | 697417 | Ref. No. | — |
|---|---|---|---|
| grub screw thread M5 L 10mm stainless steel DIN 914/ISO 4027 WS 2.5 with spike Qty 1 pcs | | | |

## for ice-cube maker

### cutting grid

1

| Part No. | 480100 | Ref. No. | 0481925998215 |
|---|---|---|---|
| description | cutting grid for ice-cube maker L 350mm W 285mm H 40mm | | |

## for espresso machines

### brewing units

#### filter holder gaskets

##### O-rings

1

| Part No. | 510409 | Ref. No. | 0929046 |
|---|---|---|---|
| description | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs | | |

## for pour machines

### coffee pots

1

| Part No. | 960004 | Ref. No. | A210.142 |
|---|---|---|---|
| description | coffee pot 1.8l plastic/steel | | |

### coffee filters

#### paper filters

##### basket filters

1

| Part No. | 960100 | Ref. No. | 190013 |
|---|---|---|---|
| description | paper filter for coffee makers D1 ø 90mm D2 ø 250mm Qty 1000 pcs | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## filter pans

### filter pans

#### BARTSCHER

1

| | | | |
|---|---|---|---|
| **Part No.** | 950000 | **Ref. No.** | A038004<br>A0ND003+A040583 |
| **description** | filter pan aluminium with percolator tube edition since year of construction 10/2007 ø 205mm H 50mm suitable for PRO 40T | | |
| **For models:** | A190141 | | |

## drain taps

### drain taps

1

| | | | |
|---|---|---|---|
| **Part No.** | 531128 | **Ref. No.** | A0ND029 |
| **description** | outlet tap complete tube ø 19mm pipe length 22mm thread M15x1 black | | |
| **For models:** | A190141, A190161 | | |
| **spare parts for** | 531128 | | |

| | | | |
|---|---|---|---|
| Part No. | 531129 | Ref. No. | A0ND032 |

gasket for outlet tap H 29mm ø 14.5mm suitable for BARTSCHER

1

| | | | |
|---|---|---|---|
| **Part No.** | 531151 | **Ref. No.** | A040580 |
| **description** | outlet tap tube ø 22.5mm pipe length 52mm thread M16 black | | |

### components

1

| | | | |
|---|---|---|---|
| **Part No.** | 531129 | **Ref. No.** | A0ND032 |
| **description** | gasket for outlet tap H 29mm ø 14.5mm suitable for BARTSCHER | | |
| **For models:** | A190141, A190161 | | |

## liquid level pipes

### liquid level pipes

1

| | | | |
|---|---|---|---|
| **Part No.** | 531131 | **Ref. No.** | A0ND043 |
| **description** | water level tube ED ø 12mm ID ø 10mm H 202mm for coffee machine | | |
| **For models:** | A190141 | | |
| **accessories for** | 531131 | | |

| | | | |
|---|---|---|---|
| Part No. | 504297 | Ref. No. | A0ND036 |

gasket for water level tube ED ø 13mm ID ø 6mm silicone

1

| | | | |
|---|---|---|---|
| **Part No.** | 531130 | **Ref. No.** | A039690 |
| **description** | water level tube ED ø 12mm ID ø 10mm H 262mm for coffee machine | | |
| **For models:** | A190161 | | |
| **accessories for** | 531130 | | |

| | | | |
|---|---|---|---|
| Part No. | 504297 | Ref. No. | A0ND036 |

gasket for water level tube ED ø 13mm ID ø 6mm silicone

## accessories

### gaskets

1

| | | | |
|---|---|---|---|
| **Part No.** | 504297 | **Ref. No.** | A0ND036 |
| **description** | gasket for water level tube ED ø 13mm ID ø 6mm silicone | | |
| **For models:** | A190141, A190161 | | |

## miscellaneous

1

| Part No. | 531308 | Ref. No. | A039688<br>A040627 |
|---|---|---|---|
| description | pipe L 335mm W 43mm tube ø 9mm | | |
| For models: | A190161 | | |

1

| Part No. | 531208 | Ref. No. | A0ND038 |
|---|---|---|---|
| description | reset pin L 107mm W 33mm suitable for BARTSCHER | | |
| For models: | A190141, A190161 | | |

## for crepes makers

### accessories

1

| Part No. | 697850 | Ref. No. | 010444614 |
|---|---|---|---|
| description | batter spreader for crepes maker L 320mm W 275mm wood | | |
| For models: | 104447 | | |

1

| Part No. | 694339 | Ref. No. | 010444615 |
|---|---|---|---|
| description | crêpe spatula L 430mm W 57mm thickness 4mm wood | | |
| For models: | 104447 | | |

## for deep fryers

### lids

1

| Part No. | 970745 | Ref. No. | 016240415 |
|---|---|---|---|
| description | lid for fryer SS L 295mm W 215mm H 7mm | | |

### basket holders

1

| Part No. | 970744 | Ref. No. | 016240426 |
|---|---|---|---|
| description | basket support for fryer L 139mm W 44mm H 8mm suitable for BARTSCHER | | |

### miscellaneous

1

| Part No. | 692498 | Ref. No. | A040572 |
|---|---|---|---|
| description | mounting set fryer | | |
| For models: | A150107, A150207, A150671 | | |

## for grills

### sumps

1

| Part No. | | Ref. No. | A016490 |
|---|---|---|---|
| description | grease collecting tray | | |



Find the complete and up-to-date range of products on https://gastroparts.com

1

| | | | |
|---|---|---|---|
| **Part No.** | 692237 | **Ref. No.** | A041541 |
| **description** | grease collecting tray L 357mm W 37mm H 29mm | | |
| **For models:** | A150674 | | |

## for hot dog machines

### water containers

1

| | | | |
|---|---|---|---|
| **Part No.** | 693169 | **Ref. No.** | A042233034 |
| **description** | water container for hot dog machine ø 205mm H 65mm | | |

## for panini grill

### guiding pieces

1

| | | | |
|---|---|---|---|
| **Part No.** | 699289 | **Ref. No.** | A042575 |
| **description** | support bracket mounting pos. rear L 35mm W 14mm H 12.5mm | | |
| **For models:** | A150671, A150674 | | |

## for contact grills

### miscellaneous

1

| | | | |
|---|---|---|---|
| **Part No.** | 701381 | **Ref. No.** | A041543 |
| **description** | handle L 350mm W 406mm H 20mm Panini | | |
| **For models:** | A150674 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 692239 | **Ref. No.** | A040548 |
| **description** | spindle for contact grill L 404mm ø 12mm | | |
| **For models:** | A150674 | | |

## for pizza ovens

### firebricks

1

| | | | |
|---|---|---|---|
| **Part No.** | 850015 | **Ref. No.** | 0300180131 |
| **description** | firebrick L 620mm W 305mm H 25mm delivery freight forwarding company only | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 850113 | **Ref. No.** | 022552 |
| **description** | firebrick L 620mm W 610mm H 25mm delivery freight forwarding company only | | |

## for rechauds

### warming plates

#### warming plates

1

| | | | |
|---|---|---|---|
| **Part No.** | 693132 | **Ref. No.** | A000800 |
| **description** | warming plate plate size 280x155x8mm with handle suitable for PLA5/PLA12 | | |

## for rice cookers

1

| | | | |
|---|---|---|---|
| **Part No.** | 694342 | **Ref. No.** | A01505131 |
| **description** | silicon insert for rice cooker ø 293mm thickness 1.3mm | | |

## for saladettes

### guide bars

1

| | | | |
|---|---|---|---|
| **Part No.** | 693176 | **Ref. No.** | 048234001 |
| **description** | guide bar for saladette | | |

## for salamander grills

1

| | | | |
|---|---|---|---|
| **Part No.** | 692729 | **Ref. No.** | 02013882 |
| **description** | belt for salamander grill L 385mm W 13mm Hmm ED ømm ID ømm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 697836 | **Ref. No.** | A039868 |
| **description** | gear wheel teeth 16 shaft intake ø 8mm ø 35mm tooth width 3mm W 18mm for toaster | | |
| **For models:** | 151510 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 692728 | **Ref. No.** | 02013873 |
| **description** | spindle for salamander grill L 493mm Wmm Hmm ED ø 5mm ID ømm | | |

## for sliding doors

### door guides

1

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | 041615 |
| **description** | guide for sliding door aluminium | | |

## for dishwashers

### containers

### dosing containers

1

| | | | |
|---|---|---|---|
| **Part No.** | 361255 | **Ref. No.** | 0481241867008 |
| **description** | rinse aid container | | |

### salt tanks

1

| | | | |
|---|---|---|---|
| **Part No.** | 510929 | **Ref. No.** | 011628<br>012247 |
| **description** | salt tank ø 120mm H 117mm hose ø 10mm mounting ø 70mm overall height 157mm | | |
| **spare parts for** | 510929 | | |

| | | | |
|---|---|---|---|
| Part No. | 506015 | Ref. No. | — |

O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs

| | | | |
|---|---|---|---|
| Part No. | 510018 | Ref. No. | — |

nut ø 92mm H 10.5mm for salt tank ID ø 64mm

| | | | |
|---|---|---|---|
| Part No. | 524177 | Ref. No. | — |

lid ø 69mm H 20mm for salt tank ID ø 50mm

Table continues overleaf



Find the complete and up-to-date range of products on https://gastroparts.com

| | | | | |
|---|---|---|---|---|
| **accessories for** | 510929 | | | |
| | Part No. | 510071 | Ref. No. | — |
| | flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs | | | |
| | Part No. | 510654 | Ref. No. | — |
| | gasket H 6mm D1 ø 82mm D2 ø 68mm | | | |
| | Part No. | 510883 | Ref. No. | — |
| | gasket rubber ED ø 86mm ID ø 66mm thickness 2mm for salt tank Qty 1 pcs | | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 510032 | **Ref. No.** | 0406998 |
| **description** | salt tank without gasket new model | | |
| **spare parts for** | 510032 | | |
| | Part No. 506015 | Ref. No. | — |
| | O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs | | |
| | Part No. 510018 | Ref. No. | — |
| | nut ø 92mm H 10.5mm for salt tank ID ø 64mm | | |
| | Part No. 510071 | Ref. No. | — |
| | flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs | | |
| | Part No. 524177 | Ref. No. | — |
| | lid ø 69mm H 20mm for salt tank ID ø 50mm | | |

## boilers

### boilers for dishwashers

1

| | | | |
|---|---|---|---|
| **Part No.** | 518379 | **Ref. No.** | 0982017 |
| **description** | boiler | | |

## hood mechanics for dishwashers

### guide bars

1

| | | | |
|---|---|---|---|
| **Part No.** | 693174 | **Ref. No.** | 058233013 |
| **description** | guide bar | | |

## air traps

### air traps

1

| | | | |
|---|---|---|---|
| **Part No.** | 510103 | **Ref. No.** | 011500<br>011672 |
| **description** | air trap L 85mm W 20mm H 80mm hose ø 6mm plastic | | |
| **spare parts for** | 510103 | | |
| | Part No. 505045 | Ref. No. | — |
| | O-ring EPDM thickness 1.78mm ID ø 5.28mm Qty 1 pcs | | |
| | Part No. 505094 | Ref. No. | — |
| | air trap | | |
| | Part No. 510016 | Ref. No. | 011498<br>011675<br>020696 |
| | eye bolt for rinse aid container connection | | |
| | Part No. 510105 | Ref. No. | 011674 |
| | hose connector for air trap | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 518200 | **Ref. No.** | 0984005 |
| **description** | air trap ø 34mm H 78mm hose ø 6mm plastic | | |
| **spare parts for** | 518200 | | |
| | Part No. 504618 | Ref. No. | — |
| | O-ring EPDM thickness 2.62mm ID ø 15.54mm Qty 1 pcs | | |
| | Part No. 510075 | Ref. No. | — |
| | flat gasket rubber ED ø 22mm ID ø 13mm thickness 1.5mm Qty 1 pcs | | |
| | Part No. 510106 | Ref. No. | — |
| | hose connector for air trap | | |

## air trap accessories

1

| | | | |
|---|---|---|---|
| **Part No.** | 510105 | **Ref. No.** | 011674 |
| **description** | hose connector for air trap | | |
| **spare parts for** | 510105 | | |
| | Part No. 510017 | Ref. No. | 0468007 |
| | union screw | | |

## washing and rinsing systems

1

| Part No. | 524406 | Ref. No. | 011909 |
|---|---|---|---|
| description | bush for wash arm | | |

1

| Part No. | 510016 | Ref. No. | 011498<br>011675<br>020696 |
|---|---|---|---|
| description | eye bolt for rinse aid container connection | | |

1

| Part No. | 510112 | Ref. No. | 011601 |
|---|---|---|---|
| description | Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS | | |

## for toasters

### pliers

#### pliers

1

| Part No. | 690010 | Ref. No. | A040894 |
|---|---|---|---|
| description | plier for toaster H 180mm total length 100mm | | |
| For models: | A151300, A151600 | | |

# knobs

## producer-specific knobs

### BARTSCHER

1

| Part No. | 112626[1] | Ref. No. | A040082 |
|---|---|---|---|
| description | knob oven t.max.°C°C ø 41mm shaft ø 6x4.6mm shaft flat lower black | | |
| For models: | A151300, A151600 | | |

[1]with rosette 58mm

1

| Part No. | 112622[1] | Ref. No. | 0KG20526 |
|---|---|---|---|
| description | knob thermostat 1-10 t.max.°C°C ø 41mm shaft ø 6x4.6mm shaft flat lower black | | |
| For models: | A203093, A203094 | | |

[1]with rosette 58mm

1

| Part No. | 112618[1] | Ref. No. | A040078 |
|---|---|---|---|
| description | knob thermostat t.max. 190°C 50-190°C ø 41mm shaft ø 6x4.6mm shaft flat lower black | | |
| For models: | A150107, A150207 | | |

[1]with rosette 58mm

1

| Part No. | 112617[1] | Ref. No. | 01044465A<br>A039853 |
|---|---|---|---|
| description | knob thermostat t.max. 300°C 50-300°C ø 41mm shaft ø 6x4.6mm shaft flat lower black | | |
| For models: | 104447, A150671, A150674 | | |

[1]with rosette 58mm



Find the complete and up-to-date range of products on https://gastroparts.com

1

| | | | |
|---|---|---|---|
| **Part No.** | 112619[1] | **Ref. No.** | 040574 |
| **description** | knob thermostat t.max. 80°C 30-80°C ø 41mm shaft ø 6x4.6mm shaft flat lower black | | |
| **For models:** | 103.122, 103063 | | |

[1]with rosette 58mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 112620[1] | **Ref. No.** | A0YXD1A4A09 |
| **description** | knob thermostat t.max. 300°C 50-300°C ø 48mm shaft ø 6x4.6mm shaft flat upper black | | |
| **For models:** | 105780, A120788 | | |

[1]with rosette 70mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 112616[1] | **Ref. No.** | 010578016 |
| **description** | knob time 120min + ON t.max.°C°C ø 41mm shaft ø 6x4.6mm shaft flat lower black | | |
| **For models:** | 105780 | | |

[1]with rosette 58mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 112621[1] | **Ref. No.** | A0YXD1A4A08 |
| **description** | knob time 120min t.max.°C°C ø 48mm shaft ø 6x4.6mm shaft flat upper black | | |
| **For models:** | A120788 | | |

[1]with rosette 70mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 112624[1] | **Ref. No.** | A040898 |
| **description** | knob time 15min t.max.°C°C ø 41mm shaft ø 6mm shaft flat black rosette ø 58mm | | |
| **For models:** | A151300, A151600 | | |

[1]with rosette 58mm



1

| | | | |
|---|---|---|---|
| **Part No.** | 112535 | **Ref. No.** | 01143562 |
| **description** | knob switch zero mark t.max.°C°C ø 23mm shaft ø 6x4.6mm shaft flat upper silver | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 112625[1] | **Ref. No.** | A040899 |
| **description** | knob time 15min t.max.°C°C ø 41mm shaft ø 6x4.6mm shaft flat lower black | | |
| **For models:** | A151300, A151600 | | |

[1]with rosette 58mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 112537 | **Ref. No.** | A02011006 |
| **description** | knob switch zero mark t.max.°C°C ø 41mm shaft ø 6x4.6mm shaft flat left black | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 112533[1] | **Ref. No.** | 0AT93617<br>A0AT93617<br>EB-600-00 |
| **description** | knob energy regulator t.max.°C°C ø 48mm shaft ø 6x4.6mm shaft flat upper black | | |
| **For models:** | 151510, A1515001 | | |

[1]with rosette 70mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 112649[1] | **Ref. No.** | 016240421 |
| **description** | knob switch zero mark t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black | | |
| **accessories for** | 112649 | | |

| | | | |
|---|---|---|---|
| Part No. | 112653 | Ref. No. | 016240423 |

slide ring ø 50mm black plastic for knob

[1]with rosette 55mm

1

| | | | |
|---|---|---|---|
| **Part No.** | 112653 | **Ref. No.** | 016240423 |
| **description** | slide ring ø 50mm black plastic for knob | | |
| **accessories for** | 112653 | | |

| | | | |
|---|---|---|---|
| Part No. | 112649 | Ref. No. | 016240421 |

knob switch zero mark t.max.°C°C ø 50mm shaft ø 6x4.6mm shaft flat upper black

## accessories

### rosettes

1

| | | | |
|---|---|---|---|
| **Part No.** | 112058 | **Ref. No.** | 003Q677 |
| **description** | rosette gas tap with ignition flame knob | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 111897 | **Ref. No.** | 065043001 |
| **description** | rosette knob | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 112049 | **Ref. No.** | 065043002 |
| **description** | rosette knob | | |

# handles and hand wheels

## cylindrical handles

### fixed

1

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | A030012157 |
| **description** | cylindrical handle for lid | | |

## cone handles

1

| | | | |
|---|---|---|---|
| **Part No.** | 697834 | **Ref. No.** | A040576 |
| **description** | cone handle thread M6x1 ø 13mm plastic L 53mm black thread L 6mm | | |
| **For models:** | A150107, A150207 | | |

## mushroom cap handles

1

| | | | |
|---|---|---|---|
| **Part No.** | 111441 | **Ref. No.** | 016240439 |
| **description** | mushroom cap handle with screw thread M4 handle ø 28mm L 24mm black for lid | | |

## handle bars

### handle bars

1

| | | | |
|---|---|---|---|
| **Part No.** | 692128 | **Ref. No.** | 010578060 |
| **description** | handle rod tube ø 19mm L 690mm stainless steel | | |
| **For models:** | 105780 | | |
| **accessories for** | 692128 | | |

| | | | |
|---|---|---|---|
| Part No. | 694306 | Ref. No. | A0308983 |

console for handle rod tube ø 17mm plastic mounting pos. left/right Qty 1 pcs

1

| | | | |
|---|---|---|---|
| **Part No.** | 694307 | **Ref. No.** | A0YXD1A34 |
| **description** | handle rod tube ø 19mm thickness 1mm L 453mm SS | | |
| **For models:** | A120788 | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## consoles

1

| | | | |
|---|---|---|---|
| **Part No.** | 694306 | **Ref. No.** | A0308983 |
| **description** | console for handle rod tube ø 17mm plastic mounting pos. left/right Qty 1 pcs | | |
| **For models:** | 105780, A120788 | | |
| **accessories for** | 694306 | | |
| | Part No. 692128 | Ref. No. | 010578060 |
| | handle rod tube ø 19mm L 690mm stainless steel | | |

## bracket handles

1

| | | | |
|---|---|---|---|
| **Part No.** | 697997 | **Ref. No.** | A0ND006 |
| **description** | handle L 107mm H 20mm mounting distance 60mm for container ø 20mm W 46mm black | | |
| **For models:** | A190141, A190161 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 698580 | **Ref. No.** | A0ND001 |
| **description** | pull handle L 114mm H 33mm mounting distance 106mm thread M3 W 30mm | | |
| **For models:** | A190141, A190161 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 691510 | **Ref. No.** | 016210828<br>A040575 |
| **description** | pull handle L 130mm H 44mm mounting distance 112mm | | |
| **For models:** | 103.122, 103063, A150107, A150207 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 698563 | **Ref. No.** | A0ND024 |
| **description** | pull handle L 144mm H 42mm mounting distance 136mm thread M3 W 32mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 700965 | **Ref. No.** | A039859<br>EB-600-18 |
| **description** | pull handle L 275mm H 60mm mounting distance 197mm thread M8x1.25 | | |
| **For models:** | 151510, EB600 | | |

## folding grill handles

1

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | 040212006 |
| **description** | folding grill handle | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 693253 | **Ref. No.** | 0A40212002 |
| **description** | folding grill handle | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 692149 | **Ref. No.** | A0GH81334 |
| **description** | handle L 155mm ø 30mm seat ø 10mm for contact grill | | |
| **For models:** | A150671, A150674 | | |

## recessed handles

1

| | | | |
|---|---|---|---|
| **Part No.** | 697995 | **Ref. No.** | 016240427 |
| **description** | recessed handle L 90mm W 60mm H 23.5mm mounting distance 75mm plastic for fryer | | |

## miscellaneous

1

| Part No. | 691511 | Ref. No. | A02011007 |
|---|---|---|---|
| description | door handle L 160mm W 36mm hole distance 116mm | | |

# hinges

## oven hinges

1

| Part No. | 701380 | Ref. No. | 0A0YXD4A42 |
|---|---|---|---|
| description | hinge mounting distance 142mm lever length 116mm groove distance 7mm spring thickness 3.5mm mounting ear position L 155mm W 19mm | | |
| For models: | A120788 | | |

1

| Part No. | 701454 | Ref. No. | 65131015 |
|---|---|---|---|
| description | oven hinge mounting distance 118mm lug mounting 13mm lever length 117mm groove distance 11mm spring thickness 4mm mounting ear position left spring length 55mm L 155mm W 22mm | | |

1

| Part No. | 701455 | Ref. No. | 65131014 |
|---|---|---|---|
| description | oven hinge mounting distance 118mm lug mounting 13mm lever length 117mm groove distance 11mm spring thickness 4mm mounting ear position right spring length 55mm L 155mm W 22mm | | |

1

| Part No. | 701404 | Ref. No. | 06532728 |
|---|---|---|---|
| description | oven hinge mounting distance 118mm mounting distance 2mm lug mounting 14mm lever length 117mm groove distance 11mm spring thickness 4mm mounting ear position left/right spring length 55mm L 155mm mounting pos. W 22mm | | |

1

| Part No. | 701217 | Ref. No. | 0CER001 |
|---|---|---|---|
| description | oven hinge mounting distance 142mm lever length 118mm groove distance 10mm spring thickness 3.5mm spring length 57mm L 155mm mounting pos. left/right W 21mm | | |



Find the complete and up-to-date range of products on https://gastroparts.com




1

| | | | |
|---|---|---|---|
| **Part No.** | 700000 | **Ref. No.** | 01057803 |
| **description** | oven hinge mounting distance 142mm mounting distance 2mm lug mountingmm lever length 127mm groove distance 10mm spring thickness 3.7mm mounting ear position L 155mm mounting pos. left/ right | | |
| **For models:** | 105780 | | |
| **accessories for** | 700000 | | |
| | Part No. 693045 | Ref. No. | — |
| | opposite support L 110mm W 12mm mounting distance 94mm | | |
| | Part No. 700707 | Ref. No. | — |
| | opposite support mounting distance 94mm L 140mm mounting pos. left W 13mm with welded metal sheet H 110mm for hinge | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 700006 | **Ref. No.** | 022752 |
| **description** | oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position left spring length 112mm W 25mm | | |
| **accessories for** | 700006 | | |
| | Part No. 700001 | Ref. No. | — |
| | opposite support L 118mm W 17mm mounting distance 94mm | | |
| | Part No. 700007 | Ref. No. | 022751 |
| | oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm | | |




1

| | | | |
|---|---|---|---|
| **Part No.** | 700007 | **Ref. No.** | 022751 |
| **description** | oven hinge mounting distance 173mm mounting distance 2 105mm lug mounting 14mm lever length 120mm groove distance 11mm spring thickness 3.5mm mounting ear position right spring length 112mm W 25mm | | |
| **accessories for** | 700007 | | |
| | Part No. 700001 | Ref. No. | — |
| | opposite support L 118mm W 17mm mounting distance 94mm | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| **Part No.** | 700926 | **Ref. No.** | 040607 |
| **description** | door hinge L 75mm W 60mm mounting distance 48mm | | |
| **For models:** | 103.122, 103063 | | |

# fittings for catering equipment

## outlet taps

### universal

1

| | | | |
|---|---|---|---|
| **Part No.** | 697834 | **Ref. No.** | A040576 |
| **description** | cone handle thread M6x1 ø 13mm plastic L 53mm black thread L 6mm | | |
| **For models:** | A150107, A150207 | | |




1

| | | | |
|---|---|---|---|
| **Part No.** | 541540 | **Ref. No.** | 016210829<br>A040578 |
| **description** | outlet tap stainless steel W 38mm H 40mm thread 3/4“ IT | | |
| **For models:** | A150107, A150207 | | |
| **spare parts for** | 541540 | | |
| | Part No. 697834 | Ref. No. A040576 | |
| | cone handle thread M6x1 ø 13mm plastic L 53mm black thread L 6mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 692499 | **Ref. No.** | 016210831<br>A041308 |
| **description** | reducer L 46mm thread 1/2“ ET / 3/4“ ET ø 26mm | | |
| **For models:** | A150107, A150207 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 541749 | **Ref. No.** | 016210830 |
| **description** | rosette for outlet tap thread D1 ø 63mm D2 ø 25mm | | |
| **For models:** | A150207 | | |

## dispenser tap

### complete

1

| | | | |
|---|---|---|---|
| **Part No.** | 527165 | **Ref. No.** | A040375 |
| **description** | outlet tap complete ø 40mm inlet 3/8“ plastic black | | |

# equipment feet and end caps

## equipment feet

### with screw mounting

1

| | | | |
|---|---|---|---|
| **Part No.** | 513287 | **Ref. No.** | 0926117 |
| **description** | equipment foot tube ø 60mm thread M12 thread L 33mm H 155-235mm SS size 2“ Qty 1 pcs | | |

## screw-in feet

1

| | | | |
|---|---|---|---|
| **Part No.** | 693204 | **Ref. No.** | 047122001 |
| **description** | equipment foot hot bar | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 700966 | **Ref. No.** | A038973 |
| **description** | equipment foot thread L 20mm ø 37mm H 20mm Qty 1 pcs | | |
| **For models:** | 105780, A120788 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | 030012167 |
| **description** | equipment foot thread M10 saladette | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | 031136 |
| **description** | equipment foot thread M8 BETA I/II | | |



Find the complete and up-to-date range of products on https://gastroparts.com

## bolting feet

1

| | | | |
|---|---|---|---|
| **Part No.** | 697849 | **Ref. No.** | 01044461 |
| **description** | equipment foot H 28mm thread M8 D1 ø 50mm D2 ø 38mm thread L 10mm | | |
| **For models:** | 104447 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 697996 | **Ref. No.** | 016240431 |
| **description** | equipment foot ø 23mm H 23.5mm bore ø 5mm Qty 1 pcs | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 697998 | **Ref. No.** | 01058356 |
| **description** | equipment foot ø 24/36mm H 25mm bore ø 19mm Qty 1 pcs thread M8x1.25 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 691509 | **Ref. No.** | 0AT93602<br>A042567<br>A0AT93602<br>EB-600-04 |
| **description** | equipment foot ø 28mm H 17.5mm rubber bore ø 6mm Qty 1 pcs | | |
| **For models:** | 151510, A114001, A150107, A150207, A150671, A150674, A151300, A1515001, A151600, A203093, A203094, EB600 | | |

# baskets

## fryer baskets

### BARTSCHER

1

| | | | |
|---|---|---|---|
| **Part No.** | 970741 | **Ref. No.** | 016240416<br>165513<br>165519<br>165522 |
| **description** | fryer basket W1 140mm L1 210mm H1 125mm chrome-plated steel | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 970811 | **Ref. No.** | 165514<br>165520<br>165523 |
| **description** | fryer basket W1 190mm L1 240mm H1 145mm L2 445mm H2 170mm H3 280mm chrome-plated steel plastic | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 970716 | **Ref. No.** | 016210815<br>165516<br>A040571 |
| **description** | fryer basket W1 192mm L1 230mm H1 140mm L2 470mm H2 200mm H3 220mm | | |
| **For models:** | A150107, A150207 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 970825 | **Ref. No.** | 165518 |
| **description** | fryer basket W1 192mm L1 230mm H1 142mm L2 460mm H2 195mm H3 230mm stainless steel | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 697833 | **Ref. No.** | A041303 |
| **description** | handle for fryer basket L 142mm H 21mm W 39mm | | |
| **For models:** | A150107, A150207 | | |

## crumb screens

1

| | | | |
|---|---|---|---|
| **Part No.** | 970743 | **Ref. No.** | 016210816<br>A041310 |
| **description** | crumb screen L 245mm W 205mm H 5mm chrome-plated steel for fryer | | |
| **For models:** | A150107, A150207 | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 970742 | **Ref. No.** | 016240418 |
| **description** | crumb screen L 216mm W 149mm H 37mm chrome-plated steel for fryer | | |

## miscellaneous

1

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | A030048022V |
| **description** | basket without bottom | | |

# shelves and shelf rails

## grates

### producer-specific



1

| | | | |
|---|---|---|---|
| **Part No.** | 970715 | **Ref. No.** | A040581 |
| **description** | chargrill grid W 223mm D 352mm H 9mm chrome-plated steel with handle for toaster wire gauge frame 4mm lengthwise wires gauge 2.5mm crossing wires 4 BARTSCHER | | |
| **For models:** | A151300, A151600 | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 210198 | **Ref. No.** | A030048044 |
| **description** | chargrill grid W 245mm D 346mm chrome-plated steel | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 210200 | **Ref. No.** | 030048019 |
| **description** | chargrill grid W 250mm D 315mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 210201 | **Ref. No.** | 030048021 |
| **description** | chargrill grid W 250mm D 315mm | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 210260 | **Ref. No.** | 0AT93606<br>A0AT93606 |
| **description** | chargrill grid W 250mm D 450mm chrome-plated steel with handle suitable for salamander grill | | |
| **For models:** | A1515001 | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 210197 | **Ref. No.** | A030048042 |
| **description** | chargrill grid W 290mm D 357mm chrome-plated steel | | |



1

| | | | |
|---|---|---|---|
| **Part No.** | 210199 | **Ref. No.** | A030048043 |
| **description** | chargrill grid W 290mm D 397mm chrome-plated steel | | |



Find the complete and up-to-date range of products on https://gastroparts.com



| | | | |
|---|---|---|---|
| **Part No.** | 970813 | **Ref. No.** | 786002<br>786005 |
| **description** | chargrill grid W 315mm D 435mm H 15mm chrome-plated steel L 315mm crossing wires 2 | | |

# gaskets

## refrigeration gaskets

### plug-in gaskets

#### profile 9399




| | | | |
|---|---|---|---|
| **Part No.** | 902156 | **Ref. No.** | 0700075 |
| **description** | refrigeration gasket profile 9399 W 415mm L 430mm plug size | | |

### screw-in gaskets

#### profile 9031

*We offer custom-made gaskets for this profile*




| | | | |
|---|---|---|---|
| **Part No.** | 900266 | **Ref. No.** | 030012200 |
| **description** | refrigeration gasket profile 9031 W 440mm L 600mm external size | | |

#### profile 9970




| | | | |
|---|---|---|---|
| **Part No.** | 902470 | **Ref. No.** | 038275 |
| **description** | refrigeration gasket profile 9970 W 420mm L 505mm external size | | |
| **For models:** | 700158G-McDonalds | | |

## gaskets for heated units

### door seals with fixing hook

| | | | |
|---|---|---|---|
| **Part No.** | 901178 | **Ref. No.** | 010578049 |
| **description** | door seal L 330mm W 680mm with 12 holes type series until 03/2013 | | |
| **For models:** | 105780 | | |

| | | | |
|---|---|---|---|
| **Part No.** | 901946 | **Ref. No.** | 012078919 |
| **description** | door seal W 320mm with 8 mounting clips H 260mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 900264 | **Ref. No.** | A030044013 |
| **description** | door seal W 360mm with mounting clip H 225mm | | |

| | | | |
|---|---|---|---|
| **Part No.** | 900265 | **Ref. No.** | 030044015 |
| **description** | door seal W 405mm long side open with mounting clip H 245mm | | |

1

| Part No. | 901842 | Ref. No. | 0105780491 |
|---|---|---|---|
| description | door seal W 680mm H 330mm type series since 03/2013 16 holes | | |



1

| Part No. | 900393 | Ref. No. | 030004007 |
|---|---|---|---|
| description | oven gasket L 330mm W 420mm external size | | |

1

| Part No. | 901354 | Ref. No. | A038980 |
|---|---|---|---|
| description | oven gasket L 430mm W 330mm with 8 mounting clips | | |
| For models: | A120788 | | |

## O-rings

### EPDM



1

| Part No. | 521717 | Ref. No. | 019380<br>021858 |
|---|---|---|---|
| description | O-ring EPDM thickness 1.78mm ID ø 120.37mm Qty 1 pcs | | |



1

| Part No. | 529412 | Ref. No. | 011499<br>011676<br>011677<br>0456048 |
|---|---|---|---|
| description | O-ring EPDM thickness 2.62mm ID ø 10.78mm Qty 1 pcs | | |



1

| Part No. | 532618 | Ref. No. | 016240424 |
|---|---|---|---|
| description | O-ring EPDM thickness 2mm ID ø 48.5mm Qty 1 pcs | | |



1

| Part No. | 510009 | Ref. No. | 011691 |
|---|---|---|---|
| description | O-ring EPDM thickness 3.53mm ID ø 101.2mm Qty 1 pcs | | |



1

| Part No. | 510072 | Ref. No. | 011630<br>012249<br>0456016 |
|---|---|---|---|
| description | O-ring EPDM thickness 3.53mm ID ø 32.93mm Qty 1 pcs | | |

1

| Part No. | 532118 | Ref. No. | 021145<br>214289 |
|---|---|---|---|
| description | O-ring EPDM thickness 3.53mm ID ø 55.56mm Qty 10 pcs | | |

1

| Part No. | 532498 | Ref. No. | 0456047 |
|---|---|---|---|
| description | O-ring EPDM thickness 3.53mm ID ø 9.12mm Qty 1 pcs | | |



1

| Part No. | 510408 | Ref. No. | 011510<br>011620 |
|---|---|---|---|
| description | O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs | | |



Find the complete and up-to-date range of products on https://gastroparts.com



| | | | |
|---|---|---|---|
| **Part No.** | 510409 | **Ref. No.** | 0929046 |
| **description** | O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs | | |

## Viton



| | | | |
|---|---|---|---|
| **Part No.** | 532504 | **Ref. No.** | 030010104 |
| **description** | O-ring Viton thickness 2.62mm ID ø 20.24mm Qty 1 pcs | | |



| | | | |
|---|---|---|---|
| **Part No.** | 550496 | **Ref. No.** | 049671 |
| **description** | O-ring Viton thickness 3.53mm ID ø 50.39mm Qty 1 pcs | | |

# sealing washers

## fibre gaskets

| | | | |
|---|---|---|---|
| **Part No.** | 529160 | **Ref. No.** | 004652632 |
| **description** | flat gasket fibre ED ø 32mm ID ø 26mm thickness 1.5mm for drain tap suitable for 541540 Qty 1 pcs | | |
| **For models:** | A150107, A150207 | | |

| | | | |
|---|---|---|---|
| **Part No.** | 510405 | **Ref. No.** | 012291 |
| **description** | flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1¼" Qty 1 pcs | | |

## rubber gaskets

| | | | |
|---|---|---|---|
| **Part No.** | 513059 | **Ref. No.** | 0437063 |
| **description** | flat gasket rubber ED ø 52mm ID ø 40mm thickness 3mm Qty 1 pcs | | |

| | | | |
|---|---|---|---|
| **Part No.** | 521124 | **Ref. No.** | 0481946669609 |
| **description** | flat gasket rubber ED ø 52mm ID ø 42mm thickness 6mm Qty 1 pcs | | |

| | | | |
|---|---|---|---|
| **Part No.** | 518060 | **Ref. No.** | 0456040 |
| **description** | gasket rubber ED ø 132mm ID ø 122mm thickness 5mm | | |

## PTFE gaskets

| | | | |
|---|---|---|---|
| **Part No.** | 510012 | **Ref. No.** | 011662 |
| **description** | flat gasket PTFE ED ø 16.5mm ID ø 12.5mm thickness 1.5mm Qty 1 pcs equiv. no. 437008 | | |

## silicone gaskets

| | | | |
|---|---|---|---|
| **Part No.** | 504296 | **Ref. No.** | A040382 |
| **description** | flat gasket silicone ED ø 29mm ID ø 12mm thickness 1.6mm Qty 1 pcs for coffee machine | | |
| **For models:** | A190141, A190161 | | |

| | | | |
|---|---|---|---|
| **Part No.** | 511646 | **Ref. No.** | A0ND011 |
| **description** | gasket silicone ED ø 63mm ID ø 55mm thickness 2.3mm Qty 1 pcs for heating element | | |
| **For models:** | A190141, A190161 | | |

# special gaskets

## miscellaneous

| | | | |
|---|---|---|---|
| **Part No.** | 504297 | **Ref. No.** | A0ND036 |
| **description** | gasket for water level tube ED ø 13mm ID ø 6mm silicone | | |
| **For models:** | A190141, A190161 | | |

### thermostat gaskets

| | | | |
|---|---|---|---|
| **Part No.** | 512205 | **Ref. No.** | 016240433 |
| **description** | gasket for temperature probe ED ø 15mm plastic Qty 1 pcs | | |

## transmission technology and ball bearings

### chains

### roller chains 04B-1 single

| | | | |
|---|---|---|---|
| **Part No.** | 697844 | **Ref. No.** | A039870 |
| **description** | chain DIN/ISO 04 B-1 splitting 6mm links 58 L 365mm internal width 2.8mm rollerø 4mm single | | |
| **For models:** | 151510 | | |

## springs

### torsion springs

| | | | |
|---|---|---|---|
| **Part No.** | 700569 | **Ref. No.** | A0GH81313 |
| **description** | torsion spring ø 21.5mm L2 40mm wire gauge ø 3.3mm L1 100mm L3 45mm | | |
| **For models:** | A150671, A150674 | | |

### compression springs

| | | | |
|---|---|---|---|
| **Part No.** | 112063 | **Ref. No.** | 0011564 |
| **description** | knob spring ø 24mm L 28mm wire gauge ø 0.9mm | | |

### tension springs

| | | | |
|---|---|---|---|
| **Part No.** | 693175 | **Ref. No.** | 030014013 |
| **description** | tension spring total length 330mm | | |

## kitchen accessories

### gastronorm

### bridges

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | 047233076 |
| **description** | bridge for Gastronorm container | | |

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | 047233173 |
| **description** | bridge for Gastronorm container | | |

### baking sheets

| | | | |
|---|---|---|---|
| **Part No.** | | **Ref. No.** | 031165 |
| **description** | baking sheet suitable for BETA I/II | | |

| | | | |
|---|---|---|---|
| **Part No.** | 694532 | **Ref. No.** | 100 403<br>100.303 |
| **description** | baking sheet W 325mm L 530mm perforated | | |



Find the complete and up-to-date range of products on https://gastroparts.com

# dosing pumps

## piston pumps

### with solenoid coil

1

| | | | |
|---|---|---|---|
| **Part No.** | 361013 | **Ref. No.** | 010799 |
| **description** | dosing pump inlet 4x6mm outlet 5mm 230V rinse aid duty cycle 25% type EKP-M 50Hz impulse 3imp/s | | |
| **spare parts for** | 361013 | | |
| | Part No. 361482 | Ref. No. — | solenoid coil 230VAC for type EKP-M |
| | Part No. 361811 | Ref. No. — | hose connector for dosing pump hose ø 6.3mm T1: M12x1.5 chrome-plated brass |
| | Part No. 371090 | Ref. No. — | power socket plug type DIN 43650A screw |
| **accessories for** | 361013 | | |
| | Part No. 361366 | Ref. No. — | PCB dishwasher 11F suitable for DB2 type DB2/EV1/EKP-M |
| | Part No. 361505 | Ref. No. — | screw pipe fitting straight nickel-plated brass thread 3/8“ IT hose ø 6x8mm |

### spare parts

1

| | | | |
|---|---|---|---|
| **Part No.** | 361113 | **Ref. No.** | 011525<br>011639 |
| **description** | solenoid coil 230VAC for type DB2 | | |

## membrane dosing pumps

### self-priming

#### SEKO

1

| | | | |
|---|---|---|---|
| **Part No.** | 361364[1] | **Ref. No.** | 0209025 |
| **description** | dosing pump type DIB5E self-sucking rinse aid pump rate 0-5cm³ per stroke pressure connection ø 4x6mm suction connection ø 4x6mm SEKO supporting pressure closed | | |
| **spare parts for** | 361364 | | |
| | Part No. 361301 | Ref. No. — | hose connector for type DIB3E/DIB5E |
| | Part No. 361302 | Ref. No. — | valve bush for type DIB3E/DIB5E |
| | Part No. 361304 | Ref. No. — | O-ring EPDM ID ø 11.11mm thickness 1.78mm Qty 1 pcs for type DIB3E/DIB5E |
| | Part No. 361305 | Ref. No. — | valve disc for type DIB3E/DIB5E DIB3P/DIB5P |
| | Part No. 361306 | Ref. No. — | membrane for type DIB3E/DIB5E ø 49mm hole ø 5mm |
| | Part No. 361307 | Ref. No. — | membrane dosing pump ø 68mm hole ø 6mm for type DIB3P/DIB5P |
| | Part No. 361459 | Ref. No. — | hose connector ø 6mm for dosing pump |
| | Part No. 361481 | Ref. No. — | lip valve for type DIB3P/DIB5P DIB3E/DIB5E |
| **accessories for** | 361364 | | |
| | Part No. 361240 | Ref. No. — | hose connector 1-way hose ø 6mm plastic connection M10x1 |
| | Part No. 361241 | Ref. No. — | hose connector 1-way hose ø 9mm plastic connection M10x1 |

[1]auxiliary pressure connection closed

# hoses

## drain hoses

1

| Part No. | 518068 | Ref. No. | 020453 |
|---|---|---|---|
| description | drain hose DN34 L 2000mm elbow ø inside 50mm elbow ext. ø 59mm inner hose ø 35mm outer hose ø 42mm PVC | | |

## industrial hoses

### Niplaflex hoses

1

| Part No. | 570561 | Ref. No. | 011637 |
|---|---|---|---|
| description | pressure hose ID ø 10mm ED ø 17mm L 40m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C | | |

1

| Part No. | 530561 | Ref. No. | 011503 |
|---|---|---|---|
| description | pressure hose ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C | | |

# ancillary products

## clamps

### hose clamps

#### DIN 3017 - W2

1

| Part No. | 520110 | Ref. No. | 0423010 neu 21.05.96 |
|---|---|---|---|
| description | hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017 | | |

# measuring equipment

## thermometers

### thermometers with core sensor

1

| Part No. | 541096 | Ref. No. | A293043 |
|---|---|---|---|
| description | penetration thermometer L 139mm -50 up to +300°C display digital ø 35mm NTC probe L 120mm | | |

1

| Part No. | 541097 | Ref. No. | A292044 |
|---|---|---|---|
| description | penetration thermometer L 143mm -10 up to 100°C t.max. 100°C display analogue ø 27mm probe L 120mm | | |

## miscellaneous

1

| Part No. | 541093 | Ref. No. | A292048 |
|---|---|---|---|
| description | thermometer -30 up to +30°C size ø60mm display analogue | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 541098 | **Ref. No.** | A292049 |
| **description** | thermometer -30 up to +50°C size ø52mm display analogue | | |

1

| | | | |
|---|---|---|---|
| **Part No.** | 541094 | **Ref. No.** | A292043 |
| **description** | thermometer -40 up to +25°C size 124x30mm display analogue | | |

# fastening material

## screws

### knurled screws

1

| | | | |
|---|---|---|---|
| **Part No.** | 510112 | **Ref. No.** | 011601 |
| **description** | Thumb screw thread M10 thread L 10mm ø 22mm H 4.5mm SS | | |

## nuts

### hexagonal nuts

#### hexagonal nuts inch thread

1

| | | | |
|---|---|---|---|
| **Part No.** | 501318 | **Ref. No.** | 152-2 |
| **description** | nut thread 1/4" H 6.5mm SS WS 22 Qty 1 pcs | | |

## fasteners

### clamps

#### hose clamps

##### DIN 3017 - W2

1

| | | | |
|---|---|---|---|
| **Part No.** | 520110 | **Ref. No.** | 0423010 neu 21.05.96 |
| **description** | hose clamp ø 8-12mm width 9mm Qty 10 pcs DIN 3017 | | |

### roll pins

1

| | | | |
|---|---|---|---|
| **Part No.** | 692236 | **Ref. No.** | A0GH81316 |
| **description** | roll pin ø 4mm L 40mm | | |
| **For models:** | A150671, A150674 | | |

# consumables

## coffee filters

### basket filters

#### paper filters

1

| | | | |
|---|---|---|---|
| **Part No.** | 960100 | **Ref. No.** | 190013 |
| **description** | paper filter for coffee makers D1 ø 90mm D2 ø 250mm Qty 1000 pcs | | |

## fuses

### fine fuses

1

| | | | |
|---|---|---|---|
| **Part No.** | 358533 | **Ref. No.** | 01143561 |
| **description** | fine fuse size ø5x20mm 6.3A fast-acting rated 250V Qty 10 pcs | | |

GASTROPARTS.COM