



**GASTROPARTS**

# Coldmaster

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ tel. +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**





## heating elements

### heating elements for griddles

1			
<b>Part No.</b>	418014	<b>Ref. No.</b>	3024801
<b>description</b>	heating element 950W 230V heating circuits 1 L 1032mm W 85mm tube ø 8.5mm bracket mounting connection male faston 6.3mm hole ø M5mm connection length 71mm dry heating element lug length 40mm lug width 18mm		

### heating elements for hot counters

1			
<b>Part No.</b>	418015	<b>Ref. No.</b>	3914801
<b>description</b>	heating element 1600W 220V heating circuits 1 L 227mm W 313mm connection length 37mm tube ø 6.3mm connection male faston 6.3mm dry heating element bracket mounting hole distance 345mm hole ø 5mm lug length 35mm lug width 20mm		

1			
<b>Part No.</b>	418013	<b>Ref. No.</b>	3014801
<b>description</b>	heating element 825W 230V heating circuits 1 L 826mm W 74mm connection length 70mm tube ø 8.5mm connection male faston 6.3mm dry heating element rectangular flange hole distance 100mm flange length 40mm flange width 18mm hole ø M5mm		

### immersion heating elements

3 hole flange ø60.0mm

connection straight

group 1

1					
<b>Part No.</b>	415166	<b>Ref. No.</b>	8434805		
<b>description</b>	heating element 2000W 230V mounting ø 60mm heating circuits 1 L 180mm W 42mm H 65mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 170mm tube ø 6.3mm hole distance 83mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater				
<b>accessories for</b>	415166				
		<b>Part No.</b>	521121	<b>Ref. No.</b>	8437104
	O-ring EPDM thickness 8mm ID ø 62mm Qty 1 pcs				

## foil heating elements

1			
<b>Part No.</b>	418012	<b>Ref. No.</b>	3154802
<b>description</b>	foil heating element L 560mm W 360mm 400W 230V probe ø 6mm without temperature limiter plastic cable length 490mm thickness 0.5mm		

## accessories

### sealing washers

### O-rings

1			
<b>Part No.</b>	521121	<b>Ref. No.</b>	8437104
<b>description</b>	O-ring EPDM thickness 8mm ID ø 62mm Qty 1 pcs		

## switches and momentary switches


### rocker/momentary rocker switches

#### 30x22mm

1					
<b>Part No.</b>	301003	<b>Ref. No.</b>	A0305		
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated O-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65				
<b>accessories for</b>	301003				
		<b>Part No.</b>	301036	<b>Ref. No.</b>	—
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm				

1			
<b>Part No.</b>	301251	<b>Ref. No.</b>	A0304
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated lighting connection male faston 6.3mm ambient temperature max. 85°C protection IP40		



			
1			
<b>Part No.</b>	301029	<b>Ref. No.</b>	0A0403
<b>description</b>	rocker switch mounting measurements 30x22mm green 1NO/NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

## lamps


### linear lamps

#### halogen lamps

			
1			
<b>Part No.</b>	359621	<b>Ref. No.</b>	D9601
<b>description</b>	halogen lamp socket R7s L 117.6mm 230V 500W unjacketed IMPORT		

#### sockets for linear lamps



##### R7s

			
1			
<b>Part No.</b>	359663	<b>Ref. No.</b>	D9501
<b>description</b>	lamp socket socket R7s 250V ømm for length of lamp 117.6mm H 47mm connection cable 150mm mounting distance 65mm holder length 140.5mm Qty 1 pcs		

### fluorescent lamps


#### fluorescent lamps


##### G13

			
1			
<b>Part No.</b>	359371	<b>Ref. No.</b>	B6302
<b>description</b>	fluorescent lamp socket G13 L 590mm 18W 230V Qty 1 pcs		
			
1			
<b>Part No.</b>	359372	<b>Ref. No.</b>	B6303
<b>description</b>	fluorescent lamp socket G13 L 895mm 30W 230V Qty 1 pcs		


## accessories


### sockets

			
1			
<b>Part No.</b>	550845	<b>Ref. No.</b>	0054804
<b>description</b>	socket socket G13 Qty 1 pcs		


			
1			
<b>Part No.</b>	550846	<b>Ref. No.</b>	0054805
<b>description</b>	socket socket G13 Qty 1 pcs		

### ballasts


			
1			
<b>Part No.</b>	401141	<b>Ref. No.</b>	A6803
<b>description</b>	electrical ballast 30W 230V for fluorescent lamps Qty 1 pcs		

			
1			
<b>Part No.</b>	401142	<b>Ref. No.</b>	A6802
<b>description</b>	electrical ballast 30W for fluorescent lamps		

### covers

			
1			
<b>Part No.</b>	550844	<b>Ref. No.</b>	0064802
<b>description</b>	cover		




			
1			
<b>Part No.</b>	550847	<b>Ref. No.</b>	0064801
<b>description</b>	cover		

## electronic controllers

### TECNOLOGIC


#### universal controllers

##### built-in version

			
1			
<b>Part No.</b>	379207	<b>Ref. No.</b>	0A0716
<b>description</b>	electronic controller TECNOLOGIC type TLZ11HS----- mounting measurements 71x29mm 100-240V voltage AC NTC/PTC relay outputs 1 CO-16A(8) NTC/PTC DI built-in depth 64mm defr. funct. no -50 up to +150°C display 3½ digits		
<b>accessories for</b>	379207		
	<b>Part No.</b>	379053	<b>Ref. No.</b> —
		temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire	
	<b>Part No.</b>	379064	<b>Ref. No.</b> —
		temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire	
	<b>Part No.</b>	379161	<b>Ref. No.</b> —
		temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire	
	<b>Part No.</b>	379782	<b>Ref. No.</b> —
		temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm	

## refrigeration controllers


### built-in version

			
1			
<b>Part No.</b>	379207	<b>Ref. No.</b>	0A0716
<b>description</b>	electronic controller TECNOLOGIC type TLZ11HS----- mounting measurements 71x29mm 100-240V voltage AC NTC/PTC relay outputs 1 CO-16A(8) NTC/PTC DI built-in depth 64mm defr. funct. no -50 up to +150°C display 3½ digits		
<b>accessories for</b>	379207		
	<b>Part No.</b>	379053	<b>Ref. No.</b> —
		temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire	
	<b>Part No.</b>	379064	<b>Ref. No.</b> —
		temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire	
	<b>Part No.</b>	379161	<b>Ref. No.</b> —
		temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire	
	<b>Part No.</b>	379782	<b>Ref. No.</b> —
		temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm	

## probes

### universal probes

#### temperature probes

			
1			
<b>Part No.</b>	379052	<b>Ref. No.</b>	D7601
<b>description</b>	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire		





## fans

### axial fans

#### ebm-papst



1

<b>Part No.</b>	601089 <sup>1</sup>	<b>Ref. No.</b>	C5301
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 19W bearing slide bearing manuf. no. 4650N metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 55°C		
<b>accessories for</b>	601089		
	<b>Part No.</b>	550898	<b>Ref. No.</b> —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	<b>Part No.</b>	691104	<b>Ref. No.</b> —
	guard ø 115mm mounting distance 105mm for axial fan 119mm		

<sup>1</sup>with slide bearings

### hot air fans

#### miscellaneous



1

<b>Part No.</b>	601147	<b>Ref. No.</b>	D0702
<b>description</b>	hot air fan 220-240V 32W L1 65mm L2 10mm L3 20mm L4 87mm fan wheel ø 150mm FIME type C20X0E173CLH		

## handles and hand wheels

### bracket handles



1

<b>Part No.</b>	693328	<b>Ref. No.</b>	D0102
<b>description</b>	pull handle L 135mm H 50mm mounting distance 117mm thread M6		


## gaskets

### refrigeration gaskets

#### plug-in gaskets

#### profile 9151


We offer custom-made gaskets for this profile



<b>Part No.</b>	901085	<b>Ref. No.</b>	8660403
<b>description</b>	refrigeration gasket profile 9151 W 730mm L 1550mm plug size L1 1540mm W1 720mm external size		

## O-rings

### EPDM



<b>Part No.</b>	521121	<b>Ref. No.</b>	8437104
<b>description</b>	O-ring EPDM thickness 8mm ID ø 62mm Qty 1 pcs		

## springs

### tension springs



1

<b>Part No.</b>	700425	<b>Ref. No.</b>	A2502
<b>description</b>	tension spring ø 12mm total length 244mm wire gauge ø 1.9mm		





## dosing pumps

### membrane dosing pumps

#### self-priming

#### various



<b>Part No.</b>	361370	<b>Ref. No.</b>	8437101
<b>description</b>	dosing pump type model 2 rinse aid inlet 4x6mm outlet 4x6mm pressure connection ø 4x6mm suction connection ø 4x6mm		
<b>spare parts for</b>	361370		
	<b>Part No.</b>	361307	<b>Ref. No.</b> —
	membrane dosing pump ø 68mm hole ø 6mm for type DIB3P/DIB5P		
	<b>Part No.</b>	361459	<b>Ref. No.</b> —
	hose connector ø 6mm for dosing pump		

**GASTRO**PARTS.COM

