



**GASTROPARTS**

# Doge

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**





## switches and momentary switches

### rocker/momentary rocker switches

30x22mm



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 301061   | <b>Ref. No.</b> | A2100093 |
| <b>description</b> | rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40 |                 |          |



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 301036   | <b>Ref. No.</b> | A2800052 |
| <b>description</b> | protective cover internal size 30x22mm for rocker switch mounting measurementsmm |                 |          |

### push/momentary push switches

30x22mm



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 301036   | <b>Ref. No.</b> | A2800052 |
| <b>description</b> | protective cover internal size 30x22mm for rocker switch mounting measurementsmm |                 |          |

### microswitches

#### pin-plunger actuated



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 347757   | <b>Ref. No.</b> | A2100297 |
| <b>description</b> | microswitch with plunger 250V 16A 1CO connection male faston 4.8mm ambient temperature max. 125°C mounting distance 22mm actuating force: 120g black |                 |          |

## relays

### power relays

#### with bracket mounting



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 380920  | <b>Ref. No.</b> | A3200109 |
| <b>description</b> | power relays FINDER 400VAC 10A 3CO connection male faston 4.8mm with mounting strap manuf. no. 60.63.8.400.0000 250V 3-pole |                 |          |

## electronics

### PCBs



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 402497  | <b>Ref. No.</b> | A1500098 |
| <b>description</b> | keypad PCB L 83mm W 48mm with display buttons 4 |                 |          |



1

|                    |                        |                 |          |
|--------------------|------------------------|-----------------|----------|
| <b>Part No.</b>    | 402495                 | <b>Ref. No.</b> | A1500097 |
| <b>description</b> | PCB L 74mm W 64mm 230V |                 |          |

## keypads

### front foils



1

|                    |                                     |                 |          |
|--------------------|-------------------------------------|-----------------|----------|
| <b>Part No.</b>    | 525111                              | <b>Ref. No.</b> | A2400054 |
| <b>description</b> | keypad foil L 90mm W 49mm buttons 4 |                 |          |

## condensators & interference suppression filters

### operating capacitors

#### plastic



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 365019   | <b>Ref. No.</b> | A3200030 |
| <b>description</b> | operating capacitor capacity 20µF 400V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 39.5mm L 70mm M8 plastic connection male faston 6.3mm 16.10.25. protection |                 |          |

## equipment-specific units

### for coffee grinders

#### grinding burrs

#### grinding burrs straight

#### standard



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 527227  | <b>Ref. No.</b> | A3200063 |
| <b>description</b> | grinding burrs pair turn direction right D1 ø 63mm ID ø 38mm H 9.5mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 48 straight suitable for FIORENZATO |                 |          |



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 527228  | <b>Ref. No.</b> | A3200083 |
| <b>description</b> | grinding burrs pair turn direction right D1 ø 83mm ID ø 45mm H 10mm tooth spacing 4mm hole ø 5.4mm bore ø 10mm mounting ø 64.5 straight suitable for FIORENZATO |                 |          |

### dosing containers

#### dosing container lids



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 525166   | <b>Ref. No.</b> | A3200008 |
| <b>description</b> | lid for dosing container mounting ø 116mm ø 130mm H 25mm |                 |          |

### springs

#### group 1



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 525110  | <b>Ref. No.</b> | A3200049 |
| <b>description</b> | tension spring ø 7.5mm total length 42mm wire gauge ø 0.8mm L1 29mm |                 |          |

### glass cylinders



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 525167   | <b>Ref. No.</b> | A3200009 |
| <b>description</b> | glass cylinder for dosing container ø 125mm H 53mm plexiglas |                 |          |

### coffee presses

#### components

#### holders



1

|                    |                               |                 |          |
|--------------------|-------------------------------|-----------------|----------|
| <b>Part No.</b>    | 525113                        | <b>Ref. No.</b> | A3200002 |
| <b>description</b> | bracket H 22mm L 65mm plastic |                 |          |

#### pressers



1

|                    |                                    |                 |          |
|--------------------|------------------------------------|-----------------|----------|
| <b>Part No.</b>    | 525112                             | <b>Ref. No.</b> | A3200001 |
| <b>description</b> | coffee press ø 55mm H 34mm plastic |                 |          |



automatic grinding

automatic grinding



1

|                    |  |                 |          |
|--------------------|--|-----------------|----------|
| <b>Part No.</b>    | 525114   | <b>Ref. No.</b> | A3200084 |
| <b>description</b> | housing for microswitch ø 116mm H 45mm plastic |                 |          |

coffee beans containers

container lids






1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 527315  | <b>Ref. No.</b> | A3200028 |
| <b>description</b> | lid for coffee beans container mounting ø 200mm ø 204mm |                 |          |

coffee beans containers



1

|   |   |                 |                 |          |
|---|---|-----------------|-----------------|----------|
| <b>Part No.</b>   | 527316  | <b>Ref. No.</b> | A3200027        |          |
| <b>description</b>  | coffee beans container ø 200mm H 255mm seat ø 67mm M1-T48 |                 |                 |          |
| <b>spare parts for</b>  | 527316  |                 |                 |          |
|  | <b>Part No.</b>   | 527315          | <b>Ref. No.</b> | A3200028 |
|   | lid for coffee beans container mounting ø 200mm ø 204mm   |                 |                 |          |
|  | <b>Part No.</b>   | 527318          | <b>Ref. No.</b> | A3200031 |
|   | catch L 86mm W 48mm thickness 2mm plastic                 |                 |                 |          |
|  | <b>Part No.</b>   | 527319          | <b>Ref. No.</b> | —        |
|   | protection cap ø 60mm suitable for FIORENZATO plexiglas   |                 |                 |          |

locks



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 527318                                    | <b>Ref. No.</b> | A3200031 |
| <b>description</b> | catch L 86mm W 48mm thickness 2mm plastic |                 |          |

springs

tension springs



1

|                    |   |                 |          |
|--------------------|---|-----------------|----------|
| <b>Part No.</b>    | 525110  | <b>Ref. No.</b> | A3200049 |
| <b>description</b> | tension spring ø 7.5mm total length 42mm wire gauge ø 0.8mm L1 29mm |                 |          |

**GASTRO**PARTS.COM

