



**GASTROPARTS**

# Fage

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)


**GASTROPARTS.COM**












## heating elements


### heating elements for pizza ovens








<b>Part No.</b>	415959	<b>Ref. No.</b>	RES92
<b>description</b>	heating element 1750W 230V L 860mm W 160mm flange length 220mm flange width 30mm hole distance 200mm connection length 112mm connection M5 L3 810mm W1 25mm W2 110mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		



<b>Part No.</b>	415941	<b>Ref. No.</b>	RES50
<b>description</b>	heating element 2000W 230V L 470mm W 506mm L1 30mm L2 50mm L3 390mm W1 18mm W2 470mm thread 1/4" mounting distance 461mm connection length 115mm connection M5 windings 4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing pizza oven		
<b>spare parts for</b>	415941		
	<b>Part No.</b>	510417	<b>Ref. No.</b> —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
<b>accessories for</b>	415941		
	<b>Part No.</b>	361182	<b>Ref. No.</b> —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	<b>Part No.</b>	520228	<b>Ref. No.</b> —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	<b>Part No.</b>	550262	<b>Ref. No.</b> —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		
	<b>Part No.</b>	560112	<b>Ref. No.</b> —
	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		
	<b>Part No.</b>	560132	<b>Ref. No.</b> —
	hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 20 pcs		



<b>Part No.</b>	415942	<b>Ref. No.</b>	RES62
<b>description</b>	heating element 2280W 230V L 600mm W 610mm L1 30mm L2 50mm L3 520mm W1 20mm W2 570mm thread 1/4" mounting distance 561mm connection length 101mm connection M5 windings 4 tube ø 8.6mm heating circuits 1 dry heating element 2 hole fixing		
<b>accessories for</b>	415942		
	<b>Part No.</b>	361182	<b>Ref. No.</b> —
	nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs		
	<b>Part No.</b>	510417	<b>Ref. No.</b> —
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs		
	<b>Part No.</b>	520228	<b>Ref. No.</b> —
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14		
	<b>Part No.</b>	550262	<b>Ref. No.</b> —
	flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm		



<b>Part No.</b>	415947	<b>Ref. No.</b>	RES6292
<b>description</b>	heating element 3500W 230V L 580mm W 720mm L1 30mm L2 60mm L3 490mm W1 18mm W2 680mm thread 1/4" mounting distance 675mm connection length 120mm connection M5 windings 5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		



## thermostats

## control and safety thermostats

EGO

control thermostats

55.10/19\_series



1

<b>Part No.</b>	375247	<b>Ref. No.</b>	EGO50092
<b>description</b>	thermostat t.max. 500°C temperature range 75-500°C 1-pole 1NO 16A probe ø 4mm probe L 228mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
<b>For models:</b>	50/2		

55.34\_series



1

<b>Part No.</b>	375027	<b>Ref. No.</b>	EGO500
<b>description</b>	thermostat t.max. 470°C temperature range 50-470°C 3-pole 3NO 16A probe ø 3.9mm probe L 308mm capillary pipe 990mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



1

<b>Part No.</b>	375132	<b>Ref. No.</b>	EGO500
<b>description</b>	thermostat t.max. 500°C temperature range 50-500°C 3-pole 3NO 16A probe ø 4mm probe L 228mm capillary pipe 1200mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

## switches and momentary switches

## rocker/momentary rocker switches

30x11mm



1

<b>Part No.</b>	301013	<b>Ref. No.</b>	INTLUCE
<b>description</b>	rocker switch mounting measurements 30x11mm black 1CO 250V 16A connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		

## lamps

## indicator lights

## indicator lights (complete)

ø10mm

with plug-in socket



1

<b>Part No.</b>	359019	<b>Ref. No.</b>	LAM10mmR
<b>description</b>	indicator light ø 10mm green 400V connection male faston 6.3mm Qty 1 pcs		



1

<b>Part No.</b>	359020	<b>Ref. No.</b>	LAM10MMR
<b>description</b>	indicator light ø 10mm red 400V connection male faston 6.3mm Qty 1 pcs		

## screw-on/push-on fit

## light bulbs

for ovens



1

<b>Part No.</b>	359614	<b>Ref. No.</b>	LAME27
<b>description</b>	light bulb t.max. 300°C socket E27 230V 40W ø 45mm L 71mm lens L 44mm Qty 1 pcs		



oven lamps

producer-specific oven lamps

FAGE



1

<b>Part No.</b>	693486	<b>Ref. No.</b>	VETRO85
<b>description</b>	glass panel L 81mm W 81mm square thickness 4mm		

lamps

light bulbs



1

<b>Part No.</b>	359614	<b>Ref. No.</b>	LAME27
<b>description</b>	light bulb t.max. 300°C socket E27 230V 40W ø 45mm L 71mm lens L 44mm Qty 1 pcs		

contactors

TELEMECANIQUE (Schneider Electric)

power contactors



1


<b>Part No.</b>	380479	<b>Ref. No.</b>	CONT220V
<b>description</b>	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D09P7		

gas valves and ignition boxes








gas control valves

SIT

NOVASIT



1

<b>Part No.</b>	101187	<b>Ref. No.</b>	VALV 820
<b>description</b>	gas valve SIT series Novasit 820 0.17VHz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressurebar pressure range 5-50mbar pressure regulator connection blind equiv. no. 0.820.301 supply Operator millivolt		
<b>spare parts for</b>	101187		
	<b>Part No.</b>	101065	<b>Ref. No.</b> —
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT		
<b>accessories for</b>	101187		
	<b>Part No.</b>	100110	<b>Ref. No.</b> GRPILOTA
	pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm		
	<b>Part No.</b>	101305	<b>Ref. No.</b> —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	<b>Part No.</b>	101306	<b>Ref. No.</b> —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	<b>Part No.</b>	101307	<b>Ref. No.</b> —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	<b>Part No.</b>	101308	<b>Ref. No.</b> —
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	<b>Part No.</b>	102116	<b>Ref. No.</b> —
	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		

accessories



1


<b>Part No.</b>	100110	<b>Ref. No.</b>	GRPILOTA
<b>description</b>	pilot burner SIT type 190 series 3 flames nozzle ømm gas connectionmm		
<b>accessories for</b>	100110		
	<b>Part No.</b>	100202	<b>Ref. No.</b> —
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle ø 0.41mm		

Table continues overleaf



accessories for		100110	
	Part No.	100203	Ref. No. —
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle $\varnothing$ 0.25mm		
	Part No.	100701	Ref. No. —
	ignition electrode connection M4 Qty 1 pcs		
	Part No.	100906	Ref. No. —
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	Part No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 $\varnothing$ mm for thermocouple		
	Part No.	100908	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs		
	Part No.	100909	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs		
	Part No.	101282	Ref. No. —
	olive for pipe $\varnothing$ 4mm L 7.4mm Qty 1 pcs		
	Part No.	101287	Ref. No. —
	olive for pipe $\varnothing$ 6mm Qty 1 pcs		
	Part No.	102110	Ref. No. —
	pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm		
	Part No.	102111	Ref. No. —
	pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm		
	Part No.	107650	Ref. No. —
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		

## ignition parts

### pilot burners

SIT

100 series

accessories

ignition electrodes



Part No.	100707	Ref. No.	CANDELA
description	ignition electrode D1 $\varnothing$ 7mm D2 $\varnothing$ 9mm connection $\varnothing$ 2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

## 190 series



Part No.	100110	Ref. No.	GRPILOTA
description	pilot burner SIT type 190 series 3 flames nozzle $\varnothing$ mm gas connectionmm		
accessories for	100110		
	Part No.	100202	Ref. No. —
	pilot burner nozzle natural gas code 41 Qty 1 pcs nozzle $\varnothing$ 0.41mm		
	Part No.	100203	Ref. No. —
	pilot burner nozzle LPG code 25 Qty 1 pcs nozzle $\varnothing$ 0.25mm		
	Part No.	100701	Ref. No. —
	ignition electrode connection M4 Qty 1 pcs		
	Part No.	100906	Ref. No. —
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	Part No.	100907	Ref. No. —
	screw connection thread M10x1 Qty 1 pcs type SEF 1 $\varnothing$ mm for thermocouple		
	Part No.	100908	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 4mm Qty 1 pcs		
	Part No.	100909	Ref. No. —
	union screw thread M10x1 for pipe $\varnothing$ 6mm Qty 1 pcs		
	Part No.	101282	Ref. No. —
	olive for pipe $\varnothing$ 4mm L 7.4mm Qty 1 pcs		
	Part No.	101287	Ref. No. —
	olive for pipe $\varnothing$ 6mm Qty 1 pcs		
	Part No.	102110	Ref. No. —
	pilot tube copper pipe $\varnothing$ 4mm thickness 1mm L 3000mm		
	Part No.	102111	Ref. No. —
	pilot tube copper pipe $\varnothing$ 6mm thickness 1mm L 3000mm		
	Part No.	107650	Ref. No. —
	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		



electrodes



<b>Part No.</b>	100707	<b>Ref. No.</b>	CANDELA
<b>description</b>	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

ignition cables

pre-assembled cables




<b>Part No.</b>	102180	<b>Ref. No.</b>	CAVOACC
<b>description</b>	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		

piezoelectric igniters

mounting diameter 22mm



<b>Part No.</b>	100013	<b>Ref. No.</b>	ACCND
<b>description</b>	piezoelectric igniter body plastic blowing mounting ø 22mm connection ø2.4mm cable lengthmm		

<b>accessories for</b>	100013			
	<b>Part No.</b>	100023	<b>Ref. No.</b>	—
	female bullet size 2.3mm 0.5-1.5mm <sup>2</sup> CuZn t.max. 125°C Qty 20 pcs			


thermocouples

plug-in thermocouples

plug-in thermocouples standard

with barrel socket ø6(6.5)mm

thermocouples SIT




<b>Part No.</b>	107613	<b>Ref. No.</b>	TC1200MM
<b>description</b>	thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm		

gas burners

bar burners

bar burners



<b>Part No.</b>	105933	<b>Ref. No.</b>	BRUCSX
<b>description</b>	bar burner ø 50mm L 600mm flange length 57mm flange width 57mm Wmm Hmm mounting pos. left flange with bolt M5		

equipment-specific units

for pizza ovens

glass panels



<b>Part No.</b>	693485	<b>Ref. No.</b>	V25X10X4
<b>description</b>	glass panel L 250mm W 103mm thickness 5mm rectangular		



## firebricks



1

<b>Part No.</b>	850096	<b>Ref. No.</b>	REF62
<b>description</b>	firebrick L 300mm W 300mm H 20mm delivery freight forwarding company only		



1

<b>Part No.</b>	850101	<b>Ref. No.</b>	RF300600
<b>description</b>	firebrick L 600mm W 300mm H 20mm grooved delivery freight forwarding company only		

## knobs

## universal knobs



1

<b>Part No.</b>	110248	<b>Ref. No.</b>	MANTER
<b>description</b>	knob thermostat t.max. 500°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-500°C rotation 270°		

## producer-specific knobs

## FAGE



1

<b>Part No.</b>	111935	<b>Ref. No.</b>	MANTER
<b>description</b>	knob thermostat t.max. 450°C ø 45mm shaft ø 6x4.6mm shaft flat upper black temperature range 65-450°C rotation 270°		



1

<b>Part No.</b>	110248	<b>Ref. No.</b>	MANTER
<b>description</b>	knob thermostat t.max. 500°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-500°C rotation 270°		

## handles and hand wheels

## cylindrical handles

## fixed



1

<b>Part No.</b>	540238	<b>Ref. No.</b>	IMPUCIL
<b>description</b>	cylindrical handle thread M10 ø 26mm L 80mm		

## ball handles



1

<b>Part No.</b>	693488	<b>Ref. No.</b>	SFERAS40
<b>description</b>	ball handle thread M10 ø 34mm black		

## bracket handles



1

<b>Part No.</b>	700551	<b>Ref. No.</b>	MANGAS MANMS180
<b>description</b>	pull handle L 200mm H 62mm mounting distance 179mm handle M8		



## measuring equipment

### thermometers

#### built-in thermometers

ø60mm



<b>Part No.</b>	541054	<b>Ref. No.</b>	TER500
<b>description</b>	thermometer mounting ø 60mm t.max. 500°C 0 up to +500°C probe ø 10mm probe L 80mm capillary pipe 700mm		



**GASTRO**PARTS.COM

