



GASTROPARTS

Lükon

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global


GASTROPARTS.COM








heating elements

heating elements for rechauds

			
1			
Part No.	415639	Ref. No.	5-001238 710.17
description	heating element 1200W 230V heating circuits 1 L 255mm W 256mm H 56mm L1 45mm L2 210mm connection distance 248mm tube ø 8.5mm connection male faston 6.3mm dry heating element		

			
1			
Part No.	418523	Ref. No.	5-000113 5-000976 508TF
description	heating element 200W 115V dry heating element		

			
1			
Part No.	418500	Ref. No.	5.000.000032 5-000110 5-000973
description	heating element 200W 230V heating circuits 1 L 335mm W 18mm H 53mm cable length 290mm connection cable dry heating element with mounting strap H1 37mm H2 18mm		

			
1			
Part No.	415638	Ref. No.	5-001237 705.17
description	heating element 750W 230V heating circuits 1 L 175mm W 260mm H 56mm L1 50mm L2 125mm connection distance 257mm tube ø 8.5mm connection male faston 6.3mm dry heating element		

thermostats

control and safety thermostats

EGO

control thermostats

55.13_ series



1

Part No.	375356	Ref. No.	5-000023
description	thermostat t.max. 180°C temperature range 100-180°C 1-pole 1N0 16A probe ø 6mm probe L 98mm capillary pipe 870mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



1

Part No.	375802	Ref. No.	2.0001.00026 2-000024 2-001285
description	thermostat t.max. 85°C temperature range 30-85°C 1-pole 1C0 16A probe ø 6mm probe L 94mm capillary pipe 830mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 270°		

switches and momentary switches

push/momentary push switches

27.2x22.2mm



1

Part No.	346598 ¹	Ref. No.	2-000068 2-001325 2-5-1
description	push switch mounting measurements 27.2x22.2mm green 1N0 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 55/120°C protection IP40		

¹illuminated



fuses

thermal fuses



Part No.	358308	Ref. No.	5-000107 5-000970
description	thermal fuse switch-off temp. 128°C nominalA		

electric accessories

plugs - couplings - power sockets

appliance sockets/plugs

medium temperature appliances 120°C



Part No.	550707	Ref. No.	2-000154 2-001405 2-4-1
description	medium temperature appliance plug C16 male faston 6.3mm max 10A/250V T120 thermoplastic		

equipment-specific units

for rechauds

warming plates

warming plates



Part No.	693809	Ref. No.	5-000435 5-001290 Platte, komplett
description	warming plate plate size 280x165x10mm with handle		

consumables

fuses

thermal fuses



Part No.	358308	Ref. No.	5-000107 5-000970
description	thermal fuse switch-off temp. 128°C nominalA		

GASTROPARTS.COM

