



GASTROPARTS

La Minerva

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM








switches and momentary switches

push/momentary push switches

ø22mm





1

Part No.	348105	Ref. No.	20803384
description	momentary push switch mounting measurements ø22mm red 1NC OFF 230V connection screw 6A protection IP67 ambient temperature max. 70°C		
spare parts for	348105		
	Part No.	346270	Ref. No. —
	contact block screw 1NC		
accessories for	348105		
	Part No.	346292	Ref. No. —
	contact block screw 1NO		
	Part No.	359606	Ref. No. —
	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm		




1

Part No.	403549	Ref. No.	20803401
description	momentary push switch mounting measurements ø22mm black/white 1NO/1NC 0-1 230V connection screw 6A protection IP40 ambient temperature max. 70°C		
spare parts for	403549		
	Part No.	346270	Ref. No. —
	contact block screw 1NC		
	Part No.	346292	Ref. No. —
	contact block screw 1NO		



1

Part No.	403553	Ref. No.	20803406
description	PCB L 130mm W 44mm ON-OFF 50Hz 400V suitable for GIERRE / LA MINERVA		
spare parts for	403553		
	Part No.	403606	Ref. No. 20803372
	protective cover for switch external size 57x31mm clear ID ø 20mm H 17mm		




1

Part No.	403606	Ref. No.	20803372
description	protective cover for switch external size 57x31mm clear ID ø 20mm H 17mm		

ø25mm



1

Part No.	345011	Ref. No.	20800323
description	push switch mounting ø 25mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP65		
accessories for	345011		
	Part No.	345039	Ref. No. —
	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		

position switches

MOELLER/EATON



1

Part No.	348232	Ref. No.	20800865N
description	position switch plastic 1NC 230V 6A L 95mm W 31mm H 33mm protection IP66 actuating force: 500g screw connection M20 mounting distance 22mm with switch mechanism Qty 2 pcs		

PIZZATO

FR series



1

Part No.	347664	Ref. No.	20800865
description	position switch head not removable 1NO/1NC L 93mm W 31mm H 31mm protection IP67		



1

Part No.	348101	Ref. No.	20800820
description	position switch plastic 1NC/1NO 400V 3A L 85mm W 31mm H 31mm protection IP67 actuating force: 760g screw connection PG11 mounting distance 22mm		



rotary switches

MOELLER/EATON



1

Part No.	348131	Ref. No.	20801212
description	rotary switch sets of contacts 2 2 0-1 type T0-1-102 400V 11.5A shaft \varnothing 12mm shaft L 25mm shaft star-shaped installation kit inclusive connection screw		



1

Part No.	348158	Ref. No.	20801213
description	rotary switch sets of contacts 3 2 0-1 type T0-2-1/Z UV-T0 400V 16A shaft \varnothing 5.8x6.9mm shaft L 35mm with fixing kit connection screw		

magnetic switches

M10x0.75



1

Part No.	348102	Ref. No.	20963000
description	magnetic switch thread M10x0.75 1NO 250V 0.04A P max. 10W connection 2-wire cable length 1500mm		



1

Part No.	348159	Ref. No.	20963001
description	magnetic switch thread M10x0.75 1NO 250V 1A P max. 50W cable length 1470mm L 30mm		

M18x1



1

Part No.	348156	Ref. No.	20963010
description	magnetic switch thread M18x1 1NO/1NC 100V 0.25A P max. 5W cable length 2000mm		



1

Part No.	348157	Ref. No.	20963008
description	magnetic switch thread M18x1 2NO 100V 0.25A P max. 5W cable length 2000mm		

accessories

magnets



1

Part No.	691178	Ref. No.	20961010
description	magnet \varnothing 22mm Lmm H 7mm Wmm ED \varnothing 22mm M5		

control equipment

MOELLER/EATON

push buttons - signal lamps



1

Part No.	346747 ¹	Ref. No.	20803386
description	push button mounting measurements \varnothing 22mm silver without button lense momentary illuminable		

¹works as signal element

switch blocks



1

Part No.	348127	Ref. No.	20803390/1
description	contact block with threefold holder 1NO		

button plates with symbol




1

Part No.	346743	Ref. No.	20803386/1
description	button plate black tipping		




accessories


 <p>1</p>			
Part No.	346768	Ref. No.	20803371
description	protective cover ED ø 30mm transparent H 13mm		




switches (complete)



rotary switches



 <p>1</p>			
Part No.	348231	Ref. No.	20807030
description	selector switch mounting measurements ø22mm silver/white 0°-45° 1NO latching sequence 0-1		


push/momentary push switches

 <p>1</p>			
Part No.	348126	Ref. No.	20803386+20803386/1+20803390/1+20803396/1
description	momentary push switch mounting measurements ø22mm black 1NO tipping momentary		


 <p>1</p>											
Part No.	403549	Ref. No.	20803401								
description	momentary push switch mounting measurements ø22mm black/white 1NO/1NC 0-1 230V connection screw 6A protection IP40 ambient temperature max. 70°C										
spare parts for	403549										
 <table border="1"> <tr> <td>Part No.</td> <td>346270</td> <td>Ref. No.</td> <td>—</td> </tr> <tr> <td colspan="4">contact block screw 1NC</td> </tr> </table>				Part No.	346270	Ref. No.	—	contact block screw 1NC			
Part No.	346270	Ref. No.	—								
contact block screw 1NC											
 <table border="1"> <tr> <td>Part No.</td> <td>346292</td> <td>Ref. No.</td> <td>—</td> </tr> <tr> <td colspan="4">contact block screw 1NO</td> </tr> </table>				Part No.	346292	Ref. No.	—	contact block screw 1NO			
Part No.	346292	Ref. No.	—								
contact block screw 1NO											


 <p>1</p>											
Part No.	348105	Ref. No.	20803384								
description	momentary push switch mounting measurements ø22mm red 1NC OFF 230V connection screw 6A protection IP67 ambient temperature max. 70°C										
spare parts for	348105										
 <table border="1"> <tr> <td>Part No.</td> <td>346270</td> <td>Ref. No.</td> <td>—</td> </tr> <tr> <td colspan="4">contact block screw 1NC</td> </tr> </table>				Part No.	346270	Ref. No.	—	contact block screw 1NC			
Part No.	346270	Ref. No.	—								
contact block screw 1NC											

accessories for	348105										
 <table border="1"> <tr> <td>Part No.</td> <td>346292</td> <td>Ref. No.</td> <td>—</td> </tr> <tr> <td colspan="4">contact block screw 1NO</td> </tr> </table>				Part No.	346292	Ref. No.	—	contact block screw 1NO			
Part No.	346292	Ref. No.	—								
contact block screw 1NO											
 <table border="1"> <tr> <td>Part No.</td> <td>359606</td> <td>Ref. No.</td> <td>—</td> </tr> <tr> <td colspan="4">neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm</td> </tr> </table>				Part No.	359606	Ref. No.	—	neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm			
Part No.	359606	Ref. No.	—								
neon light bulb socket Ba9s 220V 2W clear ø 10mm L 28mm											


 <p>1</p>			
Part No.	347665 ¹	Ref. No.	20803393
description	momentary push switch mounting measurements ø22mm red illuminated, 10-30V 1NC OFF momentary		

¹illuminated, 10-30V

 <p>1</p>			
Part No.	348106	Ref. No.	20803385
description	momentary push switch mounting measurements ø22mm white 1NO on momentary		


 <p>1</p>			
Part No.	347666 ¹	Ref. No.	20803396
description	momentary push switch mounting measurements ø22mm white illuminated, 10-30V 1NO on momentary		

¹illuminated, 10-30V

 <p>1</p>			
Part No.	348125	Ref. No.	20803380
description	switch mounting measurements ø22mm red complete EMERGENCY SHUT-DOWN		

timers

mechanical timers

 <p>1</p>			
Part No.	350155 ¹	Ref. No.	20800014
description	timer M2 2-pole operation time 4min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm		

¹incl. knob and symbol





			
1			
Part No.	350156 ¹	Ref. No.	20800314
description	timer M2 3-pole operation time 4min impulse mechanical 3NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm mounting thread M4 connection male faston 6.3mm		



¹incl. knob and symbol

electronics

PCBs

			
1			
Part No.	403909	Ref. No.	20900080N
description	PCB bone saw L 135mm W 105mm 230/400V		

			
1			
Part No.	403194	Ref. No.	209000065 209000065/1 20900012
description	PCB L 101mm W 101mm 230/400V		

			
1			
Part No.	403553	Ref. No.	20803406
description	PCB L 130mm W 44mm ON-OFF 50Hz 400V suitable for GIERRE / LA MINERVA		
spare parts for	403553		
	Part No.	403606	Ref. No. 20803372
	protective cover for switch external size 57x31mm clear ID ø 20mm H 17mm		

compressors

CUBIGEL

R134A

HMBP monophase




High/Medium evaporation temperature above -20/-15 °C

			
1			
Part No.	605182	Ref. No.	2091R009
description	compressor coolant R134a type GX18TB 220-240V 50Hz HMBP 16kg 1/2HP power input 1390W cylinder capacity 18.39cm ³ CSIR H 215mmW 401W 553W 734W 944W 1182W 1449W 1744W 2068W test method ASHRAE ambient temperature max. 43°C		

fans

axial fans

import

			
1			
Part No.	601080 ¹	Ref. No.	2091R115
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
accessories for	601080		
	Part No.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	Part No.	692519	Ref. No. —
	guard L 120mm W 120mm plastic		

¹with ball bearings



equipment-specific units

for bandsaws

saw blades

width 16mm



1

Part No. 699213 **Ref. No.** 22550419

description saw blade L 2050mm W 16mm thickness 0.5mm Qty 1 pcs



1

Part No. 699048 **Ref. No.** 22550408

description saw blade L 2390mm W 16mm thickness 0.5mm tooth spacing 6mm



1

Part No. 699050 **Ref. No.** 22550411

description saw blade L 2430mm W 16mm thickness 0.5mm tooth spacing 6mm

for meat mincers

drive shafts

for blades



1

Part No. 699388 **Ref. No.** CG93-0046

description blade pulley ENTERPRISE model 22 L 86mm thread M6 intake 13x13mm

accessories for 699388



Part No. 696023 **Ref. No.** —
description knife type ENTERPRISE size 22 ø 73mm internal size 13x13mm stainless steel



Part No. 699386 **Ref. No.** CG93-0048

description auger ø 67mm L 172mm stainless steel 22



Part No. 699387 **Ref. No.** CG93-0047

description screw L 95mm thread M6 for auger meat mincer thread L 25mm

for augers



1

Part No. 699290 **Ref. No.** 82000221

description drive shaft ø 11mm thread M14x1.5 L 63.4mm

augers

without bolt



1

Part No. 699386 **Ref. No.** CG93-0048

description auger ø 67mm L 172mm stainless steel 22

accessories for 699386



Part No. 699387 **Ref. No.** CG93-0047

description screw L 95mm thread M6 for auger meat mincer thread L 25mm



Part No. 699388 **Ref. No.** CG93-0046

description blade pulley ENTERPRISE model 22 L 86mm thread M6 intake 13x13mm

miscellaneous



1

Part No. 699387 **Ref. No.** CG93-0047

description screw L 95mm thread M6 for auger meat mincer thread L 25mm

accessories for 699387



Part No. 699386 **Ref. No.** CG93-0048

description auger ø 67mm L 172mm stainless steel 22



Part No. 699388 **Ref. No.** CG93-0046

description blade pulley ENTERPRISE model 22 L 86mm thread M6 intake 13x13mm

for vegetable slicers

cutting discs

blades smooth

cutting discs



1

Part No. 697301 **Ref. No.** E2

description slicing disk type E2 ø 206mm seat ø 19mm slicing thickness 2mm plastic

spare parts for 697301



Part No. 697418 **Ref. No.** —

description spare blades for cutting disc E



for potato peelers

abrasive side elements

inserts



1

Part No.	696749	Ref. No.	22995008
description	abrasive band for potato peeler device \varnothing 400mm L 1250mm mounting distance mm W 215mm C565		

grinding discs



1

Part No.	696769	Ref. No.	85650080
description	peeling disk \varnothing 383mm for potato peeler device C565		




1

Part No.	699390	Ref. No.	85700080
description	peeling disk \varnothing 460mm for potato peeler device		

gaskets

special gaskets

miscellaneous



1

Part No.	699389	Ref. No.	22601001N
description	lid gasket for potato peeler device mounting pos. lid Qty supplied by meter		

transmission technology and ball bearings

drive belts

V-belts

XPZ profile



1

Part No.	699485	Ref. No.	8PP500035
description	V-belt belt width 9.7mm outer length 1333mm H 8mm serrated profile XPZ 1320 Lw		



consumables

lubricants

oils

for vacuum pumps



1

Part No.	890014	Ref. No.	80SV5103
description	oil type VG100 for vacuum pumps Qty 1l		

GASTROPARTS.COM

