

# Rossi

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ tel. +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**





switches and momentary switches

rocker/momentary rocker switches

30x22mm



<b>Part No.</b>	301002	<b>Ref. No.</b>	3253
<b>description</b>	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP65		

accessories for 301002



<b>Part No.</b>	301036	<b>Ref. No.</b>	3253
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



<b>Part No.</b>	301036	<b>Ref. No.</b>	3253
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

labelled



<b>Part No.</b>	346142	<b>Ref. No.</b>	3253
<b>description</b>	rocker switch mounting measurements 30x22mm orange 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		

For models: MC6665, RR45A6666, RR45PST4519, RR45S6672

accessories for 346142



<b>Part No.</b>	301036	<b>Ref. No.</b>	3253
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

30x22mm



<b>Part No.</b>	301036	<b>Ref. No.</b>	3253
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

microswitches

pin-plunger actuated



<b>Part No.</b>	345105	<b>Ref. No.</b>	00751.2.00.08 3202
<b>description</b>	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		
<b>For models:</b>	MC6665, RR45A6666		

relays


power relays

with male contacts

female contact 2.0mm





<b>Part No.</b>	380358	<b>Ref. No.</b>	01955.2.00.08	
<b>description</b>	power relays connection 2.0 plug-in connection			
<b>accessories for</b>	380358			
	<b>Part No.</b>	380378	<b>Ref. No.</b>	—
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72			
	<b>Part No.</b>	380384	<b>Ref. No.</b>	—
	relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for			
	<b>Part No.</b>	380399	<b>Ref. No.</b>	—
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3			



<b>Part No.</b>	380377	<b>Ref. No.</b>	3068.10	
<b>description</b>	power relays FINDER 220-240VAC 10A 2CO connection F2 plug-in connection manuf. no. 55.32.8.230.0000 94.92.3 250V			
<b>accessories for</b>	380377			
	<b>Part No.</b>	380341	<b>Ref. No.</b>	—
	relay socket 4-pole contacts 12 300V voltage AC 6A Italiana Relè manuf. no. ZMD4			
	<b>Part No.</b>	380378	<b>Ref. No.</b>	—
	relay socket 2-pole 55/85 dimensions 70.5x30x27mm 250V voltage AC 10A FINDER manuf. no. 94.72			

Table continues overleaf



accessories for	380377			
	Part No.	380384	Ref. No.	—
	relay socket 2-pole contacts male faston 2.8mm 250V voltage AC 10A W 23mm for			
	Part No.	380399	Ref. No.	—
	relay socket 4-pole dimensions 76.2x27x86.1mm 250V voltage AC 1A FINDER manuf. no. 94.94.3			

## motors

### gear motors

#### for ice-cube maker

#### miscellaneous



1

Part No.	499175	Ref. No.	HBM 63C
description	gear motor ROSSI type HBM 63C 230V voltage AC 50Hz shaft $\varnothing$ 24mm L 350mm W 190mm H 160mm for flake ice maker 180W		

## pumps

### booster pumps II

#### pump heads

#### ROSSI



1

Part No.	504238	Ref. No.	RF140S
description	pump RF140SO9E ROSSI L 82mm 100l/h connection 3/8" NPT with bypass brass clip connection for coffee machine shaft $\varnothing$ 4.8x11mm		

## equipment-specific units

### for coffee grinders

#### grinding burrs

#### grinding burrs straight

#### standard



1

Part No.	527213	Ref. No.	5198
description	grinding burrs pair turn direction left D1 $\varnothing$ 50mm ID $\varnothing$ 30mm H 8mm tooth spacing 2.5mm hole $\varnothing$ 4.5mm bore $\varnothing$ 7.5mm mounting $\varnothing$ 40 straight suitable for BRASILIA		



1

Part No.	527201	Ref. No.	5185
description	grinding burrs pair turn direction left D1 $\varnothing$ 50mm ID $\varnothing$ 30mm H 8mm tooth spacing 2.5mm hole $\varnothing$ 4.5mm bore $\varnothing$ 7.5mm mounting $\varnothing$ 40 straight suitable for BRASILIA, ROSSI equiv. no.		



1

Part No.	526518	Ref. No.	M4433.64
description	grinding burrs pair turn direction left D1 $\varnothing$ 63.3mm ID $\varnothing$ 38mm H 9mm tooth spacing 2.5mm hole $\varnothing$ 5mm bore $\varnothing$ 8.5mm mounting $\varnothing$ 50 suitable for BRASILIA, ROSSI teeth 12/60		




1

Part No.	531206	Ref. No.	N/A
description	grinding burrs pair turn direction left D1 $\varnothing$ 63.3mm ID $\varnothing$ 38mm H 9mm tooth spacing 2.5mm hole $\varnothing$ 5mm bore $\varnothing$ 8.5mm mounting $\varnothing$ 50 suitable for BRASILIA, ROSSI teeth 16/60		





			
1			
<b>Part No.</b>	527202	<b>Ref. No.</b>	4433
<b>description</b>	grinding burrs pair turn direction left D1 ø 63.3mm ID ø 38mm H 9mm tooth spacing 3mm hole ø 5.5mm bore ø 8.5mm mounting ø 50 straight suitable for BRASILIA, ROSSI equiv. no. 00058/BRASILIA, 4433/ROSSI		
<b>For models:</b>	RR45A6666, RR45PST4519, RR45S6672		


			
1			
<b>Part No.</b>	527215	<b>Ref. No.</b>	N/A
<b>description</b>	grinding burrs pair turn direction left D1 ø 83mm ID ø 45mm H 10mm tooth spacing 3.5mm hole ø 6.5mm bore ø 10.5mm mounting ø 65 straight suitable for BRASILIA, ROSSI		


grinding burrs conical			
			
1			
<b>Part No.</b>	527237	<b>Ref. No.</b>	5585
<b>description</b>	grinding burrs pair turn direction right D1 ø 68mm D2 ø 49mm H 25mm shaft ø 13mm with flute suitable for ROSSI		
<b>For models:</b>	MC6665		


grinding burrs holders			
			
1			
<b>Part No.</b>	527268	<b>Ref. No.</b>	4984
<b>description</b>	grinding burr holder type RR45, CC45 suitable for ROSSI equiv. no. 4984		
<b>For models:</b>	RR45A6666, RR45PST4519, RR45S6672		

screws			
			
1			
<b>Part No.</b>	560365	<b>Ref. No.</b>	1256
<b>description</b>	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
<b>For models:</b>	MC6665, RR45A6666, RR45PST4519, RR45S6672		

dosing containers			
dosing container lids			
			
1			
<b>Part No.</b>	527306	<b>Ref. No.</b>	01430.0.00.02 2746
<b>description</b>	lid for dosing container ø 118mm		
<b>For models:</b>	MC6665, RR45PST4519, RR45S6672		

adjusting screws			
			
1			
<b>Part No.</b>	527551	<b>Ref. No.</b>	09610.0.00.02 3907 3907.10
<b>description</b>	adjusting screw for dosing container thread M8 L 40mm plastic		

springs			
group 1			
			
1			
<b>Part No.</b>	526509	<b>Ref. No.</b>	2020
<b>description</b>	compression spring ø 8.5mm L 95mm wire gauge ø 0.8mm right		

			
1			
<b>Part No.</b>	526513	<b>Ref. No.</b>	2049
<b>description</b>	tension spring ø 11mm total length 44mm wire gauge ø 0.9mm L1 35mm for lever		
<b>For models:</b>	MC6665, RR45A6666, RR45S6672		

glass cylinders			
			
1			
<b>Part No.</b>	527305	<b>Ref. No.</b>	2652
<b>description</b>	glass cylinder for dosing container ø 125mm H 60mm plexiglas		
<b>For models:</b>	MC6665, RR45A6666, RR45S6672		



## coffee presses

## coffee presses



1

<b>Part No.</b>	527549	<b>Ref. No.</b>	2673
-----------------	--------	-----------------	------

**description** coffee press ø 57mm H 98mm plastic

## sector plates



1

<b>Part No.</b>	527553	<b>Ref. No.</b>	01772.0.00.01 3321
-----------------	--------	-----------------	-----------------------

**description** sector plates SS

**For models:** MC6665, RR45A6666, RR45S6672

## miscellaneous



1

<b>Part No.</b>	526541	<b>Ref. No.</b>	S2631.10
-----------------	--------	-----------------	----------

**description** frame for lid L 73.5mm W 44mm H 8mm mounting pos. lower plastic

## stars

## upper



1

<b>Part No.</b>	527552	<b>Ref. No.</b>	01485.0.00.02 2727
-----------------	--------	-----------------	-----------------------

**description** star mounting pos. upper ø 112mm H 19mm

**For models:** MC6665, RR45A6666, RR45S6672

## adjustment mechanism

## lockable adjustment



1

<b>Part No.</b>	526536	<b>Ref. No.</b>	2635
-----------------	--------	-----------------	------

**description** pressure pin for setting ring L 20mm W 17mm shaft ø 5mm shaft length 26mm

**For models:** RR45PST4519, RR45S6672

## setting rings



1

<b>Part No.</b>	527415	<b>Ref. No.</b>	2720
-----------------	--------	-----------------	------

**description** setting ring

**For models:** RR45PST4519, RR45S6672



1

<b>Part No.</b>	527400	<b>Ref. No.</b>	28371
-----------------	--------	-----------------	-------

**description** setting ring mounting ø 76mm ø 99mm ID ø 51mm H 34mm suitable for ROSSI for RR45A equiv. no. 28371

## coffee beans containers

## coffee beans containers



1

<b>Part No.</b>	527355	<b>Ref. No.</b>	13808.4.00.09 2675 S2675.500.1
-----------------	--------	-----------------	--------------------------------------

**description** container complete ø 210mm H 290mm seat ø 51mm



supports



1			
<b>Part No.</b>	531168	<b>Ref. No.</b>	N/A
<b>description</b>	support for coffee beans container intake conical seat $\varnothing$ 52.5-51.5mm suitable for ROSSI		



1			
<b>Part No.</b>	531169	<b>Ref. No.</b>	N/A
<b>description</b>	support for coffee beans container intake conical seat $\varnothing$ 52.5-51mm suitable for ROSSI		

support for filter holder



1			
<b>Part No.</b>	527891	<b>Ref. No.</b>	2722
<b>description</b>	filter holder support for dosing unit L 71mm W 98mm H 25mm plastic		
<b>For models:</b>	RR45A6666, RR45PST4519, RR45S6672		

equipment feet and end caps

equipment feet with stem



1			
<b>Part No.</b>	526537	<b>Ref. No.</b>	M2740
<b>description</b>	equipment foot $\varnothing$ 29mm H 24mm bore $\varnothing$ 5.5mm		

springs

compression springs



1			
<b>Part No.</b>	526509	<b>Ref. No.</b>	2020
<b>description</b>	compression spring $\varnothing$ 8.5mm L 95mm wire gauge $\varnothing$ 0.8mm right		



1			
<b>Part No.</b>	527555	<b>Ref. No.</b>	00898.0.00.03 2029
<b>description</b>	compression spring $\varnothing$ 9.9mm L 80mm wire gauge $\varnothing$ 0.8mm		
<b>For models:</b>	MC6665, RR45A6666, RR45S6672		

tension springs



1			
<b>Part No.</b>	526513	<b>Ref. No.</b>	2049
<b>description</b>	tension spring $\varnothing$ 11mm total length 44mm wire gauge $\varnothing$ 0.9mm L 135mm for lever		
<b>For models:</b>	MC6665, RR45A6666, RR45S6672		

fastening material

screws

flat-headed bolts



1			
<b>Part No.</b>	560365	<b>Ref. No.</b>	1256
<b>description</b>	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head $\varnothing$ 8mm head thickness 3mm		
<b>For models:</b>	MC6665, RR45A6666, RR45PST4519, RR45S6672		

washers

washers

DIN 9021



1			
<b>Part No.</b>	560117	<b>Ref. No.</b>	M1605
<b>description</b>	plain washer ID $\varnothing$ 6.4mm ED $\varnothing$ 18mm thickness 1.5mm SS Qty 20 pcs DIN 9021 for thread M6		



## fasteners

## retaining rings

DIN 6799



<b>Part No.</b>	516198	<b>Ref. No.</b>	1623
<b>description</b>	retaining ring E D1 ø 6mm D2 ø 12mm SS DIN 6799 thickness 0.7mm for shaft ø 7-9mm		
<b>For models:</b>	MC6665, RR45A6666, RR45S6672		

**GASTRO**PARTS.COM

