



**GASTROPARTS**

# Tefcold

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ [gastroparts@gastroparts.com](mailto:gastroparts@gastroparts.com)

☎ +48 56 657 00 66

📘 [fb.com/gastroparts.global](https://fb.com/gastroparts.global)

**GASTROPARTS.COM**





## thermostats

## refrigeration thermostats

## RANCO

## K22 series

RANCO



1

<b>Part No.</b>	390876	<b>Ref. No.</b>	2922600038
-----------------	--------	-----------------	------------

<b>description</b>	thermostat RANCO type K22L8100 capillary pipe 2060mm temperature range°C probe ø9.5x130mm
--------------------	---

## K50 series

RANCO



1

<b>Part No.</b>	390983	<b>Ref. No.</b>	1022600059
-----------------	--------	-----------------	------------

<b>description</b>	thermostat RANCO type K50-L3420 probe ø 2mm probe Lmm capillary pipe 500mm refrigeration
--------------------	--

RANCO



1

<b>Part No.</b>	390872	<b>Ref. No.</b>	1022600019
-----------------	--------	-----------------	------------

<b>description</b>	thermostat RANCO type K50-L3421 probe ø 2mm probe Lmm capillary pipe 1200mm refrigeration
--------------------	---

RANCO



1

<b>Part No.</b>	390984	<b>Ref. No.</b>	6000013181 6062100120
-----------------	--------	-----------------	--------------------------

<b>description</b>	thermostat RANCO type K50-Q4964 probe ø 9mm probe L 40mm capillary pipe 1200mm
--------------------	--

## switches and momentary switches

## rocker/momentary rocker switches

## 19x13mm



1

<b>Part No.</b>	301318	<b>Ref. No.</b>	9200013118
-----------------	--------	-----------------	------------

<b>description</b>	rocker switch mounting measurements 19x13mm red 1NO 250V 10A illuminated 0-I connection male faston 4.8mm
--------------------	---

## 30x11mm



1

<b>Part No.</b>	347350	<b>Ref. No.</b>	1013916016
-----------------	--------	-----------------	------------

<b>description</b>	rocker switch mounting measurements 30x11mm black 1CO 250V 16A I O connection male faston 6.3mm ambient temperature max. 90°C protection IP40
--------------------	---

## 30x22mm

## labelled



1

<b>Part No.</b>	300125	<b>Ref. No.</b>	7110002401
<b>description</b>	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		

<b>accessories for</b>	300125
------------------------	--------



<b>Part No.</b>	301036	<b>Ref. No.</b>	—
<b>description</b>	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

## microswitches

## with push button

## switches with snap-fit



1

<b>Part No.</b>	346772	<b>Ref. No.</b>	7110002402
-----------------	--------	-----------------	------------

<b>description</b>	microswitch with push button 250V 5A 1CO connection male faston 4.8mm L 24x27mm ambient temperature max. 85°C actuating force: 160g
--------------------	---



## lamps

## indicator lights

## indicator lights (complete)

30x11mm



1

<b>Part No.</b>	359160	<b>Ref. No.</b>	1013916017
<b>description</b>	indicator light mounting measurements 30x11mm 230V green connection male faston 6.3mm rectangular temp.-resist. 125°C		

## electronic controllers

## DIXELL

## refrigeration controllers

## built-in version



1

<b>Part No.</b>	378363	<b>Ref. No.</b>	7110000399	
<b>description</b>	electronic controller DIXELL XR06CX-5R0C1 mounting measurements 71x29mm 230V voltage AC NTC relay outputs 3 NO-20A(8) CO-8A(3) NO-5A(2) NTC NTC DI protection IP54 -40 up to +110°C display 3½ digits			
<b>accessories for</b>	378363			
	<b>Part No.</b>	381249	<b>Ref. No.</b>	—
	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection 2-wire thread probe ø6x14mm cable length 3m			

## EKTRON

## refrigeration controllers

## built-in version



1

<b>Part No.</b>	378034	<b>Ref. No.</b>	7110000401 7110000402	
<b>description</b>	electronic controller EKTRON type REK31ED-0021 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-8A(4) NTC/PTC NTC/PTC built-in depth 71mm defr. funct. yes -50 up to +95°C display 3 digits			
<b>accessories for</b>	378034			
	<b>Part No.</b>	379053	<b>Ref. No.</b>	—
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			

<b>accessories for</b>	378034			
	<b>Part No.</b>	379782	<b>Ref. No.</b>	—
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			



1

<b>Part No.</b>	378118	<b>Ref. No.</b>	7110000400	
<b>description</b>	electronic controller EKTRON type REK33-1021 mounting measurements 71x29mm 230V voltage AC PTC relay outputs 3 NO-16A NO-8A(4) NO-8A(4) PTC PTC built-in depth 71mm -50 up to +95°C display 3½ digits			
<b>accessories for</b>	378118			
	<b>Part No.</b>	379052	<b>Ref. No.</b>	—
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			

## miscellaneous

## refrigeration controllers

	1		
<b>Part No.</b>	378496	<b>Ref. No.</b>	50EB-2.1 BULB 2006 6868100108 TFW360-2
<b>description</b>	electronic controller TEFCOLD type TFW360-2 240V voltage AC 5-18°C display 2x 2 digit relay outputs 3 compressor relay NO-12A DEF Relay fan relay NO-5A NO-5A 3 RoomTempIN yes DEF Probe yes DigiIN 1 yes protection IPx0		

	1		
<b>Part No.</b>	378497	<b>Ref. No.</b>	50EB-2.3 LED 2007 6868100140 TFW360-2
<b>description</b>	electronic controller TEFCOLD type TFW360-2 240V voltage AC 5-18°C display 2x 2 digit relay outputs 3 compressor relay NO-12A DEF Relay fan relay NO-5A NO-5A 3 RoomTempIN yes DEF Probe yes DigiIN 1 yes protection IPx0		

## probes

## universal probes

## temperature probes

	1		
<b>Part No.</b>	379306	<b>Ref. No.</b>	7110001602
<b>description</b>	temperature probe PTC cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x35mm cable length 2m cable colours brown/blue 2-wire resistor 1kOhm		



compressors

ACC/ZEL

R134A

LBP monophas

Lower evaporation temperature below -20°C



1

<b>Part No.</b>	605126	<b>Ref. No.</b>	7200002102 OF1350A
<b>description</b>	compressor coolant R134a type OF1350A 220-240V 50Hz LBPkg 1/4HP power input 158W cylinder capacity 7.5cm <sup>3</sup> RSIR H 183mmWWWWWWWWWW ZEL		

SECOPI DANFOSS


R134A

HMBP monophas

High/Medium evaporation temperature above -20/-15 °C



1

<b>Part No.</b>	605123	<b>Ref. No.</b>	2910800068 9999150007
<b>description</b>	compressor coolant R134a type TL4G 220-240V 50Hz HMBP 7.5kg 1/8HP power input 118W cylinder capacity 3.86cm <sup>3</sup> CSIR H 173mm 50W 72W 99W 133W 173W 222W 280W 347W 425W test method ASHRAE ambient temperature max. 43°C		
<b>spare parts for</b>	605123		
	<b>Part No.</b>	380077	<b>Ref. No.</b> —
	start relay DANFOSS 117U6004/F097 HST		



fans

axial fans

ebm-papst



1

<b>Part No.</b>	601030 <sup>1</sup>	<b>Ref. No.</b>	7130001902
<b>description</b>	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656Z metal connection male faston 2.8mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
<b>accessories for</b>	601030		
	<b>Part No.</b>	550898	<b>Ref. No.</b> —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	<b>Part No.</b>	692497	<b>Ref. No.</b> —
	guard ø 105mm mounting distance 150mm for axial fan ebm-papstmm		

<sup>1</sup>with ball bearings

refrigeration fans


refrigeration motors universal

ebm-papst

standard motors



1

<b>Part No.</b>	601287	<b>Ref. No.</b>	7200002200 Ø170
<b>description</b>	fan motor 10W 230V 50Hz L1 43mm L3 81mm W 83mm cable length 450mm		
<b>spare parts for</b>	601287		
	<b>Part No.</b>	601413	<b>Ref. No.</b> —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		



cross flow fans

IMPORT



1	<b>Part No.</b>	601847	<b>Ref. No.</b>	1013700228
<b>description</b>	cross flow fan YJ61-16A-HZ03 roller ø 60mm roller length 180mm laminated core thickness 15mm motor position right 220-240V/50-60Hz 27W refrigeration bearing rubber connection male faston 6.3mm -10 up to +60°C 230V 50/60Hz			

equipment-specific units

for fridges

housing and bezels

handles



1	<b>Part No.</b>	701484	<b>Ref. No.</b>	1013208009 1016208009
<b>description</b>	door handle for fridge L 200mm W 73mm H 4mm aluminium			

shelves and shelf rails

shelf rails and supports

producer-specific




1	<b>Part No.</b>	700705	<b>Ref. No.</b>	7110005601 7200001500 PTP920
<b>description</b>	pair of setting bar L 550mm W 20mm H 30mm			

gaskets


refrigeration gaskets

plug-in gaskets

profile 9052




<b>Part No.</b>	902112	<b>Ref. No.</b>	9200009104
<b>description</b>	refrigeration gasket profile 9052 W 410mm L 770mm plug size		



<b>Part No.</b>	901681	<b>Ref. No.</b>	9208501196
<b>description</b>	refrigeration gasket profile 9052 W 475mm L 665mm plug size		


profile 9042



<b>Part No.</b>	901656	<b>Ref. No.</b>	1014690014
<b>description</b>	refrigeration gasket profile 9042 W 575mm L 1610mm plug size		

profile 9010

We offer custom-made gaskets for this profile



<b>Part No.</b>	901501	<b>Ref. No.</b>	1014690454
<b>description</b>	refrigeration gasket profile 9010 W 573mm L 1605mm plug size		



<b>Part No.</b>	902251	<b>Ref. No.</b>	N/A
<b>description</b>	refrigeration gasket profile 9010 Wmm L 2500mm		

<b>Part No.</b>	902113	<b>Ref. No.</b>	7300010007
<b>description</b>	refrigeration gasket profile 9150 W 735mm L 1675mm plug size		

profile 9150

<b>Part No.</b>	901493	<b>Ref. No.</b>	7200000805
<b>description</b>	refrigeration gasket profile 9150 W 396mm L 494mm plug size		

<b>Part No.</b>	901653	<b>Ref. No.</b>	7140000805
<b>description</b>	refrigeration gasket profile 9150 W 460mm L 595mm plug size		

<b>Part No.</b>	902140	<b>Ref. No.</b>	7300010027
<b>description</b>	refrigeration gasket profile 9150 W 568mm L 1640mm plug size		

<b>Part No.</b>	901682	<b>Ref. No.</b>	7110000805
<b>description</b>	refrigeration gasket profile 9150 W 680mm L 1475mm plug size		

## evaporators for fridges

producer-specific

<b>Part No.</b>	750626	<b>Ref. No.</b>	7110000201
<b>description</b>	evaporator L 300mm W 150mm H 220mm for fridge suitable for TEFCOLD		

<b>Part No.</b>	750273	<b>Ref. No.</b>	9200005049
<b>description</b>	evaporator L 375mm W 50mm H 330mm		

<b>Part No.</b>	750625	<b>Ref. No.</b>	7130000201
<b>description</b>	evaporator L 470mm W 94mm H 269mm mounting distance 8mm mounting distance 142mm mounting distance 244.5mm		



## evaporation and condensing trays

## unheated condensing trays



1

<b>Part No.</b>	750622	<b>Ref. No.</b>	9110102235
<b>description</b>	condensing tray L 248mm W 164mm H 162mm		

## fastening material

## nuts

## cap nuts



1

<b>Part No.</b>	560136	<b>Ref. No.</b>	7200000528
<b>description</b>	cap nuts thread M5 WS 8 SS Qty 20 pcs DIN/ISO DIN 1587		

**GASTRO**PARTS.COM

