



GASTROPARTS

Thunderbird

- [EN]** Equipment
- [DE]** Geräte
- [ES]** Aparatos
- [FR]** Équipement
- [IT]** Attrezzature
- [PL]** Urządzenia
- [RU]** Оборудование

✉ gastroparts@gastroparts.com

☎ +48 56 657 00 66

📘 fb.com/gastroparts.global

GASTROPARTS.COM





switches and momentary switches

push/momentary push switches

27.2x22.2mm



1			
Part No.	345092 ¹	Ref. No.	ARM02182
description	momentary push switch mounting measurements 27.2x22.2mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

¹illuminated



1			
Part No.	345090 ¹	Ref. No.	ARM02181
description	momentary push switch mounting measurements 27.2x22.2mm red 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

¹illuminated

overload switches



1			
Part No.	347815	Ref. No.	ARM0119
description	push switch KJD17 mounting measurements 45x22mm red/green 2NO 250V 10A 0-I connection male faston 6.3mm ambient temperature max. 85°C protection IP54		

microswitches

lever actuated



1			
Part No.	347021	Ref. No.	ARM0125 ARM-02-164
description	microswitch with lever 250V 5A 1CO connection soldering connection L 15mm ambient temperature max. 85°C mounting distance 10mm actuating force: 13g lever length 17mm		

roller-lever actuated

microswitches



1			
Part No.	346137	Ref. No.	ARM.01.132
description	microswitch with handle with a switch 250V 5A 1CO connection soldering connection L 14mm L1 16.5mm ambient temperature max. 125°C mounting distance 9mm type SS-5GL2 actuating force: 20g black lever length 18mm		

contactors

TELEMECANIQUE (Schneider Electric)

power contactors



1			
Part No.	380967	Ref. No.	ARM01121 ARM02175
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LC1K0910M7		

equipment-specific units

for dough mixers

agitators



1			
Part No.	692120	Ref. No.	ARM0101
description	beater for dough mixer shaft ø 20 H 230mm W 170mm		

GASTROPARTS.COM

